06.08.2024

06.08.2024	Kit components	
Product code	Description	
6,864	Show Me Pen Ink - All Colours	
Components:		
2,026	WB 7311.1 Black	
6,853	WB 7302.1 Dark Blue	
6,854	WB 7334.1 Dark Green	
6,855	WB 7322.1 Red	
6,856	WB 7326 Ruby Red	
6,857	WB 7304.1 Blue	
6,858	WB 7363.1 Yellow	
2,028	WB1568 Orange L3805	
6,859	WB1586 Brown L4279	
6,860	WB1576 Purple #21872	



Page 1/11



Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB 7311.1 Black
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labelling:$

1-Methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



Page 2/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

**Eastpoint** 

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	50 – 100%
EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXX	<ul> <li>Flam. Liq. 2, H225;</li> <li>Eye Irrit. 2, H319</li> <li>Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %</li> </ul>	
CAS: 107-98-2	1-Methoxy-2-propanol	20 – 25%
EINECS: 203-539-1	🏇 Flam. Liq. 3, H226; 🗘 STOT SE 3, H336	
Reg.nr.: 01-2119457435-35-XXX	X	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

CE



Page 3/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3

(Contd. on page 4)





Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

Trade name: WB 7311.1 Black

(Contd. of page 3)

## · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 64-17-5 Ethanol WEL Long-term value: 1920 mg/m³, 1000 ppm 107-98-2 1-Methoxy-2-propanol WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm · DNELs 64-17-5 Ethanol Long-term systemic effects 87 mg/kg bw/day (general population) Oral Dermal Long-term systemic effects 206 mg/kg bw/day (general population) 343 mg/kg bw/day (worker) Inhalative Long-term systemic effects 114 mg/m³ (general population) 380 mg/m³ (worker) Short-term local effects 950 mg/m³ (general population) 1,900 mg/m<sup>3</sup> (worker) 107-98-2 1-Methoxy-2-propanol Long-term systemic effects 33 mg/kg bw/day (general population) Oral Dermal Long-term systemic effects 78 mg/kg bw/day (general population)

# 183 mg/kg bw/day (worker) 43.9 mg/m³ (general population) Inhalative Long-term systemic effects 369 mg/m³ (worker) Short-term systemic effects 553.5 mg/m<sup>3</sup> (worker) Short-term local effects 553.5 mg/m3 (worker) · PNECs

64-17-5 Ethanol	
Freshwater	960 μg/L
Freshwater Freshwater - Intermittent releases	2.75 mg/L
Marine water	790 µg/L 580 mg/L 3.6 mg/kg 2.9 mg/kg
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	3.6 mg/kg
Sediment (marine water)	2.9 mg/kg

Soil 630 µg/kg 380 - 720 mg/kg food Secondary poisoning

107-98-2 1-Methoxy-2-propanol

Freshwater 10 mg/L Freshwater - Intermittent releases 100 mg/L

(Contd. on page 5)





according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

	(Contd. of	page 4)
Marine water	1 mg/L	
Sewage Treatment Plant	100 mg/L	
Sediment (freshwater)	52.3 mg/kg	
Sediment (marine water)	5.2 mg/kg	
Soil	4.59 mg/kg	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

(Contd. on page 6)

Page 5/11



Page 6/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

(Contd. of page 5)

• Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Black
Characteristic
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

**range** 78 °C (64-17-5 Ethanol) • **Flammability** Highly flammable.

· Lower and upper explosion limit

Lower: 1.5 Vol %
 Upper: 15 Vol %
 Flash point: 13 °C

• Auto-ignition temperature: 287 °C (107-98-2 1-Methoxy-2-propanol)

Decomposition temperature:
 pH
 Not determined.
 Not determined.

 $\cdot \ Viscosity:$ 

• **Kinematic viscosity**• **Dynamic at 20** °C:

Not determined.

9.5 mPas

 $\cdot \ Solubility$ 

water: Partly miscible.
 Partition coefficient n-octanol/water (log value)
 Not determined.

• **Vapour pressure at 20 °C:** 59 hPa (64-17-5 Ethanol)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

 $\cdot \ Appearance:$ 

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 99.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

(Contd. on page 7)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

(	Contd.	of	nage	6)

<ul> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> <li>Desensitised explosives</li> </ul>			(conta. or page o)
<ul> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul>	· Flammable liquids	Highly flammable liquid and vapour.	
<ul> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> <li>Void</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul> Void <ul> <li>Void</li> <li>Void</li> </ul>	· Flammable solids	Void	
<ul> <li>Pyrophoric solids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul>	· Self-reactive substances and mixtures	Void	
<ul> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul> Void <ul> <li>Void</li> <li>Void</li> </ul>	· Pyrophoric liquids	Void	
<ul> <li>Substances and mixtures, which emit flammable gases in contact with water</li> <li>Oxidising liquids</li> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul>	· Pyrophoric solids	Void	
gases in contact with water Void  Oxidising liquids Void  Oxidising solids Void  Organic peroxides Void  Corrosive to metals Void	· Self-heating substances and mixtures	Void	
<ul> <li>Oxidising liquids</li> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul> Void Void Void	· Substances and mixtures, which emit flammable		
<ul> <li>Oxidising solids</li> <li>Organic peroxides</li> <li>Corrosive to metals</li> </ul> Void Void	gases in contact with water	Void	
· Organic peroxides Void · Corrosive to metals Void	· Oxidising liquids	Void	
· Corrosive to metals Void	· Oxidising solids	Void	
	· Organic peroxides	Void	
· Desensitised explosives Void	· Corrosive to metals	Void	
	· Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

At elevated temperatures, explosive vapour/air mixtures may be formed.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 64-17-5 Ethanol > 10,000 mg/kg (rat) Oral LD50 LD50 > 10,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h > 100 mg/l (rat) 107-98-2 1-Methoxy-2-propanol LD50 Oral > 2,000 mg/kg (rat) LD50 > 2,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h 6 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.

(Contd. on page 8)



Page 8/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

(Contd. of page 7)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

#### · Aquatic toxicity:

## 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

## 107-98-2 1-Methoxy-2-propanol

EC50 (96 h) > 20,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- $\cdot$  General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

(Contd. of page 8)

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	UN1263 PAINT, special provision 640D PAINT
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	3 (F1) Flammable liquids.
· IMDG, IATA	3
	2 Elamonthia liquida
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids.
Hazchem Code: EMS Number: Stowage Category	•3YE F-E, <u>S-E</u> B
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml
Transport category Tunnel restriction code	Maximum net quantity per outer packaging: 500 ml 2 D/E



Page 10/11

# **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

(Contd. of page 9)

· IMDG

· Limited quantities (LQ) · Excepted quantities (EQ)

**Excepted quantities (EQ)**Code: E2
Maximum net quantity per inner packaging: 30 ml

5L

Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1263 PAINT, 3, II

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in	%
NK	99.0	

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

(Contd. on page 11)



Page 11/11

# **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7311.1 Black

(Contd. of page 10)

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB



Page 1/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB 7302.1 Dark Blue
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labelling:$

1-Methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd. of page 1)

Page 2/11

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EINECS: 200-578-6	Ethanol  Flam. Liq. 2, H225;  Eye Irrit. 2, H319	25 – < 50%
C	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %  1-Methoxy-2-propanol	20 – 25%
	Flam. Liq. 3, H226;  STOT SE 3, H336	20 2570
	Isopropanol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	2.5 – < 10%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- $\cdot$  4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

 $\cdot$  After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

· 8.1 Control parameters			
Ingredients with limit values that require monitoring at the workplace:			
64-17	7-5 Ethanol		
WEL	Long-term value: 1920 mg/m³, 1000 ppm		
107-9	8-2 1-Methoxy-2-propanol		
WEL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm		
	Long-term value: 375 mg/m³, 100 ppm		
	Sk		

# 67-63-0 Isopropanol WEL Short-term value: 1250 mg/m³, 500 ppm

	Long-term value: 999 mg/m³, 400 ppm				
· DNELs					
64-17-5 E	64-17-5 Ethanol				
Oral	Long-term systemic effects	87 mg/kg bw/day (general population)			
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)			
		343 mg/kg bw/day (worker)			
Inhalative	Long-term systemic effects	114 mg/m³ (general population)			
		380 mg/m³ (worker)			
	Short-term local effects	950 mg/m³ (general population)			
		1,900 mg/m³ (worker)			
107-98-2 1-Methoxy-2-propanol					
Oral	Long-term systemic effects	33 mg/kg bw/day (general population)			
Dermal	Long-term systemic effects	78 mg/kg bw/day (general population)			
		183 mg/kg bw/day (worker)			
Inhalative	Long-term systemic effects	43.9 mg/m³ (general population)			
		369 mg/m³ (worker)			
	Short-term systemic effects	553.5 mg/m³ (worker)			
	Short-term local effects	553.5 mg/m³ (worker)			
67-63-0 Isopropanol					
Oral	Long-term systemic effects	26 mg/kg bw/day (general population)			
	Short-term systemic effects	51 mg/kg bw/day (general population)			
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)			

888 mg/kg bw/day (worker)

(Contd. on page 5)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

				(Contd. of page
Inhalative I	Long-term systemic eff	fects	89 mg/m³ (general population)	
			500 mg/m³ (worker)	
S	Short-term systemic ef	fects	178 mg/m³ (general population)	
			1,000 mg/m³ (worker)	
PNECs				
64-17-5 Etl	nanol			
Freshwater		960	μg/L	
Freshwater	- Intermittent releases	2.75	mg/L	
Marine water	er	790	μg/L	
Sewage Tre	atment Plant	580	mg/L	
Sediment (f	reshwater)	3.6 r	ng/kg	
Sediment (n	marine water)	2.9 r	ng/kg	
Soil		630	μg/kg	
Secondary p	poisoning	380	– 720 mg/kg food	
107-98-2 1-	Methoxy-2-propanol			
Freshwater		10 n	ng/L	
Freshwater	- Intermittent releases	100	mg/L	
Marine water	er	1 mg	g/L	
Sewage Tre	atment Plant	100	mg/L	
Sediment (f	reshwater)	52.3	mg/kg	
Sediment (n	marine water)	5.2 r	ng/kg	
Soil		4.59	mg/kg	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

## · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)



Page 6/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd. of page 5)

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

· Body protection:



Protective work clothing

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Dark blue
Characteristic
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range 78 °C (64-17-5 Ethanol)
• Flammability Highly flammable.

· Lower and upper explosion limit

Lower: 1.5 Vol %
 Upper: 15 Vol %
 Flash point: 13 °C

• **Auto-ignition temperature:** 287 °C (107-98-2 1-Methoxy-2-propanol)

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

• **Kinematic viscosity**• **Dynamic at 20 °C:**Not determined.

9.5 mPas

· Solubility

water: Partly miscible.
 Partition coefficient n-octanol/water (log value)
 Post determined.

• **Vapour pressure at 20 °C:** 59 hPa (64-17-5 Ethanol)

· Density and/or relative density

• Density at 20 °C: 0.85 g/cm<sup>3</sup> • Relative density Not determined.

(Contd. on page 7)



Page 7/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd.	of	page	6

	(Contd. of page 6	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Liquid	
Important information on protection of heal	th and	
environment, and on safety.		
<b>Ignition temperature:</b>	Product is not self-igniting.	
<b>Explosive properties:</b>	Product is not explosive. However, formation o	
	explosive air/vapour mixtures are possible.	
Solvent content:		
VOC (EC)	77.00 %	
Change in condition		
<b>Evaporation rate</b>	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma		
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	
- commission expressives	, 014	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

At elevated temperatures, explosive vapour/air mixtures may be formed.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons



Page 8/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd. of page 7)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
64-17-5 E	64-17-5 Ethanol			
Oral	LD50	> 10,000 mg/kg (rat)		
Dermal	LD50	> 10,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	> 100 mg/l (rat)		
107-98-2 1	107-98-2 1-Methoxy-2-propanol			
Oral	LD50	> 2,000 mg/kg (rat)		
Dermal	LD50	> 2,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	6 mg/l (rat)		
67-63-0 Isopropanol				
Oral	LD50	> 2,000 mg/kg (rat)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

## 107-98-2 1-Methoxy-2-propanol

EC50 (96 h) > 20,000 mg/l (Bacteria)

#### 67-63-0 Isopropanol

EC50 (96 h) > 10,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)



Page 9/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd. of page 8)

#### · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA UN1263 14.2 UN proper shipping name ADR/RID/ADN UN1263 PAINT, special provision 640D PAINT 14.3 Transport hazard class(es)

· ADR/RID/ADN



· Class 3 (F1) Flammable liquids.

(Contd. on page 10)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

	(Contd. of pag
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
Hazchem Code:	•3YE
EMS Number: Stowage Category	F-E, <u>S-E</u> B
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2  Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1263 PAINT, 3, II

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

(Contd. on page 11)



Page 11/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7302.1 Dark Blue

(Contd. of page 10)

#### · Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	99.0

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.



Eastpoint
A fresh approach to Education

Page 1/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB 7334.1 Dark Green
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston

NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labelling:$

1-Methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



Page 2/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

**Eastpoint** 

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	50 – 100%
EINECS: 200-578-6	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319	
Reg.nr.: 01-2119457610-43-XXXX	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
Ū	·	
CAS: 107-98-2	1-Methoxy-2-propanol	20 – 25%
EINECS: 203-539-1	Flam. Liq. 3, H226;  STOT SE 3, H336	
Reg.nr.: 01-2119457435-35-XXXX	<b>V 1</b> 1, <b>V 22 2, 332 3</b>	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

CE



Page 3/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3

(Contd. on page 4)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

(Contd. of page 3)

## $\cdot$ 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 64-17-5 Ethanol WEL Long-term value: 1920 mg/m³, 1000 ppm 107-98-2 1-Methoxy-2-propanol WEL | Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm · DNELs 64-17-5 Ethanol Oral Long-term systemic effects 87 mg/kg bw/day (general population) Dermal Long-term systemic effects 206 mg/kg bw/day (general population) 343 mg/kg bw/day (worker) Inhalative Long-term systemic effects 114 mg/m³ (general population) 380 mg/m³ (worker) Short-term local effects 950 mg/m³ (general population) 1,900 mg/m<sup>3</sup> (worker) 107-98-2 1-Methoxy-2-propanol Long-term systemic effects 33 mg/kg bw/day (general population) Oral Dermal Long-term systemic effects 78 mg/kg bw/day (general population) 183 mg/kg bw/day (worker) Inhalative Long-term systemic effects 43.9 mg/m³ (general population) 369 mg/m³ (worker)

# Short-term systemic effects 553.5 mg/m³ (worker) Short-term local effects 553.5 mg/m³ (worker)

· PNECs
---------

· PNECS		
64-17-5 Ethanol		
Freshwater	960 μg/L	
Freshwater - Intermittent releases	2.75 mg/L	
Marine water	790 μg/L	
Sewage Treatment Plant	580 mg/L	
Sediment (freshwater)	3.6 mg/kg	
Sediment (marine water)	2.9 mg/kg	
Soil	630 μg/kg	
Secondary poisoning	380 – 720 mg/kg food	
107-98-2 1-Methoxy-2-propanol		
Freshwater	10 mg/L	
Freshwater - Intermittent releases	100 mg/L	
·	(0 1 5)	

(Contd. on page 5)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

(Contd. of page 4)

Page 5/11

	(Contd. of page 4)
Marine water	1 mg/L
Sewage Treatment Plant	100 mg/L
Sediment (freshwater)	52.3 mg/kg
Sediment (marine water)	5.2 mg/kg
Soil	4.59 mg/kg

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

(Contd. on page 6)



Page 6/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

(Contd. of page 5)

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Dark green

Characteristic

Not determined.

Undetermined.

 $\cdot$  Boiling point or initial boiling point and boiling

**range** 78 °C (64-17-5 Ethanol) • **Flammability** Highly flammable.

· Lower and upper explosion limit

Lower: 1.5 Vol %
 Upper: 15 Vol %
 Flash point: 13 °C

• Auto-ignition temperature: 287 °C (107-98-2 1-Methoxy-2-propanol)

Decomposition temperature:
 pH
 Not determined.
 Not determined.

· Viscosity:

• **Kinematic viscosity**• **Dynamic at 20** °C:

Not determined.

9.5 mPas

 $\cdot \ Solubility$ 

water: Partly miscible.
 Partition coefficient n-octanol/water (log value)
 Not determined.

• **Vapour pressure at 20 °C:** 59 hPa (64-17-5 Ethanol)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 99.00 %

Change in condition

• Evaporation rate Not determined.

 $\cdot \ \, \textbf{Information with regard to physical hazard classes} \\$ 

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

(Contd. on page 7)





Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

Trade name: WB 7334.1 Dark Green

(	Contd.	of ·	page	6)

		(Conta. or page o)
· Flammable liquids	Highly flammable liquid and vapour.	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable		
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

At elevated temperatures, explosive vapour/air mixtures may be formed.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 64-17-5 Ethanol > 10,000 mg/kg (rat) Oral LD50 LD50 > 10,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h > 100 mg/l (rat) 107-98-2 1-Methoxy-2-propanol LD50 Oral > 2,000 mg/kg (rat) LD50 > 2,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h 6 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.

(Contd. on page 8)



Page 8/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

(Contd. of page 7)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

#### · Aquatic toxicity:

#### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

## 107-98-2 1-Methoxy-2-propanol

EC50 (96 h) > 20,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

(Contd. of page 8)

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR/RID/ADN · IMDG, IATA	UN1263 PAINT, special provision 640D PAINT
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
· Class · Label	3 (F1) Flammable liquids.
· IMDG, IATA	
· Class · Label	<ul><li>3 Flammable liquids.</li><li>3</li></ul>
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
<ul><li>14.6 Special precautions for user</li><li>Hazard identification number (Kemler code):</li></ul>	Warning: Flammable liquids.
· Hazchem Code: · EMS Number: · Stowage Category	•3YE F-E, <u>S-E</u> B
$\cdot$ 14.7 Maritime transport in bulk according to IM instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 D/E



Page 10/11

# Safety data sheet according to UK REACH

Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

5L

Trade name: WB 7334.1 Dark Green

(Contd. of page 9)

· IMDG

· Limited quantities (LQ)

Code: E2 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN 1263 PAINT, 3, II · UN "Model Regulation":

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	99.0

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

(Contd. on page 11)



Page 11/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7334.1 Dark Green

(Contd. of page 10)

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

GB



Eastpoint
A fresh approach to Education

Page 1/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: WB 7322.1 Red

- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston

NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labelling:$

1-Methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



Page 2/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7322.1 Red

**Eastpoint** 

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	50 – 100%
EINECS: 200-578-6	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319	
Reg.nr.: 01-2119457610-43-XXXX	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
C	•	
CAS: 107-98-2	1-Methoxy-2-propanol	20 – 25%
EINECS: 203-539-1	♠ Flam. Liq. 3, H226; ♠ STOT SE 3, H336	
Reg.nr.: 01-2119457435-35-XXXX		
C		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

CE



Page 3/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7322.1 Red

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

 $\cdot$  Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3

(Contd. on page 4)





Printing date 06.08.2024 Revision: 06.08.2024 Version number 1

Trade name: WB 7322.1 Red

(Contd. of page 3)

SECTIO	N Q. Evnosuro con	rols/personal protection	
	•	rois/personal protection	
	ol parameters		
		require monitoring at the workplace:	
64-17-5 E			
	g-term value: 1920 mg/m	<sup>3</sup> , 1000 ppm	
	1-Methoxy-2-propanol	150	
	rt-term value: 560 mg/m <sup>3</sup> g-term value: 375 mg/m <sup>3</sup>		
Sk	ig term varae. 373 mg/m	, 100 ррш	
DNELs			
64-17-5 E	thanol		
Oral	Long-term systemic effe	cts 87 mg/kg bw/day (general population)	
Dermal	Long-term systemic effe	cts 206 mg/kg bw/day (general population)	
		343 mg/kg bw/day (worker)	
Inhalative	Long-term systemic effe	cts 114 mg/m³ (general population)	
		380 mg/m³ (worker)	
	Short-term local effects	950 mg/m³ (general population)	
		1,900 mg/m³ (worker)	
<b>107-98-2</b> 1	l-Methoxy-2-propanol	·	
Oral		cts 33 mg/kg bw/day (general population)	
Dermal	Long-term systemic effe		
		183 mg/kg bw/day (worker)	
Inhalative	Long-term systemic effe		
		369 mg/m³ (worker)	
	-	cts 553.5 mg/m³ (worker)	
	Short-term local effects	553.5 mg/m³ (worker)	
PNECs			
64-17-5 E			
Freshwate		60 μg/L	
Freshwate	r - Intermittent releases 2	_	
Marine wa		'90 μg/L	
_		80 mg/L	
Sediment (freshwater)		.6 mg/kg	

04-17-3 Ethanol	
Freshwater	960 μg/L
Freshwater - Intermittent releases	2.75 mg/L
Marine water	790 μg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	790 μg/L 580 mg/L 3.6 mg/kg 2.9 mg/kg 630 μg/kg
Sediment (marine water)	2.9 mg/kg
Soil	630 μg/kg
Secondary poisoning	380 – 720 mg/kg food

#### 107-98-2 1-Methoxy-2-propanol

Freshwater	10 mg/L
Freshwater - Intermittent releases	100 mg/L

(Contd. on page 5)



according to UK REACH Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

Trade name: WB 7322.1 Red

Eastpoi

A fresh approach to Education

		(Contd. of page 4)
Marine water	1 mg/L	
Sewage Treatment Plant	100 mg/L	
Sediment (freshwater)	52.3 mg/kg	
Sediment (marine water)	5.2 mg/kg	
Soil	4.59 mg/kg	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

(Contd. on page 6)

Page 5/11



Page 6/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7322.1 Red

(Contd. of page 5)

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidRed

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

 $\cdot$  Boiling point or initial boiling point and boiling

range 78 °C (64-17-5 Ethanol) • Flammability Highly flammable.

· Lower and upper explosion limit

Lower: 1.5 Vol %
 Upper: 15 Vol %
 Flash point: 13 °C

• **Auto-ignition temperature:** 287 °C (107-98-2 1-Methoxy-2-propanol)

Decomposition temperature:
 pH
 Not determined.
 Not determined.

· Viscosity:

• Kinematic viscosity
• Dynamic at 20 °C:

Not determined.
9.5 mPas

 $\cdot \ Solubility$ 

water: Partly miscible.
 Partition coefficient n-octanol/water (log value)
 Not determined.

• **Vapour pressure at 20 °C:** 59 hPa (64-17-5 Ethanol)

 $\cdot$  Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 99.00 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

(Contd. on page 7)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7322.1 Red

(	Contd.	of	nage	6)

	(*************************************
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

At elevated temperatures, explosive vapour/air mixtures may be formed.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 64-17-5 Ethanol > 10,000 mg/kg (rat) Oral LD50 LD50 > 10,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h > 100 mg/l (rat) 107-98-2 1-Methoxy-2-propanol LD50 Oral > 2,000 mg/kg (rat) LD50 > 2,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h 6 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.

(Contd. on page 8)



Page 8/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7322.1 Red

(Contd. of page 7)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

#### · Aquatic toxicity:

#### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

#### 107-98-2 1-Methoxy-2-propanol

EC50 (96 h) > 20,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7322.1 Red

(Contd. of page 8)

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	UN1263 PAINT, special provision 640D PAINT
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	3 (F1) Flammable liquids.
· IMDG, IATA	3
	2 Elamonthia liquida
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids.
Hazchem Code: EMS Number: Stowage Category	•3YE F-E, <u>S-E</u> B
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml
Transport category Tunnel restriction code	Maximum net quantity per outer packaging: 500 ml 2 D/E



Page 10/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

5L

Trade name: WB 7322.1 Red

(Contd. of page 9)

· IMDG

· Limited quantities (LQ)

• Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1263 PAINT, 3, II

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	99.0

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

(Contd. on page 11)



Page 11/11

### **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7322.1 Red

(Contd. of page 10)

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

GB



Eastpoint
A fresh approach to Education

Page 1/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB 7326 Ruby Red
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston

NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labelling:$

1-Methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapour.


H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



Page 2/11

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7326 Ruby Red

**Eastpoint** 

A fresh approach to Education

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	50 – 100%
EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXX	<ul> <li>Flam. Liq. 2, H225;</li> <li>Eye Irrit. 2, H319</li> <li>Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %</li> </ul>	
CAS: 107-98-2	1-Methoxy-2-propanol	20 – 25%
EINECS: 203-539-1	🏇 Flam. Liq. 3, H226; 🗘 STOT SE 3, H336	
Reg.nr.: 01-2119457435-35-XXX	X	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

CE



Page 3/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7326 Ruby Red

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3

(Contd. on page 4)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7326 Ruby Red

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

# SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace:

64-17-5 Ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm **107-98-2 1-Methoxy-2-propanol** 

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

Sk

•	DNELs	
	64-17-5	Ethanol

Oral

Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	114 mg/m³ (general population)
		380 mg/m³ (worker)
	Short-term local effects	950 mg/m³ (general population)
		1,900 mg/m³ (worker)
107-98-2 1	-Methoxy-2-propanol	
Oral	Long-term systemic effects	33 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	78 mg/kg bw/day (general population)
		183 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	43.9 mg/m³ (general population)
		369 mg/m³ (worker)
	Short-term systemic effects	553.5 mg/m³ (worker)

553.5 mg/m³ (worker)

Long-term systemic effects 87 mg/kg bw/day (general population)

#### · PNECs

64-17-5	<b>Ethanol</b>
---------	----------------

Freshwater	960 μg/L
Freshwater - Intermittent releases	960 μg/L 2.75 mg/L
Marine water	790 μg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	790 µg/L 580 mg/L 3.6 mg/kg 2.9 mg/kg 630 µg/kg 380 – 720 mg/kg food
Sediment (marine water)	2.9 mg/kg
Soil	630 μg/kg
Secondary poisoning	380 – 720 mg/kg food

Short-term local effects

#### 107-98-2 1-Methoxy-2-propanol

Freshwater 10 mg/L Freshwater - Intermittent releases 100 mg/L

(Contd. on page 5)





Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

Trade name: WB 7326 Ruby Red

Page 5/11

	(Conta. of page 4)
Marine water	1 mg/L
Sewage Treatment Plant	100 mg/L
Sediment (freshwater)	52.3 mg/kg
Sediment (marine water)	5.2 mg/kg
Soil	4.59 mg/kg

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- **Appropriate engineering controls** No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

(Contd. on page 6)



Page 6/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7326 Ruby Red

(Contd. of page 5)

• Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state Colour: Pink

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

 $\cdot$  Boiling point or initial boiling point and boiling

**range** 78 °C (64-17-5 Ethanol) • **Flammability** Highly flammable.

 $\cdot \ Lower \ and \ upper \ explosion \ limit$ 

Lower: 1.5 Vol %
 Upper: 15 Vol %
 Flash point: 13 °C

• Auto-ignition temperature: 287 °C (107-98-2 1-Methoxy-2-propanol)

Decomposition temperature:
 pH
 Not determined.
 Not determined.

· Viscosity:

• Kinematic viscosity
• Dynamic at 20 °C:

Not determined.
9.5 mPas

 $\cdot \ Solubility$ 

water: Partly miscible.
 Partition coefficient n-octanol/water (log value)
 Not determined.

• **Vapour pressure at 20 °C:** 59 hPa (64-17-5 Ethanol)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

 $\cdot \ \, \textbf{Important information on protection of health and} \\$ 

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 99.00 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

(Contd. on page 7)





Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

Trade name: WB 7326 Ruby Red

(Contd.	of	page	6)	
---------	----	------	----	--

		(Conta. or page o)
· Flammable liquids	Highly flammable liquid and vapour.	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable		
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

At elevated temperatures, explosive vapour/air mixtures may be formed.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 64-17-5 Ethanol > 10,000 mg/kg (rat) Oral LD50 LD50 > 10,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h > 100 mg/l (rat) 107-98-2 1-Methoxy-2-propanol LD50 Oral > 2,000 mg/kg (rat) LD50 > 2,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h 6 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.

(Contd. on page 8)



Page 8/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7326 Ruby Red

(Contd. of page 7)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

#### · Aquatic toxicity:

#### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

#### 107-98-2 1-Methoxy-2-propanol

EC50 (96 h) > 20,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7326 Ruby Red

(Contd. of page 8)

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR/RID/ADN · IMDG, IATA	UN1263 PAINT, special provision 640D PAINT
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class · Label	<ul><li>3 Flammable liquids.</li><li>3</li></ul>
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code):	Warning: Flammable liquids. 33
· Hazchem Code:	•3YE
· EMS Number:	F-E, <u>S-E</u> B
Stowage Category	
<ul> <li>14.7 Maritime transport in bulk according to IM instruments</li> </ul>	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E



Page 10/11

#### Safety data sheet according to UK REACH

Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

5L

Trade name: WB 7326 Ruby Red

(Contd. of page 9)

· IMDG

· Limited quantities (LQ)

Code: E2 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN 1263 PAINT, 3, II · UN "Model Regulation":

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in	%
NK	99.0	

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

(Contd. on page 11)



Page 11/11

### **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7326 Ruby Red

(Contd. of page 10)

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

CD



Page 1/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB 7304.1 Blue
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston

NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labelling:$

1-Methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



Page 2/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EINECS: 200-578-6	Ethanol  Flam. Liq. 2, H225;  Eye Irrit. 2, H319	25 – < 50%
C	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %  1-Methoxy-2-propanol	20 – 25%
	Flam. Liq. 3, H226;  STOT SE 3, H336	20 2570
	Isopropanol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	2.5 – < 10%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- $\cdot$  4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

 $\cdot$  After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Page 3/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace:

64-17-5 Ethanol		
WEL, Long-term value: 1920 m	g/m³ 1000 nnm	

#### 107-98-2 1-Methoxy-2-propanol

WEL	Short-term value: 560 mg/m³, 150 ppm
	Long-term value: 375 mg/m³, 100 ppm
	Sk

#### 67-63-0 Isopropanol

WEL	Short-term value: 1250 mg/m³, 500 ppm
	Long-term value: 999 mg/m³, 400 ppm

Long-term value: 999 mg/m², 400 ppm		
· DNELs		
64-17-5 E	thanol	
Oral	Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	114 mg/m³ (general population)
		380 mg/m³ (worker)
	Short-term local effects	950 mg/m³ (general population)
		1,900 mg/m³ (worker)
107-98-2 1	-Methoxy-2-propanol	
Oral	Long-term systemic effects	33 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	78 mg/kg bw/day (general population)
		183 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	43.9 mg/m³ (general population)
		369 mg/m³ (worker)
	Short-term systemic effects	553.5 mg/m³ (worker)
	Short-term local effects	553.5 mg/m³ (worker)

67-63-0 Isopropanol		
Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
		51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)

888 mg/kg bw/day (worker)

(Contd. on page 5)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

				(Contd. of page 4)
Inhalative	Inhalative Long-term systemic effects		89 mg/m³ (general population)	
			500 mg/m³ (worker)	
	Short-term systemic ef	fects	178 mg/m³ (general population)	
			1,000 mg/m³ (worker)	
· PNECs				
64-17-5 E	thanol			
Freshwate	r	960 <sub>l</sub>	μg/L	
Freshwate	r - Intermittent releases	2.75	mg/L	
Marine wa	iter	790 լ	μg/L	
Sewage Tı	Sewage Treatment Plant		mg/L	
Sediment (	Sediment (freshwater)		ng/kg	
Sediment (	(marine water)	2.9 n	ng/kg	
Soil		630 <sub>l</sub>	μg/kg	
Secondary	poisoning	380 -	– 720 mg/kg food	
107-98-2	107-98-2 1-Methoxy-2-propanol			
Freshwate	r	10 m	ng/L	
Freshwate	r - Intermittent releases	100 1	mg/L	
Marine wa	iter	1 mg	t/L	
Sewage Tı	eatment Plant	100 1	mg/L	
Sediment (	(freshwater)	52.3	mg/kg	
Sediment (	(marine water)	5.2 n	ng/kg	
Soil	Soil		mg/kg	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)



Page 6/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

(Contd. of page 5)

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

· Body protection:



Protective work clothing

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state Colour: Blue

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 78 °C (64-17-5 Ethanol)
• Flammability Highly flammable.

· Lower and upper explosion limit

Lower: 1.5 Vol %
 Upper: 15 Vol %
 Flash point: 13 °C

• **Auto-ignition temperature:** 287 °C (107-98-2 1-Methoxy-2-propanol)

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

• Kinematic viscosity
• Dynamic at 20 °C:

Not determined.

9.5 mPas

· Solubility

water: Partly miscible.
 Partition coefficient n-octanol/water (log value)
 Post determined.

• Vapour pressure at 20 °C: 59 hPa (64-17-5 Ethanol)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Not determined.

(Contd. on page 7)



Page 7/11

#### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

	(Contd. of page 6)
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health a	and
environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· VOC (EC)	77.00 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard clas	sses
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void

Void

Void

Void

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Organic peroxides · Corrosive to metals

· Desensitised explosives

Thermal decomposition / conditions to be avoided:

At elevated temperatures, explosive vapour/air mixtures may be formed.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons



Page 8/11

### **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

(Contd. of page 7)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
64-17-5 E	64-17-5 Ethanol			
Oral	LD50	> 10,000 mg/kg (rat)		
Dermal	LD50	> 10,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	> 100 mg/l (rat)		
107-98-2 1	107-98-2 1-Methoxy-2-propanol			
Oral	LD50	> 2,000 mg/kg (rat)		
Dermal	LD50	> 2,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	6 mg/l (rat)		
67-63-0 Is	67-63-0 Isopropanol			
Oral	LD50	> 2,000 mg/kg (rat)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

#### 107-98-2 1-Methoxy-2-propanol

EC50 (96 h) > 20,000 mg/l (Bacteria)

#### 67-63-0 Isopropanol

EC50 (96 h) > 10,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- $\cdot$  12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)



Page 9/11

#### Safety data sheet according to UK REACH

Version number 2 (replaces version 1) Revision: 06.08.2024 Printing date 06.08.2024

Trade name: WB 7304.1 Blue

(Contd. of page 8)

#### • 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information** · 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA UN1263 · 14.2 UN proper shipping name · ADR/RID/ADN UN1263 PAINT, special provision 640D · IMDG, IATA **PAINT** · 14.3 Transport hazard class(es)

· ADR/RID/ADN



3 (F1) Flammable liquids. · Class

(Contd. on page 10)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	П
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
Hazchem Code:	•3YE
EMS Number:	F-E, <u>S-E</u>
Stowage Category	В
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1263 PAINT, 3, II

#### **SECTION 15: Regulatory information**

- $\cdot \ 15.1 \ Safety, health \ and \ environmental \ regulations/legislation \ specific \ for \ the \ substance \ or \ mixture$
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

(Contd. on page 11)



Page 11/11

#### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB 7304.1 Blue

(Contd. of page 10)

#### · Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	99.0

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative


ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.



Eastpoint
A fresh approach to Education

Page 1/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB 7363.1 Yellow
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston

NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labelling:$

1-Methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)



Page 2/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

**Eastpoint** 

(Contd. of page 1)

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-17-5	Ethanol	50 – 100%	
EINECS: 200-578-6	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319	•	
Reg.nr.: 01-2119457610-43-XXXX	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %		
C	•		
CAS: 107-98-2	1-Methoxy-2-propanol	20 – 25%	
EINECS: 203-539-1	♠ Flam. Liq. 3, H226; ♠ STOT SE 3, H336		
Reg.nr.: 01-2119457435-35-XXXX			
C			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

CE



Page 3/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

 $\cdot$  6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3

(Contd. on page 4)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

 $\cdot$  7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

### **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 64-17-5 Ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

#### 107-98-2 1-Methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

#### · DNELs

Oral

#### 64-17-5 Ethanol

	Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)	
			343 mg/kg bw/day (worker)	
	Inhalative	Long-term systemic effects	114 mg/m³ (general population)	
			380 mg/m³ (worker)	
		Short-term local effects	950 mg/m³ (general population)	
			1,900 mg/m³ (worker)	
107-98-2 1-Methoxy-2-propanol				
	Oral	Long-term systemic effects	33 mg/kg bw/day (general population)	
	Dermal	Long-term systemic effects	78 mg/kg bw/day (general population)	
			183 mg/kg bw/day (worker)	

Long-term systemic effects 87 mg/kg bw/day (general population)

Inhalative Long-term systemic effects 43.9 mg/m³ (general population) 369 mg/m³ (worker)

> Short-term systemic effects 553.5 mg/m³ (worker) Short-term local effects 553.5 mg/m³ (worker)

#### · PNECs


#### 64-17-5 Ethanol

960 μg/L
960 μg/L 2.75 mg/L
790 μg/L
580 mg/L
3.6 mg/kg
2.9 mg/kg
630 μg/kg
790 μg/L 580 mg/L 3.6 mg/kg 2.9 mg/kg 630 μg/kg 380 – 720 mg/kg food

#### 107-98-2 1-Methoxy-2-propanol

Freshwater 10 mg/L Freshwater - Intermittent releases 100 mg/L

(Contd. on page 5)





Page 5/11

### Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

	(Contd. of page 4	)
Marine water	1 mg/L	1
Sewage Treatment Plant	100 mg/L	
Sediment (freshwater)	52.3 mg/kg	
Sediment (marine water)	5.2 mg/kg	
Soil	4.59 mg/kg	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

(Contd. on page 6)



Page 6/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

(Contd. of page 5)

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid
Yellow
Characteristic
Not determined.
Undetermined.

 $\cdot$  Boiling point or initial boiling point and boiling

**range** 78 °C (64-17-5 Ethanol) • **Flammability** Highly flammable.

· Lower and upper explosion limit

Lower: 1.5 Vol %
 Upper: 15 Vol %
 Flash point: 13 °C

• Auto-ignition temperature: 287 °C (107-98-2 1-Methoxy-2-propanol)

Decomposition temperature:
 pH
 Not determined.
 Not determined.

· Viscosity:

• Kinematic viscosity
• Dynamic at 20 °C:

Not determined.
9.5 mPas

 $\cdot \ Solubility$ 

water: Partly miscible.
 Partition coefficient n-octanol/water (log value)
 Not determined.

• **Vapour pressure at 20 °C:** 59 hPa (64-17-5 Ethanol)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 99.00 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

(Contd. on page 7)





Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

Trade name: WB 7363.1 Yellow

		(Conta. or page o)
· Flammable liquids	Highly flammable liquid and vapour.	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable		
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

At elevated temperatures, explosive vapour/air mixtures may be formed.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 64-17-5 Ethanol > 10,000 mg/kg (rat) Oral LD50 LD50 > 10,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h > 100 mg/l (rat) 107-98-2 1-Methoxy-2-propanol LD50 Oral > 2,000 mg/kg (rat) LD50 > 2,000 mg/kg (rabbit) Dermal Inhalative LC50/4 h 6 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.

(Contd. on page 8)



Page 8/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

(Contd. of page 7)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

#### · Aquatic toxicity:

### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

#### 107-98-2 1-Methoxy-2-propanol

EC50 (96 h) > 20,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- $\cdot$  General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

(Contd. of page 8)

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	UN1263 PAINT, special provision 640D PAINT
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	3 (F1) Flammable liquids.
· IMDG, IATA	3
	2 Elamonthia liquida
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids.
Hazchem Code: EMS Number: Stowage Category	•3YE F-E, <u>S-E</u> B
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml
Transport category Tunnel restriction code	Maximum net quantity per outer packaging: 500 ml 2 D/E



Page 10/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

5L

Trade name: WB 7363.1 Yellow

(Contd. of page 9)

· IMDG

· Limited quantities (LQ)

• Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1263 PAINT, 3, II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in	%
NK	99.0	

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

(Contd. on page 11)



Page 11/11

# **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB 7363.1 Yellow

(Contd. of page 10)

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB1568 Orange L3805
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited Minerva House, Galahad Road, Gorleston

NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)



Page 2/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable. **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	50 – 100%
EINECS: 200-578-6	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
Reg.nr.: 01-211943/010-43-XXXX	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 30 %	
CAS: 67-63-0	Isopropanol	10%
EINECS: 200-661-7	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119457558-25-XXXX	H336	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- $\cdot \ Suitable \ extinguishing \ agents:$

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Contd. of page 2)

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep ignition sources away - no smoking.

 $\cdot$  6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

#### · 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

· Information about storage in one common storage facility: Store away from oxidising agents.

(Contd. on page 4)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Contd. of page 3)

#### · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- · Storage class: 3
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:					
64-17	64-17-5 Ethanol				
WEL	WEL Long-term value: 1920 mg/m³, 1000 ppm				
67-63	67-63-0 Isopropanol				
WEL	Short-term value: 1250 mg/m³, 500 ppm				
	Long-term value: 999 mg/m³ 400 ppm				

#### · DNELs

#### 64-17-5 Ethanol

Oral	Long-term systemic effects	8'/ mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative		114 mg/m³ (general population)
		380 mg/m³ (worker)
	Short-term local effects	950 mg/m³ (general population)
		1 900 mg/m³ (worker)

#### 67-63-0 Isopropanol

Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
	Short-term systemic effects	51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)
		888 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	89 mg/m³ (general population)
		500 mg/m³ (worker)
	Short-term systemic effects	178 mg/m³ (general population)
		1,000 mg/m³ (worker)

## · PNECs

### 64-17-5 Ethanol

Freshwater	960 μg/L
Freshwater - Intermittent releases	960 μg/L 2.75 mg/L
Marine water	790 μg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	790 µg/L 580 mg/L 3.6 mg/kg 2.9 mg/kg 630 µg/kg 380 – 720 mg/kg food
Sediment (marine water)	2.9 mg/kg
Soil	630 μg/kg
Secondary poisoning	380 – 720 mg/kg food

(Contd. on page 5)



Page 5/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A for organic vapours

#### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.



Page 6/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Contd. of page 5)

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Orange
Alcohol-like
Not determined.
-114 °C

· Boiling point or initial boiling point and boiling

range 78 °C (64-17-5 Ethanol)

· Flammability Highly flammable.

· Lower and upper explosion limit

Lower: 3.5 Vol %
 Upper: 15 Vol %
 Flash point: 12 °C
 Auto-ignition temperature: 425 °C

Decomposition temperature:pHNot determined.Not determined.

· Viscosity:

Kinematic viscosity Dynamic: Not determined. Not determined.

 $\cdot \ Solubility$ 

water: Fully miscible.
 Partition coefficient n-octanol/water (log value)
 Not determined.

• **Vapour pressure at 20 °C:** 59 hPa (64-17-5 Ethanol)

· Density and/or relative density

Density: Not determined.
Relative density Not determined.
Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 80.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

· Flammable liquids Highly flammable liquid and vapour.

Flammable solids
 Self-reactive substances and mixtures
 Void

(Contd. on page 7)



(Contd. of page 6)



# **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Conta. or page o)	

· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials:

Strong acids.

Strong bases.

Strong oxidising agents.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

Acut	Acute toxicity based on available data, the classification effects are not met.			
· LD/L	· LD/LC50 values relevant for classification:			
64-17	64-17-5 Ethanol			
Oral	LD50	> 10,000 mg/kg (rat)		
Derm	al LD50	> 10,000 mg/kg (rabbit)		
Inhal	ative LC50/4	h > 100 mg/l (rat)		
67-63	67-63-0 Isopropanol			
Oral	LD50	> 2,000 mg/kg (rat)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-single exposure} \ \text{Based on available data, the classification criteria are not met.} \\$
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.

(Contd. on page 8)



Page 8/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Contd. of page 7)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

#### 67-63-0 Isopropanol

EC50 (96 h) > 10,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. of page 8)

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1993
14.2 UN proper shipping name ADR/RID/ADN	UN1993 FLAMMABLE LIQUID, N.O.S. (ETHAN (ETHYL ALCOHOL), ISOPROPAN
IMDG	(ISOPROPYL ALCOHOL)), special provision 640 FLAMMABLE LIQUID, N.O.S. (ETHAN (ETHYL ALCOHOL), ISOPROPAN (ISOPROPYL ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANISOPROPANOL (ISOPROPYL ALCOHOL))
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	3 (F1) Flammable liquids.
IMDG, IATA	
Class Label	<ul><li>3 Flammable liquids.</li><li>3</li></ul>
14.4 Packing group ADR/RID/ADN, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids.
Hazchem Code:	•3YE F-E,S-E

(Contd. on page 10)



Eastpoint
A fresh approach to Education

Page 10/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

	(Contd. of page
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
• •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S
<u> </u>	(ETHANOL (ETHYL ALCOHOL), ISOPROPANO
	(ISOPROPYL ALCOHOL)), 3, II

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements  $5{,}000~t$
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	80.0

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Page 11/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1568 Orange L3805

(Contd. of page 10)

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 $\cdot$  \* Data compared to the previous version altered.



A fresh approach to Education

according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

**Eastpoint** 

- · Trade name: WB1586 Brown L4279
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited

Minerva House, Galahad Road,

Gorleston NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)

Page 1/11



Page 2/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable. **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6	Ethanol  © Flam Lig 2 H225: (1) Eye Irrit 2 H319	50 – 100%
Reg.nr.: 01-2119457610-43-XXX	Flam. Liq. 2, H225;  Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
CAS: 67-63-0	Isopropanol	10%
EINECS: 200-661-7	Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119457558-25-XXX	K H336	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Page 3/11

# **Safety data sheet** according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

(Contd. of page 2)

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep ignition sources away - no smoking.

· 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

#### · 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

· Information about storage in one common storage facility: Store away from oxidising agents.

(Contd. on page 4)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

(Contd. of page 3)

- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- · Storage class: 3
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingre	· Ingredients with limit values that require monitoring at the workplace:		
64-17	64-17-5 Ethanol		
WEL	Long-term value: 1920 mg/m³, 1000 ppm		
67-63	67-63-0 Isopropanol		
	Short-term value: 1250 mg/m³, 500 ppm		
	Long-term value: 999 mg/m³ 400 nnm		

#### · DNELs

#### 64-17-5 Ethanol

Oral	Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	114 mg/m³ (general population)
		380 mg/m³ (worker)
	Short-term local effects	950 mg/m³ (general population)
		1,900 mg/m³ (worker)

#### 67-63-0 Isopropanol

Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
	Short-term systemic effects	51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)
		888 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	89 mg/m³ (general population)
		500 mg/m³ (worker)
	Short-term systemic effects	178 mg/m³ (general population)
		1,000 mg/m³ (worker)

#### · PNECs

### 64-17-5 Ethanol

Freshwater	960 μg/L
Freshwater - Intermittent releases	960 μg/L 2.75 mg/L
Marine water	790 μg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	790 µg/L 580 mg/L 3.6 mg/kg 2.9 mg/kg 630 µg/kg 380 – 720 mg/kg food
Sediment (marine water)	2.9 mg/kg
Soil	630 μg/kg
Secondary poisoning	380 – 720 mg/kg food

(Contd. on page 5)



Page 5/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A for organic vapours

#### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.



Page 6/11

### Safety data sheet according to UK REACH

Revision: 06.08.2024 Printing date 06.08.2024 Version number 1

Trade name: WB1586 Brown L4279

(Contd. of page 5)

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Brown · Odour: Alcohol-like Not determined. · Odour threshold: -114 °C · Melting point/freezing point:

· Boiling point or initial boiling point and boiling

78 °C (64-17-5 Ethanol) range Highly flammable. · Flammability

· Lower and upper explosion limit

· Lower: 3.5 Vol % · Upper: 15 Vol % 12 °C · Flash point: 425 °C · Auto-ignition temperature:

Not determined. · Decomposition temperature: Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined.

59 hPa (64-17-5 Ethanol) · Vapour pressure at 20 °C:

· Density and/or relative density

Not determined. · Density: · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

Product is not self-igniting. · Ignition temperature:

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 80.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void

Highly flammable liquid and vapour. · Flammable liquids

· Flammable solids Void · Self-reactive substances and mixtures Void

(Contd. on page 7)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

		(Contd. of page 6)
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamma	ble	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	

Void

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Desensitised explosives

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials:

Strong acids.

Strong bases.

Strong oxidising agents.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:	
64-17-5 E	64-17-5 Ethanol	
Oral	LD50	> 10,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 100 mg/l (rat)
67-63-0 Is	67-63-0 Isopropanol	
Oral	LD50	> 2,000 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.

(Contd. on page 8)



Page 8/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

(Contd. of page 7)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

67-63-0 Isopropanol

EC50 (96 h) > 10,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)





Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

(Contd. of page 8)

 $\cdot$  Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR/RID/ADN	UN1993 FLAMMABLE LIQUID, N.O.S. (ETHAN (ETHYL ALCOHOL), ISOPROPAN
· IMDG	(ISOPROPYL ALCOHOL)), special provision 640I FLAMMABLE LIQUID, N.O.S. (ETHAN (ETHYL ALCOHOL), ISOPROPAN (ISOPROPYL ALCOHOL))
· IATA	(ISOPROPTE ALCOHOL)) FLAMMABLE LIQUID, N.O.S. (ETHANG ISOPROPANOL (ISOPROPYL ALCOHOL))
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class · Label	<ul><li>3 Flammable liquids.</li><li>3</li></ul>
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	П
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code):	Warning: Flammable liquids. 33
· Hazchem Code: · EMS Number: · Stowage Category	•3YE F-E, <u>S-E</u> B

(Contd. on page 10)





Page 10/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

	(Contd. of page
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
• •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S (ETHANOL (ETHYL ALCOHOL), ISOPROPANO (ISOPROPYL ALCOHOL)), 3, II

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements  $5{,}000~t$
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	80.0

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Page 11/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 1 Revision: 06.08.2024

Trade name: WB1586 Brown L4279

(Contd. of page 10)

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

#### · Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 $\cdot$  \* Data compared to the previous version altered.



Page 1/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: WB1576 Purple 21872
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC18 Ink and toners
- · Application of the substance / the mixture Ink for marker pens.
- · Uses advised against Any use not specified above.
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Supplier:

Eastpoint Global Limited Minerva House, Galahad Road,

Gorleston

NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

 $(Contd.\ on\ page\ 2)$ 



Page 2/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	50 – 100%
EINECS: 200-5/8-6	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
Keg.III 01-211943/010-43-XXXX	specific concentiation innit. Eye Iffit. 2; H319: C ≥ 30 %	
CAS: 67-63-0	Isopropanol	10%
EINECS: 200-661-7	• Flam. Liq. 2, H225; • Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119457558-25-XXXX	H336	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Wash mouth out with water

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

(Contd. of page 2)

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back.

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep ignition sources away - no smoking.

· 6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

#### · 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

· Information about storage in one common storage facility: Store away from oxidising agents.

(Contd. on page 4)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

(Contd. of page 3)

#### · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- · Storage class: 3
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingre	· Ingredients with limit values that require monitoring at the workplace:		
64-17	64-17-5 Ethanol		
WEL	Long-term value: 1920 mg/m³, 1000 ppm		
67-63-0 Isopropanol			
WEL	Short-term value: 1250 mg/m³, 500 ppm		
	Long-term value: 999 mg/m³, 400 ppm		

#### · DNELs

#### 64-17-5 Ethanol

Oral	Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	114 mg/m³ (general population)
		380 mg/m³ (worker)
	Short-term local effects	950 mg/m³ (general population)
		1,900 mg/m³ (worker)

#### 67-63-0 Isopropanol

Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
	Short-term systemic effects	51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)
		888 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	89 mg/m³ (general population)
		500 mg/m³ (worker)
	Short-term systemic effects	178 mg/m³ (general population)
		1,000 mg/m³ (worker)

#### · PNECs

### 64-17-5 Ethanol

Freshwater	960 μg/L
Freshwater - Intermittent releases	2.75 mg/L
Marine water	790 μg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	3.6 mg/kg
Sediment (marine water)	790 µg/L 580 mg/L 3.6 mg/kg 2.9 mg/kg 630 µg/kg 380 – 720 mg/kg food
Soil	630 μg/kg
Secondary poisoning	380 – 720 mg/kg food

(Contd. on page 5)



Page 5/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

**Trade name: WB1576 Purple 21872** 

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A for organic vapours

· Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

#### · Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.



Page 6/11

### Safety data sheet according to UK REACH

Revision: 06.08.2024 Printing date 06.08.2024 Version number 2 (replaces version 1)

Trade name: WB1576 Purple 21872

(Contd. of page 5)

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Purple · Odour: Alcohol-like Not determined. · Odour threshold: -114 °C · Melting point/freezing point:

· Boiling point or initial boiling point and boiling

78 °C (64-17-5 Ethanol) range Highly flammable. · Flammability

· Lower and upper explosion limit

· Lower: 3.5 Vol % · Upper: 15 Vol % 12 °C · Flash point: 425 °C · Auto-ignition temperature:

Not determined. · Decomposition temperature: Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility

Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined.

59 hPa (64-17-5 Ethanol) · Vapour pressure at 20 °C:

· Density and/or relative density

Not determined. · Density: · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

Product is not self-igniting. · Ignition temperature:

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 80.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void

Highly flammable liquid and vapour. · Flammable liquids

· Flammable solids Void · Self-reactive substances and mixtures Void

(Contd. on page 7)





Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

		(Contd. of page 6)
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials:

Strong acids.

Strong bases.

Strong oxidising agents.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
64-17-5 E	64-17-5 Ethanol		
Oral	LD50	> 10,000 mg/kg (rat)	
Dermal	LD50	> 10,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	> 100 mg/l (rat)	
67-63-0 Is	67-63-0 Isopropanol		
Oral	LD50	> 2,000 mg/kg (rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.

(Contd. on page 8)



Page 8/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

(Contd. of page 7)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 64-17-5 Ethanol

EC50 (96 h) 454 mg/l (Bacteria)

#### 67-63-0 Isopropanol

EC50 (96 h) > 10,000 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential Contains components with the potential to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.


Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 9)



Eastpoint
A fresh approach to Education

Page 9/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

(Contd. of page 8)

 $\cdot$  Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number	
· ADR/RID/ADN, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR/RID/ADN	UN1993 FLAMMABLE LIQUID, N.O.S. (ETHAN (ETHYL ALCOHOL), ISOPROPANO
· IMDG	(ISOPROPYL ALCOHOL)), special provision 640D FLAMMABLE LIQUID, N.O.S. (ETHANG (ETHYL ALCOHOL), ISOPROPANG
· IATA	(ISOPROPYL ALCOHOL)) FLAMMABLE LIQUID, N.O.S. (ETHANO ISOPROPANOL (ISOPROPYL ALCOHOL))
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
· Class	3 (F1) Flammable liquids.
· Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids.
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	П
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code):	Warning: Flammable liquids.
· Hazchem Code: · EMS Number:	•3YE F-E, <u>S-E</u> B

(Contd. on page 10)



Eastpoint

A fresh approach to Education

Page 10/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

	(Contd. of page
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S
-	(ETHANOL (ETHYL ALCOHOL), ISOPROPANO
	(ISOPROPYL ALCOHOL)), 3, II

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

 $\cdot \ Reportable \ explosives \ precursors$ 

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c
- $\cdot \ \textbf{Qualifying quantity (tonnes) for the application of lower-tier requirements} \ 5{,}000 \ t \\$
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	80.0

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Page 11/11

# Safety data sheet according to UK REACH

Printing date 06.08.2024 Version number 2 (replaces version 1) Revision: 06.08.2024

Trade name: WB1576 Purple 21872

(Contd. of page 10)

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

#### · Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 $\cdot$  \* Data compared to the previous version altered.