#### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BABY BLUE

Product code: DS BBL 08 H.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

#### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

### **Composition:**

T1 4'C' 4'	(EC) 1070/0000	(715 40 /EEC	NT 4	%
Identification	(EC) 1272/2008	67/548/EEC	Note	, , ,
CAS: 57-55-6			[1]	$10 \le x \% < 25$
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	, , , , , , , , , , , , , , , , , , , ,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

#### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - - -

- France (INRS - ED984:2008):

CAS  $VME\text{-ppm}: VME\text{-mg/m3}: VLE\text{-ppm}: VLE\text{-mg/m3}: Notes: TMP\ No:$ 

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria:

57-55-6 150 ppm - - - - - - - - 56-81-5 10 mg/m3 - - - - -

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

### General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

#### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

#### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Toxic by inhalation, in contact with skin and if swallowed. R 23/24/25

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 1/8

Revision: N°1 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BLACK

Product code: DS BK 01 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Handwriting Pen, Hand Huggers Writing Pen, Hand Huggers Coloring Pens, Colourfine, Colourbroad, Colourbrush, Colourfine Portrait, Colourbroad Portrait, Flipchart, Colourmarker

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 2/8

Revision: N°1 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 2783-94-0	GHS07	Xi		$0 \le x \% < 2.5$
EC: 220-491-7	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
DISODIUM	Eye Irrit. 2, H319			
6-HYDROXY-5-[(4-SULPHONATOPHENYL)	STOT SE 3, H335			
AZO]NAPHTHALENE-2-SULPHONATE				
CAS: 1934-21-0	GHS08	Xn		$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	1			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 3/8

Revision: N°1 (27/05/2015)

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 4/8

Revision: N°1 (27/05/2015)

### **Packaging**

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	34 :2008) :					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	ce exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 5/8

Revision: N°1 (27/05/2015)

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

#### 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 6/8

Revision: N°1 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# $Monograph(s) \ from \ the \ IARC \ (International \ Agency \ for \ Research \ on \ Cancer):$

CAS 2783-94-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

#### **12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 7/8

Revision: N°1 (27/05/2015)

### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

### - Particular provisions :

No data available.

#### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°1 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

tue for H, EUH and K indications mentioned in section 5:						
H301	Toxic if swallowed.					
H311	Toxic in contact with skin.					
H314	Causes severe skin burns and eye damage.					
H315	Causes skin irritation.					
H317	May cause an allergic skin reaction.					
H319	Causes serious eye irritation.					
H331	Toxic if inhaled.					
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
H335	May cause respiratory irritation.					
H400	Very toxic to aquatic life.					
H410	Very toxic to aquatic life with long lasting effects.					
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.					
R 34	Causes burns.					
R 36/37/38	Irritating to eyes, respiratory system and skin.					
R 42/43	May cause sensitization by inhalation and skin contact.					
R 43	May cause sensitisation by skin contact.					
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.					

#### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods. IATA : International Air Transport Association. ICAO : International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BLUSH PINK

Product code: DS BSH 06 F.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Date: 28/05/2015 Page 2/8 Revision: N°2 (27/05/2015)

#### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

# Revision : N°2 (27/05/2015)

Date: 28/05/2015 Page 3/8

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

#### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - - -

- France (INRS - ED984:2008):

CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No:

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - - -

56-81-5 10 mg/m3 - - -

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

### General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

#### 9.2. Other information

No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

LD50 > 1000 mg/kg Dermal route:

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

LD50 = 20000 mg/kgOral route:

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

# **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

Species: Oncorhynchus mykiss Duration of exposure: 96 h

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

EC50 > 10000 mg/lCrustacean toxicity:

Species: Daphnia magna Duration of exposure: 48 h

ECr50 > 2900 mg/lAlgae toxicity:

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

EC50 > 4850 mg/lCrustacean toxicity:

Duration of exposure: 48 h

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

no degradability data is available, the substance is considered as not degrading Biodegradability:

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

Date: 28/05/2015 Page 7/8 Revision: N°2 (27/05/2015)

#### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

#### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

environment.

#### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BROWN

Product code: DS BRN 07 G.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:Telephone: 444 (0) 1543447001.} Fax:.$  Aftersales. SERVICE @newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

#### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

# **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

#### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

No data available.

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

### Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

# Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - GREEN

Product code: DS GRN 10 J.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Fineline, Hand Huggers, Colourfine, Colourbroad, Colourbrush, Flipchart, Colourmarker

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

#### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains :

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

The for H, EOH and K mulcanons men	tuoned in section 3:
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - GREY

Product code: DS GREY 012 L.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:total_final_relation} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

		Note	%
EC) 1272/2008	67/548/EEC		$10 \le x \% < 25$
		[1]	10 <- X /0 < 25
		[1]	2.5 <= x % < 10
		. ,	
HS08	Xn		$0 \le x \% < 2.5$
gr	Xn;R42/43		
kin Sens. 1, H317			
esp. Sens. 1, H334			
HS06, GHS05, GHS09	T,N		0 <= x % < 2.5
gr	T;R23/24/25		
cute Tox. 3, H331	C;R34		
cute Tox. 3, H311	Xi;R43		
cute Tox. 3, H301	N;R50/53		
kin Corr. 1B, H314			
kin Sens. 1, H317			
quatic Acute 1, H400			
Acute = 1			
quatic Chronic 1, H410			
I Chronic = 1			
H g c c c k	HS06, GHS05, GHS09 gr Lute Tox. 3, H331 grute Tox. 3, H311 grute Tox. 3, H301 in Corr. 1B, H314 in Sens. 1, H317 quatic Acute 1, H400 Acute = 1 quatic Chronic 1, H410	Xn;R42/43  Xn;R42/43	Xn;R42/43  Xn;R42/43

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

### Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - LEAF GREEN

Product code: DS LFGR 04 D.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Composition:	(EG) 1272/2000	(515 to 500	37.	T <sub>eq</sub>
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 8004-92-0	GHS07	Xn		0 <= x % < 2.5
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317	,		
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	1			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	1	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			
	1	1		

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

## WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98-	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Vapour pressure  $(50^{\circ}\text{C})$ : Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

Revision : N°2 (27/05/2015)

Date: 29/05/2015 Page 7/8

# WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

litle for H, EUH and R indications men	tioned in section 3:
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 22	Harmful if swallowed.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - PURPLE

Product code: DS PL 09 R2.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 3520-42-1	GHS07	Xi		$0 \le x \% < 2.5$
EC: 222-529-8	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
C.I ACID RED 52	Eye Irrit. 2, H319			
	STOT SE 3, H335			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - France (INRS - ED984 :2008) : CAS VME-mg/m3: VLE-ppm: TMP No: VME-ppm: VLE-mg/m3: Notes: 56-81-5 - UK / WEL (Workplace exposure limits, EH40/2005, 2007): TWA: STEL: CAS Ceiling: Definition: Criteria:

CAS TWA: STEL: Ceiling: Definition: Criteria 57-55-6 150 ppm - - - - - 56-81-5 10 mg/m3 - - - - -

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

### **General information:**

Physical state: Fluid liquid.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Important health, safety and environmental information

Not relevant. Boiling point/boiling range: Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

#### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

### Acute toxicity:

C.I ACID RED 52 (CAS: 3520-42-1)

Oral route : LD50 > 2000 mg/kg

Species: Rat

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species : Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Fish toxicity: LC50 >= 100 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

#### 12.2.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

## WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

## Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

# Abbreviations :

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

## WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - RED

Product code: DS RD 03 C.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Fineline, Hand Huggers, Colourfine, Colourbroad, Colourbrush, Flipchart, Colourmarker

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

T1 4'C' 4'	(EC) 1070/0000	(715 40 /EEC	NT 4	%
Identification	(EC) 1272/2008	67/548/EEC	Note	, , ,
CAS: 57-55-6			[1]	$10 \le x \% < 25$
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	, , , , , , , , , , , , , , , , , , , ,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

**CAS** TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - France (INRS - ED984:2008): TMP No: CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: 56-81-5 - UK / WEL (Workplace exposure limits, EH40/2005, 2007): CAS TWA: STEL: Definition: Criteria: Ceiling:

57-55-6 150 ppm - - - - - - - 56-81-5 10 mg/m3 - - - - -

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version: N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

## 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

## Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 1/9

Revision: N°3 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - ROYAL BLUE

Product code: DS BL 02 R2.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers, Handwriting, Fineline, Finewriter, Notewriter, Flipchart, Colourmarker

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Oxidising (O, R 8).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 2/9

Revision: N°3 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	25 <= x % < 50
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 28983-56-4	GHS07	Xn		2.5 <= x % < 10
EC: 249-352-9	Wng	Xn;R22		
	Acute Tox. 4, H302	Xi;R36/37/38		
DISODIUM	Skin Irrit. 2, H315			
[[4-[BIS[4-[(SULPHONATOPHENYL)AMINO]	Eye Irrit. 2, H319			
PHENYL]METHYLENE]CYCLOHEXA-2,5-DI	STOT SE 3, H335			
EN-1-YLIDENE]AMINO]BENZENESULPHO				
NATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 3/9

Revision: N°3 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

### 5.3. Advice for firefighters

No data available.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 4/9

Revision: N°3 (27/05/2015)

#### **Packaging**

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED9	984 :2008) :					
CAS	VME-ppm:	VME-mg/m3	: VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workpla	ace exposure lim	its, EH40/2005	, 2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 5/9

Revision: N°3 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Important health, safety and environmental information

pH (aqueous solution):

pH:

Not relevant.

Boiling point/boiling range:

Flash point interval:

Vapour pressure (50°C):

Not relevant.

Not relevant.

Not relevant.

Not relevant.

1.063 - 1.083 g/cm3

Water solubility:

Viscosity:

3.0 - 4.0 cps

Melting point/melting range:

Not relevant.

Self-ignition temperature:

Not relevant.

Decomposition point/decomposition range:

Not relevant.

### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 6/9

Revision: N°3 (27/05/2015)

Oral route: LD50 > 12600 mg/kg

Species: Rat

LD50 > 1000 mg/kgDermal route:

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

LD50 = 20000 mg/kgOral route:

Species: Rat

LD50 = 20800 mg/kgDermal route:

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 01/06/2015 Page 7/9

Revision: N°3 (27/05/2015)

### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

Revision : N°3 (27/05/2015)

Date: 01/06/2015 Page 8/9

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

#### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:



Oxidizing

Risk phrase:

R 8 Contact with combustible material may cause fire.

Safety phrase :

S 17 Keep away from combustible material.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 22 Harmful if swallowed.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 36/37/38 Irritating to eyes, respiratory system and skin.
R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 9/9

Revision: N°3 (27/05/2015)

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TANGERINE

Product code: DS TANG 011 K.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6	( -/		[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 2783-94-0	GHS07	Xi		2.5 <= x % < 10
EC: 220-491-7	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
DISODIUM	Eye Irrit. 2, H319			
6-HYDROXY-5-[(4-SULPHONATOPHENYL)	STOT SE 3, H335			
AZO]NAPHTHALENE-2-SULPHONATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

#### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# **4.1. Description of first aid measures**

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

ermaid UK Limited
WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

Version: N°1 (28/05/2015)

Revision: N°2 (27/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 4/8

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Vapour pressure  $(50^{\circ}\text{C})$ : Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species : Rabbit

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

 $Monograph(s) \ from \ the \ IARC \ (International \ Agency \ for \ Research \ on \ Cancer):$ 

CAS 2783-94-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

**SECTION 12: ECOLOGICAL INFORMATION** 

12.1. Toxicity

12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2. Mixtures** 

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

#### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

#### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

Revision : N°2 (27/05/2015)

Date: 01/06/2015 Page 8/8

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

#### Title for H, EUH and R indications mentioned in section 3:

,	
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - YELLOW

Product code: DS YL 05 E.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:total_final_relation} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	$2.5 \le x \% < 10$
EC: 200-289-5				
CINCEDIN				
GLYCERIN	GHGOG	77		0 % 0.5
CAS: 8004-92-0	GHS07	Xn		$0 \le x \% < 2.5$
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	J			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

#### In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

·	litle for H, EUH and R indications men	tioned in section 3:
	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H311	Toxic in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H331	Toxic if inhaled.
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	R 22	Harmful if swallowed.
	R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
	R 34	Causes burns.
	R 42/43	May cause sensitization by inhalation and skin contact.
	R 43	May cause sensitisation by skin contact.
	R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

# Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

## WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - RED

Product code: DS RD 03 C.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Fineline, Hand Huggers, Colourfine, Colourbroad, Colourbrush, Flipchart, Colourmarker

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

T1 4'C' 4'	(EC) 1070/0000	(715 40 /EEC	NT 4	%
Identification	(EC) 1272/2008	67/548/EEC	Note	, , ,
CAS: 57-55-6			[1]	$10 \le x \% < 25$
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	, , , , , , , , , , , , , , , , , , , ,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

**CAS** TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - France (INRS - ED984:2008): TMP No: CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: 56-81-5 - UK / WEL (Workplace exposure limits, EH40/2005, 2007): CAS TWA: STEL: Definition: Criteria: Ceiling:

57-55-6 150 ppm - - - - - - - 56-81-5 10 mg/m3 - - - - -

#### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

#### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version: N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 1/9

Revision: N°3 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - ROYAL BLUE

Product code: DS BL 02 R2.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers, Handwriting, Fineline, Finewriter, Notewriter, Flipchart, Colourmarker

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Oxidising (O, R 8).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 2/9

Revision: N°3 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	25 <= x % < 50
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 28983-56-4	GHS07	Xn		2.5 <= x % < 10
EC: 249-352-9	Wng	Xn;R22		
	Acute Tox. 4, H302	Xi;R36/37/38		
DISODIUM	Skin Irrit. 2, H315			
[[4-[BIS[4-[(SULPHONATOPHENYL)AMINO]	Eye Irrit. 2, H319			
PHENYL]METHYLENE]CYCLOHEXA-2,5-DI	STOT SE 3, H335			
EN-1-YLIDENE]AMINO]BENZENESULPHO				
NATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 3/9

Revision: N°3 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

### 5.3. Advice for firefighters

No data available.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 4/9

Revision: N°3 (27/05/2015)

#### **Packaging**

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED9	984 :2008) :					
CAS	VME-ppm:	VME-mg/m3	: VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workpla	ace exposure lim	its, EH40/2005	, 2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 5/9

Revision: N°3 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Important health, safety and environmental information

pH (aqueous solution):

pH:

Not relevant.

Boiling point/boiling range:

Flash point interval:

Vapour pressure (50°C):

Not relevant.

Not relevant.

Not relevant.

Not relevant.

1.063 - 1.083 g/cm3

Water solubility:

Viscosity:

3.0 - 4.0 cps

Melting point/melting range:

Not relevant.

Self-ignition temperature:

Not relevant.

Decomposition point/decomposition range:

Not relevant.

## 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 6/9

Revision: N°3 (27/05/2015)

Oral route: LD50 > 12600 mg/kg

Species: Rat

LD50 > 1000 mg/kgDermal route:

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

LD50 = 20000 mg/kgOral route:

Species: Rat

LD50 = 20800 mg/kgDermal route:

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 01/06/2015 Page 7/9

Revision: N°3 (27/05/2015)

### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

Revision : N°3 (27/05/2015)

Date: 01/06/2015 Page 8/9

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

#### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:



Oxidizing

Risk phrase:

R 8 Contact with combustible material may cause fire.

Safety phrase :

S 17 Keep away from combustible material.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 22 Harmful if swallowed.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 36/37/38 Irritating to eyes, respiratory system and skin.
R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 9/9

Revision: N°3 (27/05/2015)

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TANGERINE

Product code: DS TANG 011 K.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6	( -/		[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 2783-94-0	GHS07	Xi		2.5 <= x % < 10
EC: 220-491-7	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
DISODIUM	Eye Irrit. 2, H319			
6-HYDROXY-5-[(4-SULPHONATOPHENYL)	STOT SE 3, H335			
AZO]NAPHTHALENE-2-SULPHONATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

#### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# **4.1. Description of first aid measures**

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

ermaid UK Limited
WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

Version: N°1 (28/05/2015)

Revision: N°2 (27/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 4/8

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Vapour pressure  $(50^{\circ}\text{C})$ : Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species : Rabbit

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

 $Monograph(s) \ from \ the \ IARC \ (International \ Agency \ for \ Research \ on \ Cancer):$ 

CAS 2783-94-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

**SECTION 12: ECOLOGICAL INFORMATION** 

12.1. Toxicity

12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2. Mixtures** 

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

#### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

#### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

Revision : N°2 (27/05/2015)

Date: 01/06/2015 Page 8/8

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

#### Title for H, EUH and R indications mentioned in section 3:

,	
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - YELLOW

Product code: DS YL 05 E.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:total_final_relation} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

## **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	$2.5 \le x \% < 10$
EC: 200-289-5				
CINCEDIN				
GLYCERIN	GHGOG	77		0 % 0.5
CAS: 8004-92-0	GHS07	Xn		$0 \le x \% < 2.5$
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	J			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

#### In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

·	litle for H, EUH and R indications men	tioned in section 3:
	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H311	Toxic in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H331	Toxic if inhaled.
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	R 22	Harmful if swallowed.
	R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
	R 34	Causes burns.
	R 42/43	May cause sensitization by inhalation and skin contact.
	R 43	May cause sensitisation by skin contact.
	R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BABY BLUE

Product code: DS BBL 08 H.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

T1 4'C' 4'	(EC) 1070/0000	(715 40 /EEC	NT 4	%
Identification	(EC) 1272/2008	67/548/EEC	Note	, , ,
CAS: 57-55-6			[1]	$10 \le x \% < 25$
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	, , , , , , , , , , , , , , , , , , , ,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

#### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - - -

- France (INRS - ED984:2008):

CAS  $VME\text{-ppm}: VME\text{-mg/m3}: VLE\text{-ppm}: VLE\text{-mg/m3}: Notes: TMP \ No:$ 

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria:

57-55-6 150 ppm - - - - - - - - 56-81-5 10 mg/m3 - - - - -

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

lewell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature : Not relevant.

Decomposition point/decomposition range : Not relevant.

#### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

#### WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BABY BLUE - DS BBL 08 H

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

## Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 1/8

Revision: N°1 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BLACK

Product code: DS BK 01 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Handwriting Pen, Hand Huggers Writing Pen, Hand Huggers Coloring Pens, Colourfine, Colourbroad, Colourbrush, Colourfine Portrait, Colourbroad Portrait, Flipchart, Colourmarker

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 2/8

Revision: N°1 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

## **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 2783-94-0	GHS07	Xi		$0 \le x \% < 2.5$
EC: 220-491-7	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
DISODIUM	Eye Irrit. 2, H319			
6-HYDROXY-5-[(4-SULPHONATOPHENYL)	STOT SE 3, H335			
AZO]NAPHTHALENE-2-SULPHONATE				
CAS: 1934-21-0	GHS08	Xn		$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	1			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 3/8

Revision: N°1 (27/05/2015)

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 4/8

Revision: N°1 (27/05/2015)

## **Packaging**

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	34 :2008) :					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	ce exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 5/8

Revision: N°1 (27/05/2015)

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 6/8

Revision: N°1 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species : Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

 $Monograph(s) \ from \ the \ IARC \ (International \ Agency \ for \ Research \ on \ Cancer):$ 

CAS 2783-94-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

**SECTION 12: ECOLOGICAL INFORMATION** 

12.1. Toxicity

12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure : 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2. Mixtures** 

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

Date: 01/06/2015 Page 7/8

Revision: N°1 (27/05/2015)

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - BLACK - DS BK 01 R1

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°1 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swa	
11301 TOXIC II SWA	llowed.
H311 Toxic in cor	atact with skin.
H314 Causes seve	re skin burns and eye damage.
H315 Causes skin	irritation.
H317 May cause a	n allergic skin reaction.
H319 Causes serio	ous eye irritation.
H331 Toxic if inha	aled.
H334 May cause a	llergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause r	espiratory irritation.
H400 Very toxic to	o aquatic life.
H410 Very toxic to	o aquatic life with long lasting effects.
R 23/24/25 Toxic by inh	nalation, in contact with skin and if swallowed.
R 34 Causes burn	s.
R 36/37/38 Irritating to	eyes, respiratory system and skin.
R 42/43 May cause s	ensitization by inhalation and skin contact.
R 43 May cause s	ensitisation by skin contact.
R 50/53 Very toxic to environment	o aquatic organisms, may cause long-term adverse effects in the aquatic t.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods. IATA : International Air Transport Association. ICAO : International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BLUSH PINK

Product code: DS BSH 06 F.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

T1 4'C' 4'	(EC) 1070/0000	(715 40 /EEC	NT 4	%
Identification	(EC) 1272/2008	67/548/EEC	Note	,,,
CAS: 57-55-6			[1]	$10 \le x \% < 25$
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	/	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	1,,1200,00		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
1	· '			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

# Revision : N°2 (27/05/2015)

Date: 28/05/2015 Page 3/8

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - - -

- France (INRS - ED984:2008):

CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No:

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - - -

56-81-5 10 mg/m3 - - -

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Fluid liquid.

## Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

LD50 > 1000 mg/kg Dermal route:

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

LD50 = 20000 mg/kgOral route:

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

Species: Oncorhynchus mykiss Duration of exposure: 96 h

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

EC50 > 10000 mg/lCrustacean toxicity:

Species: Daphnia magna Duration of exposure: 48 h

ECr50 > 2900 mg/lAlgae toxicity:

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

EC50 > 4850 mg/lCrustacean toxicity:

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

no degradability data is available, the substance is considered as not degrading Biodegradability:

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

Date: 28/05/2015 Page 7/8 Revision: N°2 (27/05/2015)

### WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

WASHABLE BEROL COLORING INK - BLUSH PINK - DS BSH 06 F

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

## Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

environment.

#### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BROWN

Product code: DS BRN 07 G.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6	(EC) 121212008	07/340/EEC	[1]	10 <= x % < 25
EC: 200-338-0			[I]	10 <- x /0 < 25
EC. 200-336-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			F13	2.5 <= x % < 10
			[1]	$2.3 \le x \% \le 10$
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
				$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			
t .		1	l	

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - BROWN - DS BRN 07 G

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - GREEN

Product code: DS GRN 10 J.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Fineline, Hand Huggers, Colourfine, Colourbroad, Colourbrush, Flipchart, Colourmarker

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - GREEN - DS GRN 10 J

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

H317 Causes severe skin burns and eye damage
May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - GREY

Product code: DS GREY 012 L.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:temperature} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6	(EC) 121212008	07/340/EEC	[1]	10 <= x % < 25
EC: 200-338-0			[I]	10 <- x /0 < 25
EC. 200-336-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			F13	2.5 <= x % < 10
			[1]	$2.3 \le x \% \le 10$
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
				$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			
t .		1	l	

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - GREY - DS GREY 012 L

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - LEAF GREEN

Product code: DS LFGR 04 D.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Composition:	(EG) 1272/2000	(515.10 FFF.G	37.	T <sub>eq</sub>
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 8004-92-0	GHS07	Xn		0 <= x % < 2.5
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317	,		
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	1			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	1	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			
	1	1		

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

# WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

# 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

#### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98-	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Vapour pressure  $(50^{\circ}\text{C})$ : Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

# Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

# 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

# **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

Revision : N°2 (27/05/2015)

Date: 29/05/2015 Page 7/8

# WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

# German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

# - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

# - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

No data available.

#### WASHABLE BEROL COLORING INK - LEAF GREEN - DS LFGR 04 D

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

Title for H, EUH and R indications mentioned in section 3:							
H301	Toxic if swallowed.						
H302	Harmful if swallowed.						
H311	Toxic in contact with skin.						
H314	Causes severe skin burns and eye damage.						
H317	May cause an allergic skin reaction.						
H331	Toxic if inhaled.						
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.						
H400	Very toxic to aquatic life.						
H410	Very toxic to aquatic life with long lasting effects.						
R 22	Harmful if swallowed.						
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.						
R 34	Causes burns.						
R 42/43	May cause sensitization by inhalation and skin contact.						
R 43	May cause sensitisation by skin contact.						
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic						

# Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - PURPLE

Product code: DS PL 09 R2.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 3520-42-1	GHS07	Xi		$0 \le x \% < 2.5$
EC: 222-529-8	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
C.I ACID RED 52	Eye Irrit. 2, H319			
	STOT SE 3, H335			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

# In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

#### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - France (INRS - ED984 :2008) : CAS VME-mg/m3: VLE-ppm: TMP No: VME-ppm: VLE-mg/m3: Notes: 56-81-5 - UK / WEL (Workplace exposure limits, EH40/2005, 2007): TWA: STEL: CAS Ceiling: Definition: Criteria:

56-81-5 **8.2. Exposure controls** 

57-55-6

#### Personal protection measures, such as personal protective equipment

150 ppm

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Important health, safety and environmental information

Not relevant. Boiling point/boiling range: Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

#### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

C.I ACID RED 52 (CAS: 3520-42-1)

Oral route : LD50 > 2000 mg/kg

Species: Rat

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species : Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

#### 12.1.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Fish toxicity: LC50 >= 100 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

# **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

#### 12.2.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

# WASHABLE BEROL COLORING INK - PURPLE - DS PL 09 R2

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

# - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

# Abbreviations :

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

# WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - RED

Product code: DS RD 03 C.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Fineline, Hand Huggers, Colourfine, Colourbroad, Colourbrush, Flipchart, Colourmarker

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

T1 4'C' 4'	(EC) 1070/0000	(715 40 /EEC	NT 4	%
Identification	(EC) 1272/2008	67/548/EEC	Note	, , ,
CAS: 57-55-6			[1]	$10 \le x \% < 25$
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	, , , , , , , , , , , , , , , , , , , ,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

**CAS** TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - France (INRS - ED984:2008): TMP No: CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: 56-81-5 - UK / WEL (Workplace exposure limits, EH40/2005, 2007): CAS TWA: STEL: Definition: Criteria: Ceiling:

57-55-6 150 ppm - - - - - - - 56-81-5 10 mg/m3 - - - - -

#### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

# General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature : Not relevant.

Decomposition point/decomposition range : Not relevant.

#### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version: N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - RED - DS RD 03 C

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 1/9

Revision: N°3 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - ROYAL BLUE

Product code: DS BL 02 R2.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers, Handwriting, Fineline, Finewriter, Notewriter, Flipchart, Colourmarker

# 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Oxidising (O, R 8).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

# 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 2/9

Revision: N°3 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	25 <= x % < 50
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 28983-56-4	GHS07	Xn		2.5 <= x % < 10
EC: 249-352-9	Wng	Xn;R22		
	Acute Tox. 4, H302	Xi;R36/37/38		
DISODIUM	Skin Irrit. 2, H315			
[[4-[BIS[4-[(SULPHONATOPHENYL)AMINO]	Eye Irrit. 2, H319			
PHENYL]METHYLENE]CYCLOHEXA-2,5-DI	STOT SE 3, H335			
EN-1-YLIDENE]AMINO]BENZENESULPHO				
NATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

Revision : N°3 (27/05/2015)

Date: 01/06/2015 Page 3/9

# SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

# 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

## 5.3. Advice for firefighters

No data available.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

# For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention:

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 4/9

Revision: N°3 (27/05/2015)

#### **Packaging**

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED9	84:2008):					
CAS	VME-ppm:	VME-mg/m3	: VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workpla	ace exposure lim	its, EH40/2005,	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

# 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 5/9

Revision: N°3 (27/05/2015)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Important health, safety and environmental information

pH (aqueous solution):

pH:

Not relevant.

Boiling point/boiling range:

Flash point interval:

Vapour pressure (50°C):

Not relevant.

Not relevant.

Not relevant.

Not relevant.

1.063 - 1.083 g/cm3

Water solubility:

Viscosity:

3.0 - 4.0 cps

Melting point/melting range:

Not relevant.

Self-ignition temperature:

Not relevant.

Decomposition point/decomposition range:

Not relevant.

# 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 6/9

Revision: N°3 (27/05/2015)

Oral route: LD50 > 12600 mg/kg

Species: Rat

LD50 > 1000 mg/kgDermal route:

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

LD50 = 20000 mg/kgOral route:

Species: Rat

LD50 = 20800 mg/kgDermal route:

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

# 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

## 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 01/06/2015 Page 7/9

Revision: N°3 (27/05/2015)

## 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

## German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

Revision : N°3 (27/05/2015)

Date: 01/06/2015 Page 8/9

#### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

#### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:



Oxidizing

Risk phrase:

R 8 Contact with combustible material may cause fire.

Safety phrase :

S 17 Keep away from combustible material.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 22 Harmful if swallowed.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 36/37/38 Irritating to eyes, respiratory system and skin.
R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 9/9

Revision: N°3 (27/05/2015)

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TANGERINE

Product code: DS TANG 011 K.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6	( -/		[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 2783-94-0	GHS07	Xi		2.5 <= x % < 10
EC: 220-491-7	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
DISODIUM	Eye Irrit. 2, H319			
6-HYDROXY-5-[(4-SULPHONATOPHENYL)	STOT SE 3, H335			
AZO]NAPHTHALENE-2-SULPHONATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

#### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# **4.1. Description of first aid measures**

# In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

# 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

Version: N°1 (28/05/2015)

Revision: N°2 (27/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 4/8

# 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Vapour pressure  $(50^{\circ}\text{C})$ : Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

# Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species : Rabbit

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

 $Monograph(s) \ from \ the \ IARC \ (International \ Agency \ for \ Research \ on \ Cancer):$ 

CAS 2783-94-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

**SECTION 12: ECOLOGICAL INFORMATION** 

12.1. Toxicity

12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2. Mixtures** 

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

### WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

#### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

Revision : N°2 (27/05/2015)

Date: 01/06/2015 Page 8/8

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

WASHABLE BEROL COLORING INK - TANGERINE - DS TANG 011 K

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

#### Title for H, EUH and R indications mentioned in section 3:

,	
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - YELLOW

Product code: DS YL 05 E.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:temperature} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

# **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	$2.5 \le x \% < 10$
EC: 200-289-5				
CINCEDIN				
GLYCERIN	GHGOG	77		0 % 0.5
CAS: 8004-92-0	GHS07	Xn		$0 \le x \% < 2.5$
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	J			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

# In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

# Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

# 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

# **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

# - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

# - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - YELLOW - DS YL 05 E

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

Title for H, EUH and R	Title for H, EUH and R indications mentioned in section 3:					
H301	Toxic if swallowed.					
H302	Harmful if swallowed.					
H311	Toxic in contact with skin.					
H314	Causes severe skin burns and eye damage.					
H317	May cause an allergic skin reaction.					
H331	Toxic if inhaled.					
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
H400	Very toxic to aquatic life.					
H410	Very toxic to aquatic life with long lasting effects.					
R 22	Harmful if swallowed.					
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.					
R 34	Causes burns.					
R 42/43	May cause sensitization by inhalation and skin contact.					
R 43	May cause sensitisation by skin contact.					
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.					

# **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - ALMOND

Product code: DS AD 29 R1.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

# In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

# 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

# Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

# 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

# **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

# - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

# - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - ALMOND - DS AD 29 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BRIGHT BLUE

Product code: DS BB 20 R1.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:first-energy} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

T1 4'C' 4'	(EC) 1070/0000	(715 40 /EEC	NT 4	%
Identification	(EC) 1272/2008	67/548/EEC	Note	, , ,
CAS: 57-55-6			[1]	$10 \le x \% < 25$
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314	, , , , , , , , , , , , , , , , , , , ,		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

# WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

# WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria:

56-81-5 10 mg/m3 - - -

- France (INRS - ED984:2008):

 $CAS \qquad \qquad VME\text{-ppm}: \quad VME\text{-mg/m3}: \quad VLE\text{-ppm}: \qquad VLE\text{-mg/m3}: \quad Notes: \qquad \quad TMP \ No:$ 

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria:

57-55-6 150 ppm - - - - - - - 56-81-5 10 mg/m3 - - - - -

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

# General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

**12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

### WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - BRIGHT BLUE - DS BB 20 R1

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - BRIGHT RED

Product code: DS BR 17 R1.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Composition:				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

Revision: N°2 (27/05/2015)

Date: 28/05/2015 Page 3/8

### WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

# WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - -

- France (INRS - ED984:2008):

CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No:

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - - -

56-81-5 10 mg/m3 - - -

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

# General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

EC50 > 10000 mg/lCrustacean toxicity:

Species: Daphnia magna Duration of exposure: 48 h

ECr50 > 2900 mg/lAlgae toxicity:

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

EC50 > 4850 mg/lCrustacean toxicity:

Duration of exposure: 48 h

**12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

no degradability data is available, the substance is considered as not degrading Biodegradability:

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

Date: 28/05/2015 Page 7/8 Revision: N°2 (27/05/2015)

### WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

# SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - BRIGHT RED - DS BR 17 R1

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - CINNAMON

Product code: DS CN 30 R1.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, 2007):						
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - CINNAMON - DS CN 30 R1

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

### Title for H, EUH and R indications mentioned in section 3:

	,
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

H317 Causes acvere skin burns and eye damage.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - EBONY

Product code: DS EB 31 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:total_final_relation} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	$2.5 \le x \% < 10$
EC: 200-289-5				
GLYCERIN				
CAS: 8004-92-0	GHS07	Xn		0 <= x % < 2.5
CAS. 8004-92-0	Wng	Xn;R22		0 <= x % < 2.3
OUINOLINE YELLOW	Acute Tox. 4, H302	AII,K22		
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		0 1 11 /6 1 <b>2.6</b>
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	_			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, 2007):						
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - EBONY - DS EB 31 R1

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

Title for H, EUH and R	d indications mentioned in section 3:
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 22	Harmful if swallowed.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - GRASS GREEN

Product code: DS GG 15 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	- -			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing :

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Revision : N°2 (27/05/2015)

Date: 29/05/2015 Page 3/8

## WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, 2007):						
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Vapour pressure  $(50^{\circ}\text{C})$ : Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

## 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

/05/2015) Revision : N°2 (27/05/2015)

Date: 29/05/2015 Page 7/8

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - GRASS GREEN - DS GG 15 R1

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

1	The for 11, Eon and K indications mentioned in section 3.					
	H301	Toxic if swallowed.				
	H311	Toxic in contact with skin.				
	H314	Causes severe skin burns and eye damage.				
	H317	May cause an allergic skin reaction.				
	H331	Toxic if inhaled.				
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.				
	H400	Very toxic to aquatic life.				
	H410	Very toxic to aquatic life with long lasting effects.				
	R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.				
	R 34	Causes burns.				
	R 42/43	May cause sensitization by inhalation and skin contact.				
	R 43	May cause sensitisation by skin contact.				
	R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic				

### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - LEMON YELLOW

Product code: DS LY 19 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Date: 29/05/2015 Page 2/8

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 8004-92-0	GHS07	Xn		$0 \le x \% < 2.5$
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	1			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, 2007):						
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Vapour pressure  $(50^{\circ}\text{C})$ : Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

Revision : N°2 (27/05/2015)

Date: 29/05/2015 Page 8/8

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

WASHABLE BEROL COLORING INK - LEMON YELLOW - DS LY 19 R1

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

## Title for H, EUH and R indications mentioned in section 3:

·	Title for H, EUH and R indications mentioned in section 3:						
	H301	Toxic if swallowed.					
	H302	Harmful if swallowed.					
	H311	Toxic in contact with skin.					
	H314	Causes severe skin burns and eye damage.					
	H317	May cause an allergic skin reaction.					
	H331	Toxic if inhaled.					
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
	H400	Very toxic to aquatic life.					
	H410	Very toxic to aquatic life with long lasting effects.					
	R 22	Harmful if swallowed.					
	R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.					
	R 34	Causes burns.					
	R 42/43	May cause sensitization by inhalation and skin contact.					
	R 43	May cause sensitisation by skin contact.					
	R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic					

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 1/9

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - MAGENTA

Product code: DS MG 22 E2.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 2/9

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 17372-87-1	GHS07	Xi		$0 \le x \% < 2.5$
EC: 241-409-6	Wng	Xi;R36		
	Eye Irrit. 2, H319			
C.I. ACID RED 87				
CAS: 3520-42-1	GHS07	Xi		$0 \le x \% < 2.5$
EC: 222-529-8	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
C.I ACID RED 52	Eye Irrit. 2, H319			
	STOT SE 3, H335			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-		N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
[220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 3/9

Revision: N°2 (27/05/2015)

### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 4/9

Revision: N°2 (27/05/2015)

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:				
	56-81-5	10 mg/m3	-	-	-	-				
	- France (INRS - ED984 :2008) :									
	CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:			
	56-81-5	-	10	-	-	-	-			
- UK / WEL (Workplace exposure limits, EH40/2005, 2007):										
	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:				
	57-55-6	150 ppm	-	-	-	-				
	56-81-5	10 mg/m3	-	-	-	-				

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 5/9

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

## Acute toxicity:

C.I ACID RED 52 (CAS: 3520-42-1)

Oral route : LD50 > 2000 mg/kg

Species: Rat

C.I. ACID RED 87 (CAS: 17372-87-1)

Oral route: LD50 = 2344 mg/kg

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 6/9

Revision: N°2 (27/05/2015)

Species: Rat

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

# 12.1.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Fish toxicity: LC50 >= 100 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

C.I. ACID RED 87 (CAS: 17372-87-1)

Fish toxicity: LC50 = 1200 mg/l

Species : Oryzias latipes Duration of exposure : 48 h

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Version: N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

Date: 28/05/2015 Page 7/9

Revision: N°2 (27/05/2015)

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

C.I. ACID RED 87 (CAS: 17372-87-1)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

#### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 8/9

Revision: N°2 (27/05/2015)

#### SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

#### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

### - Particular provisions:

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

### Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
	H311 H314 H315 H317 H319 H331 H335 H400

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - MAGENTA - DS MG 22 E2

Date: 28/05/2015 Page 9/9

Revision: N°2 (27/05/2015)

R 34 Causes burns.
R 36 Irritating to eyes.

R 36/37/38 Irritating to eyes, respiratory system and skin.
R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - MAHOGANY

Product code: DS MY 32 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	$2.5 \le x \% < 10$
EC: 200-289-5				
CINCEDIN				
GLYCERIN	GHGOG	37		0 % 0.5
CAS: 8004-92-0	GHS07	Xn		$0 \le x \% < 2.5$
	Wng	Xn;R22		
QUINOLINE YELLOW	Acute Tox. 4, H302			
CAS: 1934-21-0	GHS08	Xn		$0 \le x \% < 2.5$
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU	J			
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

#### In the event of swallowing:

Seek medical attention, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

#### WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	1:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

Revision : N°2 (27/05/2015)

Date: 29/05/2015 Page 7/8

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

Date: 29/05/2015 Page 8/8 Revision: N°2 (27/05/2015)

### WASHABLE BEROL COLORING INK - MAHOGANY - DS MY 32 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

# Title for H, EUH and R indications mentioned in section 3

Title for H, EUH and F	le for H, EUH and R indications mentioned in section 3:						
H301	Toxic if swallowed.						
H302	Harmful if swallowed.						
H311	Toxic in contact with skin.						
H314	Causes severe skin burns and eye damage.						
H317	May cause an allergic skin reaction.						
H331	Toxic if inhaled.						
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.						
H400	Very toxic to aquatic life.						
H410	Very toxic to aquatic life with long lasting effects.						
R 22	Harmful if swallowed.						
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.						
R 34	Causes burns.						
R 42/43	May cause sensitization by inhalation and skin contact.						
R 43	May cause sensitisation by skin contact.						
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.						

# Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - NAVY BLUE

Product code: DS NB 21 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

#### WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

# 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

#### WASHABLE BEROL COLORING INK - NAVY BLUE - DS NB 21 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

### Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - OAK BROWN

Product code: DS OB 16 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

$$\label{eq:first-energy} \begin{split} & Telephone: +44~(0)~1543447001. \quad Fax:. \\ & Aftersales. SERVICE@newellco.com \end{split}$$

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

#### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

#### WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

#### WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

#### WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

# WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

#### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### 15.2. Chemical safety assessment

#### WASHABLE BEROL COLORING INK - OAK BROWN - DS OB 16 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

#### Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
11014	0 11 1

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

#### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - OLIVE

Product code: DS OL 33 R1.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:Telephone: 444 (0) 1543447001.} Fax:.$  Aftersales. SERVICE @newellco.com

www.newellrubbermaid.com

#### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

### **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing :

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### **10.5.** Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

### Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
11214	Cl.:   L

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - SKIN PINK

Product code: DS SK 14 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

## 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Composition .				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - -

- France (INRS - ED984:2008):

CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No:

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - -

56-81-5 10 mg/m3 - - - -

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TERRACOTA

Product code: DS TC 18 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

# WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

Revision: N°2 (27/05/2015)

Date: 01/06/2015 Page 7/8

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye dam

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - OLIVE

Product code: DS OL 33 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:Telephone: 444 (0) 1543447001.} Fax:.$  Aftersales. SERVICE @newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

## **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing :

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

## WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

## WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

## WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

Date: 29/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - OLIVE - DS OL 33 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 29/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

-	
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

Date: 29/05/2015 Page 1/8

Revision: N°3 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - PEACH

Product code: DS PH 34 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine Portrait, Colourbroad Portrait

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com www.newellrubbermaid.com

1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

Date: 29/05/2015 Page 2/8

Revision: N°3 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

### WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

Date: 29/05/2015 Page 3/8

Revision: N°3 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

Date: 29/05/2015 Page 4/8

Revision: N°3 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

## Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

Date: 29/05/2015 Page 5/8

Revision: N°3 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

### 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

Date: 29/05/2015 Page 6/8

Revision: N°3 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

### WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

Date: 29/05/2015 Page 7/8

Revision: N°3 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - PEACH - DS PH 34 R1

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

Date: 29/05/2015 Page 8/8

Revision: N°3 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

	***************************************
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact.

# Abbreviations :

R 50/53

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - RED CRIMSON

Product code: DS RD 24 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:fax:condition} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Composition .				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

# WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

## WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

**CAS** TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - France (INRS - ED984:2008): CAS TMP No: VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: 56-81-5 - UK / WEL (Workplace exposure limits, EH40/2005, 2007): CAS TWA: STEL: Definition: Criteria: Ceiling: 57-55-6 150 ppm

#### 8.2. Exposure controls

56-81-5

### Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

## General information:

Physical state : Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

#### 12.1.1. Substances

**GLYCERIN (CAS: 56-81-5)** 

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

### WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - RED CRIMSON - DS RD 24 R1

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 1/9

Revision: N°3 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - ROYAL BLUE

Product code: DS BL 02 R2.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad, Colourbrush, Hand Huggers, Handwriting, Fineline, Finewriter, Notewriter, Flipchart, Colourmarker

# 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Oxidising (O, R 8).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 2/9

Revision: N°3 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	25 <= x % < 50
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 28983-56-4	GHS07	Xn		2.5 <= x % < 10
EC: 249-352-9	Wng	Xn;R22		
	Acute Tox. 4, H302	Xi;R36/37/38		
DISODIUM	Skin Irrit. 2, H315			
[[4-[BIS[4-[(SULPHONATOPHENYL)AMINO]	Eye Irrit. 2, H319			
PHENYL]METHYLENE]CYCLOHEXA-2,5-D	STOT SE 3, H335			
EN-1-YLIDENE]AMINO]BENZENESULPHO				
NATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 3/9

Revision: N°3 (27/05/2015)

### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

### 5.3. Advice for firefighters

No data available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention:

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 4/9

Revision: N°3 (27/05/2015)

### **Packaging**

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED9	984 :2008) :					
CAS	VME-ppm:	VME-mg/m3	: VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workpla	ace exposure lim	its, EH40/2005	, 2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 5/9

Revision: N°3 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Important health, safety and environmental information

pH (aqueous solution):

pH:

Not relevant.

Boiling point/boiling range:

Flash point interval:

Vapour pressure (50°C):

Not relevant.

Not relevant.

Not relevant.

Not relevant.

1.063 - 1.083 g/cm3

Water solubility:

Viscosity:

3.0 - 4.0 cps

Melting point/melting range:

Not relevant.

Self-ignition temperature:

Not relevant.

Decomposition point/decomposition range:

Not relevant.

## 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCl)
- phosgene (CCl2O)
- chlorine (Cl2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 6/9

Revision: N°3 (27/05/2015)

Oral route: LD50 > 12600 mg/kg

Species: Rat

LD50 > 1000 mg/kgDermal route:

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

LD50 = 20000 mg/kgOral route:

Species: Rat

LD50 = 20800 mg/kgDermal route:

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

# 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 01/06/2015 Page 7/9

Revision: N°3 (27/05/2015)

### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

Revision : N°3 (27/05/2015)

Date: 01/06/2015 Page 8/9

### WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:



Oxidizing

Risk phrase:

R 8 Contact with combustible material may cause fire.

Safety phrase :

S 17 Keep away from combustible material.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 22 Harmful if swallowed.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 36/37/38 Irritating to eyes, respiratory system and skin.
R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - ROYAL BLUE - DS BL 02 R2

Date: 01/06/2015 Page 9/9

Revision: N°3 (27/05/2015)

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - SKIN PINK

Product code: DS SK 14 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

# 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

(EC) 1272/2008	67/548/EEC	Note	%
		[1]	10 <= x % < 25
		[1]	2.5 <= x % < 10
GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
Dgr	T;R23/24/25		
Acute Tox. 3, H331	C;R34		
Acute Tox. 3, H311	Xi;R43		
Acute Tox. 3, H301	N;R50/53		
Skin Corr. 1B, H314			
Skin Sens. 1, H317			
Aquatic Acute 1, H400			
M Acute = 1			
Aquatic Chronic 1, H410			
M Chronic = 1			
	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	GHS06, GHS05, GHS09 Dgr T;R23/24/25 Acute Tox. 3, H331 C;R34 Acute Tox. 3, H311 Xi;R43 Acute Tox. 3, H301 N;R50/53 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - -

- France (INRS - ED984:2008):

CAS  $VME\text{-ppm}: VME\text{-mg/m3}: VLE\text{-ppm}: VLE\text{-mg/m3}: Notes: TMP \ No:$ 

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - -

56-81-5 10 mg/m3 - - - -

#### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

# General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TERRACOTA

Product code: DS TC 18 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

# Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

# 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

Revision: N°2 (27/05/2015)

Date: 01/06/2015 Page 7/8

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

# - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye dan		

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Date: 28/05/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - VIOLET

Product code: DS VO 23 R2.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

 $\label{eq:total_final_relation} Telephone: +44~(0)~1543447001. \quad Fax:.$  Aftersales. SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Date: 28/05/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 3520-42-1	GHS07	Xi		$0 \le x \% < 2.5$
EC: 222-529-8	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
C.I ACID RED 52	Eye Irrit. 2, H319			
	STOT SE 3, H335			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

# Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

# In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

### WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Date: 28/05/2015 Page 3/8

Revision: N°2 (27/05/2015)

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Date: 28/05/2015 Page 4/8

Revision: N°2 (27/05/2015)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - France (INRS - ED984 :2008) : CAS VME-mg/m3: VLE-ppm: TMP No: VME-ppm: VLE-mg/m3: Notes: 56-81-5 - UK / WEL (Workplace exposure limits, EH40/2005, 2007): TWA: STEL: CAS Ceiling: Definition: Criteria:

CAS TWA: STEL: Ceiling: Definition: Criteria
57-55-6 150 ppm - - - 56-81-5 10 mg/m3 - - - -

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

### **General information:**

Physical state: Fluid liquid.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Date: 28/05/2015 Page 5/8

Revision: N°2 (27/05/2015)

# Important health, safety and environmental information

Not relevant. Boiling point/boiling range: Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

#### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

### Acute toxicity:

C.I ACID RED 52 (CAS: 3520-42-1)

Oral route : LD50 > 2000 mg/kg

Species: Rat

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Date: 28/05/2015 Page 6/8

Revision: N°2 (27/05/2015)

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

# 12.1.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Fish toxicity: LC50 >= 100 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

#### 12.2.1. Substances

C.I ACID RED 52 (CAS: 3520-42-1)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

Date: 28/05/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

## WASHABLE BEROL COLORING INK - VIOLET - DS VO 23 R2

Date: 28/05/2015 Page 8/8

Revision: N°2 (27/05/2015)

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

## Title for H, EUH and R indications mentioned in section 3:

The for H, EUH and K in	dications mentioned in section 5:
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

## WASHABLE BEROL COLORING INK - TURQUOISE - DS TR 13 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TURQUOISE

Product code: DS TR 13 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - TURQUOISE - DS TR 13 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### WASHABLE BEROL COLORING INK - TURQUOISE - DS TR 13 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

## WASHABLE BEROL COLORING INK - TUROUOISE - DS TR 13 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED98	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplac	e exposure limit	s, EH40/2005, 2	2007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	

### 8.2. Exposure controls

56-81-5

## Personal protection measures, such as personal protective equipment

10 mg/m3

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

WASHABLE BEROL COLORING INK - TURQUOISE - DS TR 13 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - TURQUOISE - DS TR 13 R1

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## WASHABLE BEROL COLORING INK - TUROUOISE - DS TR 13 R1

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

## German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### **Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

## WASHABLE BEROL COLORING INK - TURQUOISE - DS TR 13 R1

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

The for H, Bell and R me	readons mentioned in section 5.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R 34	Causes burns.
R 42/43	May cause sensitization by inhalation and skin contact.
R 43	May cause sensitisation by skin contact

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TERRACOTA

Product code: DS TC 18 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
56-81-5	10 mg/m3	-	-	-	-	
- France (INRS - ED984	4:2008):					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace	e exposure limit	s, EH40/2005, 2	(007):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
57-55-6	150 ppm	-	-	-	-	
56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

## Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

Revision: N°2 (27/05/2015)

Date: 01/06/2015 Page 7/8

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

## German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

No data available.

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

## Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye dam

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - SKIN PINK

Product code: DS SK 14 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

## 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Composition .				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - -

- France (INRS - ED984:2008):

CAS  $VME\text{-ppm}: VME\text{-mg/m3}: VLE\text{-ppm}: VLE\text{-mg/m3}: Notes: TMP \ No:$ 

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - -

56-81-5 10 mg/m3 - - - -

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

## 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - SKIN PINK

Product code: DS SK 14 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

## 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

Composition .				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - -

- France (INRS - ED984:2008):

CAS  $VME\text{-ppm}: VME\text{-mg/m3}: VLE\text{-ppm}: VLE\text{-mg/m3}: Notes: TMP \ No:$ 

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - -

56-81-5 10 mg/m3 - - - -

#### 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

## 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

## WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

## - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TERRACOTA

Product code: DS TC 18 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# $\textbf{4.3.} \ \textbf{Indication of any immediate medical attention and special treatment needed}$

No data available.

# WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
	56-81-5	10 mg/m3	-	-	-	-	
	- France (INRS - ED984 :2008) :						
	CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
	56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, 2007):							
	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
	57-55-6	150 ppm	-	-	-	-	
	56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

# Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

Revision: N°2 (27/05/2015)

Date: 01/06/2015 Page 7/8

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

# - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye dan

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - SKIN PINK

Product code: DS SK 14 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

## 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### **Composition:**

(EC) 1272/2008	67/548/EEC	Note	%
		[1]	10 <= x % < 25
		[1]	2.5 <= x % < 10
GHS06, GHS05, GHS09	T,N		0 <= x % < 2.5
Dgr	T;R23/24/25		
Acute Tox. 3, H331	C;R34		
Acute Tox. 3, H311	Xi;R43		
Acute Tox. 3, H301	N;R50/53		
Skin Corr. 1B, H314			
Skin Sens. 1, H317			
Aquatic Acute 1, H400			
M Acute = 1			
Aquatic Chronic 1, H410			
M Chronic = 1			
	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	GHS06, GHS05, GHS09 Dgr T;R23/24/25 Acute Tox. 3, H331 C;R34 Acute Tox. 3, H311 Xi;R43 Acute Tox. 3, H301 N;R50/53 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410

## Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

## Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

CAS TWA: STEL: Ceiling: Definition: Criteria: 56-81-5 10 mg/m3 - - - - -

- France (INRS - ED984:2008):

CAS  $VME\text{-ppm}: VME\text{-mg/m3}: VLE\text{-ppm}: VLE\text{-mg/m3}: Notes: TMP \ No:$ 

56-81-5 - 10 - - -

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria: 57-55-6 150 ppm - - - -

56-81-5 10 mg/m3 - - - -

#### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

# General information:

Physical state: Fluid liquid.

# Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not relevant.

Flash point interval: Not relevant.

Vapour pressure (50°C): Not relevant.

Density: Not stated.

Water solubility: Soluble.

Melting point/melting range: Not relevant.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

### 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

#### Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route : LD50 > 12600 mg/kg

Species: Rat

Dermal route : LD50 > 1000 mg/kg

Species: Rabbit

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route : LD50 = 20000 mg/kg

Species: Rat

Dermal route : LD50 = 20800 mg/kg

Species: Rabbit

### 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

# WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

#### 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

Fish toxicity: LC50 = 54000 mg/l

Species: Oncorhynchus mykiss Duration of exposure: 96 h Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

Crustacean toxicity: EC50 > 10000 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

# 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 7/8

Revision: N°2 (27/05/2015)

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

# - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

# 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - SKIN PINK - DS SK 14 R1

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

# Title for H, EUH and R indications mentioned in section 3:

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 1/8

Revision: N°2 (27/05/2015)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: WASHABLE BEROL COLORING INK - TERRACOTA

Product code: DS TC 18 R1.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for BEROL: Colourfine, Colourbroad

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Newell Rubbermaid UK Limited.

Address: Halifax Ave - Fradley Park. WS 13 8SS. Lichfield Staffordshire. United Kingdom.

Telephone: +44 (0) 1543447001. Fax:. Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

### 1.4. Emergency telephone number: 0845 4647.

Association/Organisation: National Poisons Information Service.

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE.

May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 2/8

Revision: N°2 (27/05/2015)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

### Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 57-55-6			[1]	10 <= x % < 25
EC: 200-338-0				
MONOPROPYLENE GLYCOL				
CAS: 56-81-5			[1]	2.5 <= x % < 10
EC: 200-289-5				
GLYCERIN				
CAS: 1934-21-0	GHS08	Xn		0 <= x % < 2.5
EC: 217-699-5	Dgr	Xn;R42/43		
	Skin Sens. 1, H317			
TRISODIUM	Resp. Sens. 1, H334			
5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SU				
LPHOPHENYLAZO)PYRAZOLE-3-CARBOX				
YLATE				
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N		$0 \le x \% < 2.5$
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

## **Information on ingredients:**

[1] Substance for which maximum workplace exposure limits are available.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

# WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 3/8

Revision: N°2 (27/05/2015)

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

### **Packaging**

Always keep in packaging made of an identical material to the original.

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 4/8

Revision: N°2 (27/05/2015)

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

# Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
	56-81-5	10 mg/m3	-	-	-	-	
	- France (INRS - ED984 :2008) :						
	CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
	56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, 2007):							
	CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
	57-55-6	150 ppm	-	-	-	-	
	56-81-5	10 mg/m3	-	-	-	-	

#### 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Version : N°1 (28/05/2015) Newell Rubbermaid UK Limited

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 5/8

Revision: N°2 (27/05/2015)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**General information:** 

Physical state: Fluid liquid.

Important health, safety and environmental information

Not relevant. pH: Boiling point/boiling range: Not relevant. Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Density: Not stated. Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

No data available.

# 11.1.1. Substances

# Acute toxicity:

GLYCERIN (CAS: 56-81-5)

Oral route: LD50 > 12600 mg/kg

Species: Rat

Dermal route: LD50 > 1000 mg/kg

Species: Rabbit

Version: N°1 (28/05/2015)

Newell Rubbermaid UK Limited

## WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

Date: 01/06/2015 Page 6/8

Revision: N°2 (27/05/2015)

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Oral route: LD50 = 20000 mg/kg

Species: Rat

Dermal route: LD50 = 20800 mg/kg

Species: Rabbit

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

## 12.1.1. Substances

GLYCERIN (CAS: 56-81-5)

LC50 = 54000 mg/lFish toxicity:

> Species: Oncorhynchus mykiss Duration of exposure: 96 h

Crustacean toxicity: EC50 > 10000 mg/l

> Species: Daphnia magna Duration of exposure: 48 h

Algae toxicity: ECr50 > 2900 mg/l

Duration of exposure: 72 h

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Fish toxicity: LC50 > 4600 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 > 4850 mg/l

Duration of exposure: 48 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### 12.2.1. Substances

GLYCERIN (CAS: 56-81-5)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

Revision: N°2 (27/05/2015)

Date: 01/06/2015 Page 7/8

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

# - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

#### - Particular provisions :

No data available.

### - German regulations concerning the classification of hazards for water (WGK):

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

### 15.2. Chemical safety assessment

### WASHABLE BEROL COLORING INK - TERRACOTA - DS TC 18 R1

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

#### Contains:

Contains EC 217-699-5 TRISODIUM

5-HYDROXY-1-(4-SULPHOPHENYL)-4-(4-SULPHOPHENYLAZO)PYRAZOLE-3-CARBOXYLATE. May produce an allergic reaction.

Date: 01/06/2015 Page 8/8

Revision: N°2 (27/05/2015)

# Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye dan

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 43 May cause sensitisation by skin contact.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).