

Version #: 04

Issue date: 20-January-2023

Revision date: 20-December-2023

Supersedes date: 28-May-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Yankee Candle Clean Cotton Reed Diffuser - 1745742E

Registration number -

UFI:

Austria: T4FA-XJXY-C90J-06R1
 Belgium: T4FA-XJXY-C90J-06R1
 Bulgaria: T4FA-XJXY-C90J-06R1
 Croatia: T4FA-XJXY-C90J-06R1
 Cyprus: T4FA-XJXY-C90J-06R1
 Czech Republic: T4FA-XJXY-C90J-06R1
 Denmark: T4FA-XJXY-C90J-06R1
 Estonia: T4FA-XJXY-C90J-06R1
 EU: T4FA-XJXY-C90J-06R1
 Finland: T4FA-XJXY-C90J-06R1
 France: T4FA-XJXY-C90J-06R1
 Germany: T4FA-XJXY-C90J-06R1
 Greece: T4FA-XJXY-C90J-06R1
 Hungary: T4FA-XJXY-C90J-06R1
 Iceland: T4FA-XJXY-C90J-06R1
 Ireland: T4FA-XJXY-C90J-06R1
 Italy: T4FA-XJXY-C90J-06R1
 Latvia: T4FA-XJXY-C90J-06R1
 Lithuania: T4FA-XJXY-C90J-06R1
 Luxembourg: T4FA-XJXY-C90J-06R1
 Malta: T4FA-XJXY-C90J-06R1
 Netherlands: T4FA-XJXY-C90J-06R1
 Northern Ireland: T4FA-XJXY-C90J-06R1
 Norway: T4FA-XJXY-C90J-06R1
 Poland: T4FA-XJXY-C90J-06R1
 Portugal: T4FA-XJXY-C90J-06R1
 Romania: T4FA-XJXY-C90J-06R1
 Slovakia: T4FA-XJXY-C90J-06R1
 Slovenia: T4FA-XJXY-C90J-06R1
 Spain: T4FA-XJXY-C90J-06R1
 Sweden: T4FA-XJXY-C90J-06R1

Synonyms None.

Product code 1745742E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Care Products

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company name Yankee Candle Company (Europe) Limited

Company Address Poplar Way East, Cabot Park
 Avonmouth
 Bristol
 United Kingdom
 BS11 0YH

1.4. Emergency telephone number

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Austria National Poisons Information Centre +431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Belgium National Poisons Control Centre 070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

1.4. Emergency telephone number

Bulgaria National Toxicological Information Centre	+359 2 9154 233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Croatia Poisons Information Centre	+385 1 2348 342 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Cyprus Poison Centre	1401 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Czech Republic National Poisons Information Centre	+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Denmark National Poisons Control Centre	+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Estonia National Poisons Information Centre	16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)
Finland National Poison Information Centre	(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
France National Poisons Control Centre	ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Greece Poison Information Centre telephone number	(0030) 2107793777 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Hungary National Emergency Phone Number	+36-80-201-199 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Iceland Poison Centre	(+354) 543 2222 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Latvia Emergency medical aid	113
Latvia Poison and Drug Information Centre	+371 67042473 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Lithuania Neatidėliotina informacija apsinuodijus	+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Malta Accident and Emergency Department	2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)
Netherlands National Poisons Information Centre (NVIC)	NVIC: +31 (0)88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)
Norway Norwegian Poison Information Centre	22 59 13 00 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Portugal Poison Centre	800 250 250 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Romania Biroul RSI si Informare Toxicologica	021.318.36.06 (Available 8:00AM-3:00PM. SDS/Product information may not be available for the Emergency Service.)
Slovakia National Toxicological Information Centre	+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Spain Toxicology Information Service	+ 34 91 562 04 20 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Sweden National Poison Information Centre	112 - and ask for Poison Information (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)
Switzerland Tox Info Suisse	145 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids

Category 2

H225 - Highly flammable liquid and vapour.

Health hazards

Serious eye damage/eye irritation

Category 2

H319 - Causes serious eye irritation.

Skin sensitisation

Category 1

H317 - May cause an allergic skin reaction.

Environmental hazardsHazardous to the aquatic environment,
long-term aquatic hazard

Category 3

H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements**Label according to Regulation (EC) No. 1272/2008 as amended****UFI:**

Austria: T4FA-XJXY-C90J-06R1
 Belgium: T4FA-XJXY-C90J-06R1
 Bulgaria: T4FA-XJXY-C90J-06R1
 Croatia: T4FA-XJXY-C90J-06R1
 Cyprus: T4FA-XJXY-C90J-06R1
 Czech Republic: T4FA-XJXY-C90J-06R1
 Denmark: T4FA-XJXY-C90J-06R1
 Estonia: T4FA-XJXY-C90J-06R1
 EU: T4FA-XJXY-C90J-06R1
 Finland: T4FA-XJXY-C90J-06R1
 France: T4FA-XJXY-C90J-06R1
 Germany: T4FA-XJXY-C90J-06R1
 Greece: T4FA-XJXY-C90J-06R1
 Hungary: T4FA-XJXY-C90J-06R1
 Iceland: T4FA-XJXY-C90J-06R1
 Ireland: T4FA-XJXY-C90J-06R1
 Italy: T4FA-XJXY-C90J-06R1
 Latvia: T4FA-XJXY-C90J-06R1
 Lithuania: T4FA-XJXY-C90J-06R1
 Luxembourg: T4FA-XJXY-C90J-06R1
 Malta: T4FA-XJXY-C90J-06R1
 Netherlands: T4FA-XJXY-C90J-06R1
 Northern Ireland: T4FA-XJXY-C90J-06R1
 Norway: T4FA-XJXY-C90J-06R1
 Poland: T4FA-XJXY-C90J-06R1
 Portugal: T4FA-XJXY-C90J-06R1
 Romania: T4FA-XJXY-C90J-06R1
 Slovakia: T4FA-XJXY-C90J-06R1
 Slovenia: T4FA-XJXY-C90J-06R1
 Spain: T4FA-XJXY-C90J-06R1
 Sweden: T4FA-XJXY-C90J-06R1

Contains:

10-Undecenal, Benzoic acid, 2-hydroxy-, hexyl ester, Butyl cyclohexyl acetate, d-Limonene, Ethyl 2,2-dimethylhydrocinnamal, g-Methoxycedrane, Hexyl Cinnamal, Isocyclemone E, Linalyl acetate, Lyrall, Oils, orange, sweet

Hazard pictograms**Signal word**

Danger

Hazard statements

H225

Highly flammable liquid and vapour.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements**Prevention**

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273

Avoid release to the environment.

Response

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

P302 + P350

If on skin: Wash with plenty of water/.

P337 + P313	If eye irritation persists: Get medical advice/attention.
Storage	Not applicable.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol	70 - 80	64-17-5 200-578-6	-	603-002-00-5	
Classification: Flam. Liq. 2;H225, Eye Irrit. 2;H319					
Butyl cyclohexyl acetate	1 - 3	32210-23-4 250-954-9	-	-	
Classification: Skin Sens. 1B;H317					
Galaxolide	1 - 3	1222-05-5 214-946-9	01-2119488227-29	603-212-00-7	
Classification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410					
Hexyl Cinnamal	1 - 3	101-86-0 202-983-3	01-2119533092-50	-	
Classification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411					
Ionone, methyl-	1 - 3	1335-46-2 215-635-0	-	-	
Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Aquatic Chronic 2;H411					
Benzoic acid, 2-hydroxy-, hexyl ester	≤ 1	6259-76-3 228-408-6	01-2119638275-36	-	
Classification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410(M=1)					
Isocyclemone E	≤ 1	54464-57-2 259-174-3	-	-	
Classification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Chronic 1;H410					
Oils, orange, sweet	≤ 1	8008-57-9 616-926-9	-	-	
Classification: Flam. Liq. 2;H225, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1;H317, Asp. Tox. 1;H304, Aquatic Chronic 2;H411					
g-Methoxycedrane	≤ 0,3	19870-74-7 243-384-7	-	-	
Classification: Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410					
10-Undecenal	≤ 0,2	112-45-8 203-973-1	-	-	
Classification: Skin Sens. 1B;H317, Aquatic Chronic 3;H412					
AHTN	≤ 0,2	21145-77-7 244-240-6	-	-	
Classification: Acute Tox. 4;H302;(ATE: 500 mg/kg bw), Aquatic Acute 1;H400(M=1), Aquatic Chronic 1;H410(M=1)					
Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester	≤ 0,2	65405-77-8 265-745-8	-	-	
Classification: Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411					

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
d-Limonene	≤ 0,2	5989-27-5 227-813-5	-	601-096-00-2	Classification: Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1B;H317, Asp. Tox. 1;H304, Aquatic Acute 1;H400(M=1), Aquatic Chronic 3;H412
Ethyl 2,2-dimethylhydrocinnamal	≤ 0,2	67634-15-5 266-819-2	-	-	Classification: Skin Irrit. 2;H315, Skin Sens. 1B;H317, Aquatic Acute 1;H400(M=1), Aquatic Chronic 2;H411
Linalyl acetate	≤ 0,2	115-95-7 204-116-4	-	-	Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Skin Sens. 1B;H317
Lylal	≤ 0,2	31906-04-4 250-863-4	-	605-040-00-8	Classification: Skin Sens. 1A;H317
Other components below reportable levels	18.97				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Highly flammable liquid and vapour.

5.1. Extinguishing media

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances
Hazard categories in accordance with Regulation (EC) No 1272/2008
- P5a, b or c FLAMMABLE LIQUIDS (Lower-tier requirements = 50 tonnes; Upper-tier requirements = 200 tonnes)

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3
		2000 ppm
	MAK	1900 mg/m3
		1000 ppm

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
		1000 ppm

Bulgaria. OELs. Ordinance No 13 on protection of workers against risks of exposure to chemical agents at work, as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3

Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	MAC	1900 mg/m3 1000 ppm

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Components	Type	Value
Ethanol (CAS 64-17-5)	Ceiling	3000 mg/m3
	TWA	1000 mg/m3

Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2

Components	Type	Value
d-Limonene (CAS 5989-27-5)	TLV	25 ppm
Ethanol (CAS 64-17-5)	STEL	3800 mg/m3 2000 ppm
	TLV	1900 mg/m3 1000 ppm

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3 1000 ppm
	TWA	1000 mg/m3 500 ppm

Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health

Components	Type	Value
d-Limonene (CAS 5989-27-5)	STEL	280 mg/m3 50 ppm
	TWA	140 mg/m3 25 ppm
Ethanol (CAS 64-17-5)	STEL	2500 mg/m3 1300 ppm
	TWA	1900 mg/m3 1000 ppm

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Ethanol (CAS 64-17-5)	VLE	9500 mg/m3
Regulatory status:	Indicative limit (VL)	5000 ppm
Regulatory status:	Indicative limit (VL)	
	VME	1900 mg/m3
Regulatory status:	Indicative limit (VL)	1000 ppm
Regulatory status:	Indicative limit (VL)	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Type	Value
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	5 ppm
		380 mg/m3
		200 ppm

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value
d-Limonene (CAS 5989-27-5)	AGW	28 mg/m3
Ethanol (CAS 64-17-5)	AGW	5 ppm
		380 mg/m3
		200 ppm

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	3800 mg/m3
	TWA	1900 mg/m3

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

Italy. OELs (Legislative Decree n.81, 9 April 2008), as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm

Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
	TWA	260 mg/m3

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Type	Value
d-Limonene (CAS 5989-27-5)	TLV	140 mg/m3
		25 ppm

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	TLV	950 mg/m3
		500 ppm

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796-2014)

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1000 ppm

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	9500 mg/m3
		5000 ppm
	TWA	1900 mg/m3
		1000 ppm

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3
		1000 ppm
	TWA	960 mg/m3
		500 ppm

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Ann. I 100/2001), as amended

Components	Type	Value
d-Limonene (CAS 5989-27-5)	KTV	112 mg/m3
		20 ppm
Ethanol (CAS 64-17-5)	KTV	1920 mg/m3
		1000 ppm

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Type	Value
d-Limonene (CAS 5989-27-5)	TWA	28 mg/m3
		5 ppm
Ethanol (CAS 64-17-5)	TWA	960 mg/m3
		500 ppm

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Type	Value
d-Limonene (CAS 5989-27-5)	TWA	168 mg/m3
		30 ppm
Ethanol (CAS 64-17-5)	STEL	1910 mg/m3
		1000 ppm

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Components	Type	Value
		1000 ppm
	TWA	1000 mg/m3
		500 ppm

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Type	Value
d-Limonene (CAS 5989-27-5)	STEL	80 mg/m3
		14 ppm
	TWA	40 mg/m3
		7 ppm
Ethanol (CAS 64-17-5)	STEL	1920 mg/m3
		1000 ppm
	TWA	960 mg/m3
		500 ppm

UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1920 mg/m3
		1000 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Germany DFG MAK (advisory): Skin designation

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Germany TRGS 900 Limit Values: Skin designation

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Netherlands OELs (binding): Skin designation

Ethanol (CAS 64-17-5) Can be absorbed through the skin.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

Spain OELs: Skin designation

d-Limonene (CAS 5989-27-5) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Colour	Not available.
Odour	Not available.
Melting point/freezing point	-114 °C (-173,2 °F) estimated
Boiling point or initial boiling point and boiling range	78,4 °C (173,12 °F) estimated
Flammability	Not applicable.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Flash point	13 °C (55,4 °F) estimated
Auto-ignition temperature	365 °C (689 °F) estimated
Decomposition temperature	Not available.
pH	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not available.
Vapour pressure	38,742455 hPa estimated
Density and/or relative density	
Density	0,828 g/cm3 estimated
Vapour density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristics	
Percent volatile	87,49 % estimated
Specific gravity	0,82797 estimated
VOC	74,9 % estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
----------------------------	--

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	No data available.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.

11.2. Information on other hazards

Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.

Components	Species		Test Results
d-Limonene (CAS 5989-27-5)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia pulex)	69,6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0,619 - 0,796 mg/l, 96 hours
Ethanol (CAS 64-17-5)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	7,7 - 11,2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	42 mg/l, 4 days
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
12.3. Bioaccumulative potential			
Partition coefficient			
n-octanol/water (log Kow)			
AHTN			5,4
Benzoic acid, 2-hydroxy-, (3Z)-3-hexen-1-yl ester			4,8
Benzoic acid, 2-hydroxy-, hexyl ester			5,5

Butyl cyclohexyl acetate	4,8
d-Limonene	4,57
Ethanol	-0,31
Ethyl 2,2-dimethylhydrocinnamal	3,6
Galaxolide	5,3
Hexyl Cinnamal	4,686
Ionone, methyl-	4,5 - 5
Linalyl acetate	3,9
	3,93

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

12.7. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation potential.

12.8. Additional information

Estonia Dangerous substances in soil Data

Ethanol (CAS 64-17-5)	Chemical pesticides (As the total sum of the active substances) 0,5 mg/kg
	Chemical pesticides (As the total sum of the active substances) 20 mg/kg
	Chemical pesticides (As the total sum of the active substances) 5 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN1170
14.2. UN proper shipping name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)
14.3. Transport hazard class(es)	
Class	3
Subsidiary hazard	-
Label(s)	3
Hazard No. (ADR)	33
Tunnel restriction code	D/E
14.4. Packing group	II
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number	UN1170
14.2. UN proper shipping name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)
14.3. Transport hazard class(es)	
Class	3

Subsidiary hazard	-
Label(s)	3
14.4. Packing group	II
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number	UN1170
14.2. UN proper shipping name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)
14.3. Transport hazard class(es)	
Class	3
Subsidiary hazard	-
Label(s)	3
14.4. Packing group	II
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number	UN1170
14.2. UN proper shipping name	Ethanol solution (Ethanol)
14.3. Transport hazard class(es)	
Class	3
Subsidiary hazard	-
14.4. Packing group	II
14.5. Environmental hazards	Yes
ERG Code	3L
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.


IMDG

14.1. UN number	UN1170
14.2. UN proper shipping name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), MARINE POLLUTANT
14.3. Transport hazard class(es)	
Class	3
Subsidiary hazard	-
14.4. Packing group	II
14.5. Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-D
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

14.7. Maritime transport in bulk according to IMO instruments Not established.

ADN; ADR; IATA; IMDG; RID





General information

IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

UFI:

Austria: T4FA-XJXY-C90J-06R1
Belgium: T4FA-XJXY-C90J-06R1
Bulgaria: T4FA-XJXY-C90J-06R1
Croatia: T4FA-XJXY-C90J-06R1
Cyprus: T4FA-XJXY-C90J-06R1
Czech Republic: T4FA-XJXY-C90J-06R1
Denmark: T4FA-XJXY-C90J-06R1
Estonia: T4FA-XJXY-C90J-06R1
EU: T4FA-XJXY-C90J-06R1
Finland: T4FA-XJXY-C90J-06R1
France: T4FA-XJXY-C90J-06R1
Germany: T4FA-XJXY-C90J-06R1
Greece: T4FA-XJXY-C90J-06R1
Hungary: T4FA-XJXY-C90J-06R1
Iceland: T4FA-XJXY-C90J-06R1
Ireland: T4FA-XJXY-C90J-06R1
Italy: T4FA-XJXY-C90J-06R1
Latvia: T4FA-XJXY-C90J-06R1
Lithuania: T4FA-XJXY-C90J-06R1
Luxembourg: T4FA-XJXY-C90J-06R1
Malta: T4FA-XJXY-C90J-06R1
Netherlands: T4FA-XJXY-C90J-06R1
Northern Ireland: T4FA-XJXY-C90J-06R1
Norway: T4FA-XJXY-C90J-06R1
Poland: T4FA-XJXY-C90J-06R1
Portugal: T4FA-XJXY-C90J-06R1
Romania: T4FA-XJXY-C90J-06R1
Slovakia: T4FA-XJXY-C90J-06R1
Slovenia: T4FA-XJXY-C90J-06R1
Spain: T4FA-XJXY-C90J-06R1
Sweden: T4FA-XJXY-C90J-06R1

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended
- Conditions of restriction given for the associated entry number should be considered

Ethanol (CAS 64-17-5) 40

Galaxolide (CAS 1222-05-5) 3

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

ANNEX 1, PART 1 Categories of dangerous substances
Hazard categories in accordance with Regulation (EC) No 1272/2008
- P5a, b or c FLAMMABLE LIQUIDS

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended Use of this product by young persons under the age of 18 is not allowed in accordance with the Management of Health and Safety at Work Regulations 1999 [SI 1999/3242], as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

France regulations

France INRS Table of Occupational Diseases

Ethanol (CAS 64-17-5)

Affections engendrées par les solvants organiques liquides à usage professionnel : hydrocarbures liquides aliphatiques ou cycliques saturés ou insaturés et leurs mélanges; hydrocarbures halogénés liquides; dérivés nitrés des hydrocarbures aliphatiques; al 84

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TLV: Threshold Limit Value.

TWA: Time Weighted Average.

VLE: Exposure Limit Value.

VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Revision information

Product and Company Identification: EU Poison Centre

SECTION 2: Hazards identification: Hazard statements

SECTION 2: Hazards identification: Prevention

SECTION 2: Hazards identification: Response

SECTION 2: Hazards identification: 2,3. Other hazards

SECTION 6: Accidental release measures: 6,3. Methods and material for containment and cleaning up

SECTION 6: Accidental release measures: For non-emergency personnel

SECTION 7: Handling and storage: 7,2. Conditions for safe storage, including any incompatibilities

SECTION 7: Handling and storage: 7,3. Specific end use(s)

SECTION 11: Toxicological information: Endocrine disrupting properties

SECTION 12: Ecological information: 12,6. Endocrine disrupting properties

SECTION 12: Ecological information: 12,7. Other adverse effects

SECTION 16: Other information: References

SECTION 16: Other information: List of abbreviations

Training information

Follow training instructions when handling this material.

Disclaimer

Yankee Candle s.r.o. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.