

SDS Service Summary		No. SHAEC2203968301	Date: 18 Mar 2022	Page 1 of 1
SGS Job No. Applicant	:	SP22-005632-SH Aurora Office Equipment		
Product Name	:	LUBRICANT SHEET / SH SHEET	REDDER SHARPEN	ING & LUBRICANT
Composition/Ingredient of product (as per applicant submission)	:	See section 3 Composition	on/information on ingre	<i>dients</i> on the SDS
Job Receiving Date	:	07 Mar 2022		
Last Information Date	:	09 Mar 2022		
SDS Preparation Period	:	07 Mar 2022-10 Mar 202	2	
Service Requested	:	Preparation of Safety Dat submitted information, wi labeling requirement acco European Commission R	th calculation of the cla ording to the submitted	assification and composition and
Summary	:	As per request, the conte accordance with Europea 1907/2006, Regulation (E 2020/878, and is provided	an Commission Regula EC) No 1272/2008 and	tion (EC) No
		Remark: The transportation inform report provided by client (

Disclaimer

This Safety Data Sheet (SDS) is provided to applicant to fulfill European Commission Regulation (EC) No 1907/2006 and communicate the hazard information of chemicals through the supply chain to ensure safe use. It is not a test report or a certificate ensuring the safety of a product.

SGS has consolidated product information based on documents provided by Applicant (i.e. product name, the supplier details, product composition, available physical data, etc) without independent verification from SGS. The information is provided without any warranty, express or implied, regarding its correctness.

the Gi

Echo Cai **Project Engineer**

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: For paper shredder blade lubrication
- \cdot 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Aurora Office Equipment Co.,Ltd. Shanghai No.388, Jiaxin Road, Jiading District, Shanghai Tel:021-59164588-282 E-mail:Zhiqlu@aurora.com.cn
- · Only Representative/ other EU contact point: Not available
- 1.4 Emergency telephone number: IRELAND
 National Poisons Information Centre
 Tel: +353 (01) 809 2566 (For healthcare professionals) +353 (01) 809 2166 (For public:8am - 10pm)
- · 1.5 Reference Number: SP22-005632-SH; SHAEC2203968301

· 1.6 Remark:

This product is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No.1907/2006. This SDS is generated for applicant's reference only.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

• Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.

• Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Not applicable
- Hazard-determining components of labelling: Not applicable • Hazard statements
- *H411 Toxic to aquatic life with long lasting effects.*
- Precautionary statements
 P273 Avoid release to the environment.
 P391 Collect spillage.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

	(Contd. of page 1)
· 2.3 Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
· Determination of endocrine-disrupting properties	
128-37-0 2,6-di-tert-butyl-p-cresol	List II

128-37-0 2,6-di-tert-butyl-p-cresol

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to Section 16.

· Composition:		
CAS: 1344-28-1	aluminium oxide	40-45%
EINECS: 215-691-6	substance with a Union workplace exposure limit	
CAS: 67701-03-5	Fatty acids, C16-1-8	24-26%
EINECS: 266-928-5		
CAS: 7782-42-5	Graphite	10-15%
EINECS: 231-955-3	substance with a Union workplace exposure limit	
CAS: 300-92-5	Hydroxyaluminium distearate	9-10%
EINECS: 206-101-8		
CAS: 31566-31-1	stearic acid, monoester with glycerol	7-8%
EINECS: 250-705-4		
CAS: 63231-60-7	Paraffin waxes and Hydrocarbon waxes, microcryst.	6-8%
EINECS: 264-038-1		
CAS: 128-37-0	2,6-di-tert-butyl-p-cresol	2-3%
EINECS: 204-881-4	Aquatic Chronic 1, H410	
	Substance with a Union workplace exposure limit.	
	Substance identified as having endocrine disrupting properties (II).	

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water. Never give anything by mouth to an unconscious person. Seek medical treatment.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

FL

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:
- Wear fully protective suit.
- Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.
 Ensure adequate ventilation.
 Use respiratory protective device against the effects of fumes/dust/aerosol.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- Prevent formation of dust.
- *Open and handle receptacle with care.*
- Ensure good ventilation/exhaustion at the workplace.
- For the general occupational hygienic measures refer to Section 8.
- · Information about fire and explosion protection: Normal measures for preventive fire protection.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

EU

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

(Contd. of page 3)

8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: Ingredients with limit values that require monitoring at the workplace: ISH-28-1 Iduminium oxide AGW (Germany) [cong-term value: 1.25% 10% mg/m ⁴ Q[U]); "alvoolengüngig % "einatembar; AGS, DFG, Y VLEP (France) [cong-term value: 10 mg/m ⁴ QEL (Ireland) [cong-term value: 1.25% 10% mg/m ⁴ QEL (Ireland) [cong-term value: 2.0% mg/m ⁴ QEL (Ireland) [cong-term value: 2 mg/m ⁴ pour la fraction at/volatire OEL (Ireland) [cong-term value: 10 mg/m ⁴ QEL (Ireland) [cong-term value: 10 mg/m ⁴ QEL (Ireland) [cong-term value: 2 mg/m ⁴ QEL (Ireland) [cong-term		Exposure controls/personal protection
134428-1 aluminium oxide AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II): *alveolengängig**einatembar; AGS, DFG, Y VLEP (France) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 10* 4** mg/m³ *total inhalable **respirable dust 7782-42-5 Graphite AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II): *alveolengängig**einatembar; AGS, DFG, Y VLEP (France) Long-term value: 2 mg/m³ pour la fraction alvéolaire OPE. (Ireland) Long-term value: 2 mg/m³ pour la fraction alvéolaire OEL (Ireland) Long-term value: 10 E mg/m³ 4 (II):DFG, Y, 11 VLEP (France) Long-term value: 10 E mg/m³ 4 (II):DFG, Y, 11 VLEP (France) Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland) Long-term value: 3 mg/m³ CEL (Ireland): 2021 COF the Safety, Health and Welfare at Work DNELs: Data not available AdWitional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition	-	
AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(11): *alveolengängig**einatembar; AGS, DFG, Y VLEP (France) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 10 *4** mg/m³ *total inhalable **respirable dust 778-42-5 Graphite AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(11): *alveolengängig**einatembar; AGS, DFG, Y VLEP (France) Long-term value: 2 mg/m³ pour la fraction alvéolaire OEL (Ireland) Long-term value: 2 mg/m³ respirable fraction T28-370-26.cd-tert-butyl-p-cresol AGW (Germany) Long-term value: 10 E mg/m³ VLEP (France) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 2 mg/m³ respirable fraction Hip-p-resol AGW (Germany) Long-term value: 2 mg/m³ VELP (France) Long-term value: 2 mg/m³ OEL (Ireland) Long-term value: 2 mg/m³ OEL (Ireland) Long-term value: 2 mg/m³ Regulatory information AGgety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available PNECs: Data not available PNECs: Data not available Ad	0	
VLEP (France) Long-term value: 10* 4** mg/m³ OEL (Ireland) Long-term value: 10* 4** mg/m³ *total inhable **respirable dust 7782-42-5 Graphie AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(11)*alveolengängis**einatembar; AGS, DFG, Y VLEP (France) Long-term value: 2 mg/m³ pour la fraction alvéolaire pour la fraction alvéolaire OEL (Ireland) Long-term value: 2 mg/m³ respirable fraction respirable fraction 128-37-0 2,6-di-tert-butyl-p-cresol Iong-term value: 10 E mg/m³ AGW (Germany) Long-term value: 10 mg/m³ VLEP (France) Long-term value: 2 mg/m³ CEL (Ireland) Long-term value: 2 mg/m³ AGW (Germany): TRGS 900 VLEP (France) DEL (Ireland): 2021 CoP for the Safety. Health and Welfare at Work DNELs: Data not available PNECs: Data not available DNELs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupations of sefery material before breaks and at the end of work. See Section 7 for information about design of technical facilitites. Individual p		Long-term value: 1.25* 10** mg/m ³
*total inhalable **respirable dust 7782-2-5 Graphite AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II); *talveolengängig **einatembar; AGS, DFG, Y VLEP (France) Long-term value: 2 mg/m³ pour la fraction alvéolaire OEL (Ireland) Long-term value: 2 mg/m³ respirable fraction 128-37-0 2,6-di-tert-butyl-p-cresol AGW (Germany) Long-term value: 10 E mg/m³ 4 (II); DFG, Y, 11 VLEP (France) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs: Da not available PNECs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure comrols Based on the composition shown in Section 3, the following measures are suggested for occupation asfety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about desig	VLEP (France)	
AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y VLEP (France) Long-term value: 2 mg/m³ pour la fraction alvéolaire OEL (Ireland) Long-term value: 2 mg/m³ respirable fraction 128-37-0 2, 6-di-tert-butyl-p-cresol AGW (Germany) Long-term value: 10 mg/m³ 4 (II):DFG, Y, 11 VLEP (France) Long-term value: 10 mg/m³ AGW (Germany): Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland) 2007 for the Safety, Health and Welfare at Work DNELs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupations afety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about design of technical facilities. Individual protection The gl	OEL (Ireland)	
2(II); *alveolengängig**einatembar; AGS, DFG, Y VLEP (France) Long-term value: 2 mg/m ³ pour la fraction alvéolaire OEL (Ireland) Long-term value: 2 mg/m ³ respirable fraction 128-37-0 2,6-di-tert-butyl-p-cresol AGW (Germany) Long-term value: 10 E mg/m ³ (II) DFG, Y, 11 VLEP (France) Long-term value: 2 mg/m ³ AGW (Germany) Long-term value: 2 mg/m ³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland) OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available PNECs: Data not available PNECs: Data not available Saded on the composition shown in Section 3, the following measures are suggested for occupations afety measure Agropriate engineering controls Based on the composition about design of technical facilities. Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the	7782-42-5 Graph	ite
our la fraction alvéolaire OEL (Ireland) Long-term value: 2 mg/m³ respirable fraction 128-37-0 2, 6-di-tert-butyl-p-cresol AGW (Germany) Long-term value: 10 E mg/m³ 4 (II);DFG, Y, 11 VLEP (France) Long-term value: 10 mg/m³ 0EL (Ireland) Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupations afety measure Appropriate engineering controls See Section 7 for information about design of technical facilities. Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given	AGW (Germany)	
respirable fraction 128-37-0 2,6-di-tert-butyl-p-cresol AGW (Germany) Long-term value: 10 E mg/m³ 4 (II);DFG, Y, 11 VLEP (France) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): D1487 05.2021 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupations safety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about design of technical facilities. Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protection. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation degradation. Material of gloves: The selection of the suitable gloves	VLEP (France)	
AGW (Germany) Long-term value: 10 E mg/m³ 4 (II);DFG, Y, 11 VLEP (France) Long-term value: 2 mg/m³ <i>Regulatory information</i> AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (reland): 2021 COP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. <i>8.2 Exposure controls</i> Based on the composition shown in Section 3, the following measures are suggested for occupatione safety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about design of technical facilities. Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Batection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Selection of the suitable gloves does not only depend on the material, but also on further marks of substances, the resis	OEL (Ireland)	0 0
4 (IĪ);DFG, Y, 11 VLEP (France) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupatione safety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about design of technical facilities. Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material on consideration of the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the suitable gloves does not only depend on the material, but also on further marks or quality and varies from manufacturer to manufacturer. As the product is a preparation of severe substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Puter belowein The substance of the glove material can not be calculated in advance and has the	128-37-0 2,6-di-t	ert-butyl-p-cresol
OEL (Ireland) Long-term value: 2 mg/m³ Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupations asfety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about design of technical facilities. Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves: The selection of the suitable gloves does not only	AGW (Germany)	
Regulatory information AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupationa safety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about design of technical facilities. Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and th degradation. Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of severa substances, the resistance of the glove material can not be calculated in advance	VLEP (France)	Long-term value: 10 mg/m ³
AGW (Germany): TRGS 900 VLEP (France): ED 1487 05.2021 OEL (Ireland): 2021 COP for the Safety, Health and Welfare at Work DNELs: Data not available PNECs: Data not available Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure Appropriate engineering controls Wash hands before breaks and at the end of work. See Section 7 for information about design of technical facilities. Individual protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of severe substances, the resistance of the glove material can not be calculated in advance and has therefore to b checked prior to the application. Paterial tim of glove material: Th	OEL (Ireland)	Long-term value: 2 mg/m ³
Individual protection measures, such as personal protective equipment Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of severa substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material: The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.	Additional inform 8.2 Exposure con Based on the co safety measure Appropriate engi Wash hands befor	nation: The lists valid during the making were used as basis. atrols mposition shown in Section 3, the following measures are suggested for occupational ineering controls re breaks and at the end of work.
 Respiratory protection: Suitable respiratory protective device recommended. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material: The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. 	•	
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material: The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.	Respiratory prote Hand protection The glove materia Due to missing te the chemical mix. Selection of the degradation.	ection: Suitable respiratory protective device recommended. al has to be impermeable and resistant to the product/ the substance/ the preparation. sts no recommendation to the glove material can be given for the product/ the preparation ture. glove material on consideration of the penetration times, rates of diffusion and the
observed.	The selection of quality and var substances, the r checked prior to Penetration time	the suitable gloves does not only depend on the material, but also on further marks of ies from manufacturer to manufacturer. As the product is a preparation of several esistance of the glove material can not be calculated in advance and has therefore to be the application. of glove material:
Real Construction Construction and addition of the Construction of	observed.	trough time has to be found out by the manufacturer of the protective gloves and has to b on Goggles recommended during refilling.

(Contd. on page 5)

EU

(Contd. of page 4)

Safety data sheet Regulation (EC) No.1907/2006 and No.1272/2008

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

· Body protection: Protective work clothing

• Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

Sherion 7. Physical and chemical prop	
· 9.1 Information on basic physical and chemical p	roperties
· Physical state	Solid
· Colour:	Light grey
· Odour:	Weak odor
• Odour threshold:	Data not available
• Melting point/freezing point:	Data not available
• Boiling point or initial boiling point and boiling	
range	Data not available
· Flammability	Data not available
· Lower and upper explosion limit	
· Lower:	Data not available
	Data not available
· Upper: Elash point:	
Flash point:	Data not available
Auto-ignition temperature:	Data not available
• Decomposition temperature:	Data not available
·pH	Data not available
Viscosity:	
· Kinematic viscosity	Data not available
· Dynamic viscosity:	Data not available
· Solubility	
· water:	Data not available
· Partition coefficient n-octanol/water (log value)	Data not available
· Vapour pressure:	Data not available
· Density and/or relative density	
· Density:	Data not available
· Relative density:	Data not available
· Vapour density:	Data not available
· Particle characteristics:	Data not available
• 9.2 Other information	
· Appearance:	
· Form:	Thin slice flaky solid
· Information with regard to physical hazard classe	25
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
• Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
• •	
• Self-heating substances and mixtures	Not applicable
• Substances and mixtures, which emit flammable	Not applicable
gases in contact with water	Not applicable
• Oxidising liquids	Not applicable
• Oxidising solids	Not applicable
· Organic peroxides	Not applicable
	(Contd. on page 6)

(Contd. on page 6)

EU

(Contd. of maga 5)

Safety data sheet Regulation (EC) No.1907/2006 and No.1272/2008

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

		(Contd. of page 3)
· Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	
• Other safety characteristics	Data not available	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No decomposition if used according to specifications.

• 10.2 Chemical stability Stable under recommended storage conditions.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1344-28-1 aluminium oxide

Oral LD50 >5,000 mg/kg (rat)

63231-60-7 Paraffin waxes and Hydrocarbon waxes, microcryst.

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,600 mg/kg (rabbit)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

128-37-0 2,6-di-tert-butyl-p-cresol

· Other information No further relevat information available.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 7)

List II

EU

(Contd. of page 6)

Safety data sheet Regulation (EC) No.1907/2006 and No.1272/2008

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

• **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• *Recommendation: Must not be disposed together with household garbage. Do not allow product to reach sewage system.*

· Uncleaned packaging

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informati	on
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	Not applicable
 14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA 	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, IMDG, IATA	
· Class	Not applicable
· Label	Not applicable
 14.4 Packing group ADR/RID/ADN, IMDG, IATA 	Not applicable
· 14.5 Environmental hazards	Not applicable.
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.
· 14.8 Transport/Additional information:	
· UN "Model Regulation":	Not applicable
· Remark	Referring to the Certification for Safe Transport of Chemical Goods (Report No.202200718242902) issued by Shanghai Insitute of Chemical Industry Testing Co., Ltd, LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET is not subject to IMO, IMDG Code (upon applicant's information).

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category E2 Hazardous to the Aquatic Environment

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

(Contd. on page 8)

EU

(Contd. of page 7)

Safety data sheet Regulation (EC) No.1907/2006 and No.1272/2008

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

	(Conta. of page 7)
· Regulation (EU) No 649/2012	
None of the ingredients is listed.	
· REGULATION (EU) 2019/1148	
• Annex I - RESTRICTED EXPLOS under Article 5(3))	IVES PRECURSORS (Upper limit value for the purpose of licensing
None of the ingredients is listed.	
· Annex II - REPORTABLE EXPLO	SIVES PRECURSORS
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on dr	ug precursors
None of the ingredients is listed.	
• Regulation (EC) No 111/2005 layin third countries in drug precursors	g down rules for the monitoring of trade between the Community and
None of the ingredients is listed.	
· Other regulations, limitations and p	rohibitive regulations
· SVHC Candidate List of REACH R	egulation Annex XIV Authorisation (17/1/2022)
None of the ingredients is listed.	
· REACH Regulation Annex XVII Re	estriction (13/12/2021)
See Section 16 for information about	it restriction of use.
None of the ingredients is listed.	
· REACH Regulation Annex XIV Aut	thorisation List (23/11/2021)
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A	Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant hazard statements

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

• • • •	
Hazardous to the aquatic environment - long-term	The classification of the mixture is generally based
(chronic) aquatic hazard	on the calculation method using substance data
	according to Regulation (EC) No 1272/2008.

DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

(Contd. on page 9)

EU

Printing date 09.03.2022

Version number 1

Revision date 09.03.2022

Trade name: LUBRICANT SHEET / SHREDDER SHARPENING & LUBRICANT SHEET

	(Contd. of page 8)
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
· ************************************	*****
End of document	