

ASUS BE248QF computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LED Black

Brand : ASUS

Product code: 90LM0AJ0-B01K70

Product name : BE248QF

- 24.1-inch WUXGA(1920x1200) frameless IPS panel with wide viewing angles and 100% sRGB
 - SmoothMotion 100Hz refresh rate delivers a seamless, tear-free visual experience
 - Extensive connectivity with DisplayPort, HDMI, D-sub, USB hub, Audio in and Earphone jack for the most flexibility
 - Ergonomic design with +35° ~ -5° tilt, ±180° swivel, ±90° pivot and 130mm height adjustments for a comfortable viewing experience
 - ASUS Eye Care monitors feature TÜV Rheinland-certified Flicker-free and Low Blue Light technologies to ensure a comfortable viewing experience
- BE248QF Business Monitor - 24.1 inch, WUXGA(1920x1200), IPS, 100Hz, Frameless, Stereo Speakers, Height Adjustable, Ergonomic Design, HDMI, Eye Care, Low Blue Light, Flicker Free, Wall Mountable, Sustainability



| Display | | Ports & interfaces | |
|-------------------------------------|-------------------------------|---|--------------|
| Display diagonal * | 61.2 cm (24.1") | HDMI version | 1.4 |
| Display resolution * | 1920 x 1200 pixels | DisplayPorts quantity | 1 |
| HD type * | WUXGA | DisplayPort version | 1.4 |
| Native aspect ratio * | 16:10 | Headphone out * | ✓ |
| Display technology * | LED | PC Audio in | ✓ |
| Panel type * | IPS | HDCP | ✓ |
| LED backlight | ✓ | Ergonomics | |
| Touchscreen * | ✗ | VESA mounting * | ✓ |
| Display brightness (typical) | 350 cd/m ² | Panel mounting interface | 100 x 100 mm |
| Response time * | 5 ms | Wall mountable | ✓ |
| Response time measurement type | GTG (Gray to Gray) | Cable lock slot * | ✓ |
| Anti-glare screen | ✓ | Cable lock slot type | Kensington |
| Screen shape * | Flat | Height adjustment * | ✓ |
| Contrast ratio (typical) * | 1500:1 | Adjustable height (max) | 13 cm |
| Contrast ratio (dynamic) | 3000:1 | Pivot | ✓ |
| Maximum refresh rate * | 100 Hz | Pivot angle | -90 - 90° |
| Viewing angle, horizontal | 178° | Swivelling | ✓ |
| Viewing angle, vertical | 178° | Swivel angle range | -180 - 180° |
| Display number of colours * | 16.7 million colours | Tilt adjustment | ✓ |
| Pixel pitch | 0.27 x 0.27 mm | Tilt angle range | -5 - 35° |
| Viewable size, horizontal | 51.8 cm | Power | |
| Viewable size, vertical | 32.4 cm | Energy efficiency class (SDR) * | C |
| Digital horizontal frequency | 30 - 130 kHz | Energy efficiency class (HDR) * | D |
| Digital vertical frequency | 50 - 100 Hz | Energy consumption (SDR) per 1000 hours * | 10 kWh |
| High Dynamic Range (HDR) supported | ✓ | Energy consumption (HDR) per 1000 hours * | 14 kWh |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | | |
| Colour gamut standard | sRGB | | |

| | | | |
|--------------------------------------|----------|--------------------------------|-------------|
| Display | | Power | |
| Colour gamut | 100% | Power consumption (typical) * | 11.03 W |
| sRGB coverage (typical) | 100% | Power consumption (standby) * | 0.5 W |
| Performance | | Power consumption (off) | 0.3 W |
| NVIDIA G-SYNC * | ✗ | Power consumption (PowerSave) | 0.5 W |
| AMD FreeSync * | ✗ | AC input voltage | 100 - 240 V |
| VESA Adaptive Sync support | ✓ | AC input frequency | 50/60 Hz |
| Flicker-free technology | ✓ | Power supply type | Internal |
| Low Blue Light technology | ✓ | Energy efficiency scale | A to G |
| Multimedia | | Weight & dimensions | |
| Number of speakers | 2 | Width (with stand) | 531.8 mm |
| RMS rated power | 4 W | Depth (with stand) | 212.2 mm |
| Built-in speaker(s) * | ✓ | Height (with stand) | 473.1 mm |
| Built-in camera * | ✗ | Weight (with stand) | 5.5 kg |
| Design | | Width (without stand) | 531.8 mm |
| Market positioning * | Business | Depth (without stand) | 211.2 mm |
| Product colour * | Black | Height (without stand) | 473.1 mm |
| Detachable stand | ✓ | Weight (without stand) | 3.75 kg |
| Feet colour | Black | Packaging data | |
| Ports & interfaces | | Package width | 610 mm |
| Built-in USB hub * | ✓ | Package depth | 140 mm |
| USB Type-A downstream ports quantity | 4 | Package height | 414 mm |
| VGA (D-Sub) ports quantity | 1 | Package weight | 8.2 kg |
| HDMI * | ✓ | Package type | Box |
| HDMI ports quantity | 1 | Packaging content | |
| | | Stand included | ✓ |



4711387649244



0197105649248



197105649248

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.