

# SAFETY DATA SHEET



Version: 2.1 Date: 30 April 2026


according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>		
Product name	URIZAP	
Product type	Mixture	
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>		
Identified Use(s)	Treatment of uric scale, cleaning and deodorising of urinals	
Uses advised against	Anything other than the above. - Not for oral consumption or direct contact with food and beverages	
<b>1.3 Details of the supplier of the safety data sheet</b>		
Company Identification	Thrive Sciences Ltd Unit 3, Northgate Business Park White Lund Industrial Estate Morecambe, Lancashire, LA3 3BJ	
Telephone	+44 (0) 1524 481513	
E-mail (competent person)	<a href="mailto:sales@thrive.eco">sales@thrive.eco</a>	
<b>1.4 Emergency telephone number</b>		
Emergency Phone No.	0844 381 4708	Only available during office hours. Monday to Friday 09.00 - 17.00, GMT
Languages spoken	English	

## SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>		
<b>2.1.1 Classification According to GB-CLP Regulations UK SI 2019/720 as amended</b>	Eye Dam1; H318 STOT SE 3, H335	
<b>2.2 Label elements</b>		
Labelling According to GB-CLP Regulations UK SI 2019/720 as amended		
Product name	URIZAP	
Contains:	Sodium percarbonate, Citric Acid	
Hazard Pictogram(s)		
Signal Word(s)	Danger	
Hazard Statement(s)	H318 - Causes serious eye damage. H335 - May cause respiratory irritation	
Precautionary Statement(s)	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261: Avoid breathing dust/fume/gas/mist/vapours/spray P264: Wash hands thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection P304+ P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	

# SAFETY DATA SHEET



Version: 2.1 Date: 30 April 2026

according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P501 Dispose of contents/container to a licensed facility in accordance with national regulations

Supplemental information

Not applicable

**2.3 Other hazards**

None known

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 Substances**  
Not applicable

**3.2 Mixtures** Substances in preparations / mixtures.  
According to Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No./Index No	REACH Registration No.	Hazard classification
Sodium percarbonate	30 - 40	15630-89-4	239-707-6	Not yet assigned in the supply chain	Oxid. Solid 3; H272 Acute Tox. 4; H302 Eye Dam. 1; H318
Citric Acid	30 - 40	77-92-9	201-069-1/ 607-750-00-3	Not yet assigned in the supply chain	Eye Irrit. 2; H319 STOT SE 3; H335
Sodium Carbonate	20 - 30	497-19-8	207-838-8/ 011-005-00-2	Not yet assigned in the supply chain	Eye Irrit. 2; H319
Non-pathogenic bacteria	< 0.1	-	-	-	Not classified

Chemical identity of the substance	CAS No.	EC No.	REACH Registration No	SCL Limits
Sodium percarbonate	15630-89-4	239-707-6	Not yet assigned in the supply chain	Eye Irrit. 2; : 7.5 % ≤ C < 25 % Eye Dam. 1; : C > 25 %

For full text of H phrases see section 16.

## SECTION 4: FIRST AID MEASURES



**4.1 Description of first aid measures**

Self-protection of the first aider

No action should be taken involving personal risk. Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust  
IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

Inhalation

Skin contact

IF ON SKIN: Gently wash with plenty of soap and water. If irritation develops and persists, get medical attention.

Eye contact

Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician

# SAFETY DATA SHEET

Version: 2.1 Date: 30 April 2026



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

Ingestion	IF SWALLOWED: Rinse mouth. Give plenty of water to drink. Do NOT induce vomiting. IF exposed or concerned: Get medical advice/attention. Causes serious eye damage. May cause respiratory irritation.
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

<b>5.1 Extinguishing media</b>	In case of fire: Water spray, foam, dry powder or CO <sub>2</sub> .
Suitable extinguishing media	Do not use water jet. Direct water jet may spread the fire.
Unsuitable extinguishing media	
<b>5.2 Special hazards arising from the substance or mixture</b>	No specific fire or explosion hazard. Decomposition products may include the following materials: carbon dioxide carbon monoxide
<b>5.3 Advice for firefighters</b>	Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	No action should be taken involving personal risk. Provided it is safe to do so, isolate the source of the leak. Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Ensure adequate ventilation. Avoid breathing dust.
<b>6.2 Environmental precautions</b>	Avoid release to environment
<b>6.3 Methods and material for containment and cleaning up</b>	Sweep up spilled substance. Avoid dust generation. Use vacuum equipment for collecting spilt materials, where practicable. Transfer to a container for disposal. Recover the product where possible. Wash the spillage area with water.
<b>6.4 Reference to other sections</b>	See Also Section: 8, 13.

## SECTION 7: HANDLING AND STORAGE

<b>7.1 Precautions for safe handling</b>	When using do not eat or drink. Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Ensure adequate ventilation. Avoid breathing dust. Wash hands and exposed skin thoroughly after handling. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	Keep container closed. Avoid exposure to moisture, thermal decomposition. Do not overheat
Storage temperature	Stable at ambient temperatures. Recommended: <25 °C to prolong storage life.
Incompatible materials	Keep away from acid, bases, reducing agents, organic or combustible material.
<b>7.3 Specific end use(s)</b>	See Section: 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>8.1 Control parameters</b>	
<b>8.1.1 Occupational exposure limits</b>	The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m <sup>3</sup> (8hr TWA) total inhalable dust; 4 mg/m <sup>3</sup> (8hr TWA) total respirable dust.
<b>8.1.2 Biological limit value</b>	Not established.
<b>8.1.3 PNECs and DNELs</b>	<b>SODIUM CARBONATE (CAS: 497-19-8)</b> DNEL Workers - Inhalation; Long term exposure local effects 10 mg/m <sup>3</sup> Consumers - Inhalation; Long term exposure local effects 5mg/m <sup>3</sup>

# SAFETY DATA SHEET

Version: 2.1 Date: 30 April 2026



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

## **SODIUM PERCARBONATE (CAS: 15630-89-4)**

DNEL

Workers - inhalation; Long term exposure Local effects 5 mg/m<sup>3</sup>

Workers - dermal; Long term exposure Local effects 12.8 mg/cm<sup>2</sup>

Workers - dermal; Short term exposure Local effects 12.8 mg/cm<sup>2</sup>

Consumer - Dermal route; Long term exposure Local effects 6.4 mg/cm<sup>2</sup>

Consumer - Dermal route; Short term exposure Local effects 6.4 mg/cm<sup>2</sup>

PNEC

aqua (freshwater) - 0.035 mg/L

aqua (marine water) - 0.035 mg/L

STP - 16.24 mg/L

### **8.2 Exposure controls**

#### **8.2.1 Appropriate engineering controls**

Ensure adequate ventilation. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. A washing facility/water for eye and skin cleaning purposes should be present. Eyewash bottles should be available.

#### **8.2.2 Individual protection measures, such as personal protective equipment**

Keep good industrial hygiene. Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Do not eat, drink or smoke at the work place. Wash hands before breaks and after work.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/ face protection

If risk of eye contact cannot be avoided, use eye protection conforming to EN 166.

Skin protection

#### **Hand protection:**

If prolonged or repeated contact is expected and unavoidable, protective gloves should be worn conforming to EN 374.

Suitable materials: PVC, nitrile, rubber, neoprene.

#### **Body protection:**

Work appropriate clothing and footwear.

Respiratory protection

Not required for normal conditions of use. If working in a confined space and generation of dusts cannot be avoided, respiratory protection with a particle filter should be used conforming to EN 149: 2001.

Thermal hazards

Not applicable.

#### **8.2.3 Environmental exposure controls**

Not applicable.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

Appearance	Blue granulated powder
Odour	Characteristic
Odour threshold	Not established
pH	Diluted solution 10%: 10.0 – 10.5
Melting point/freezing point	Not applicable - solid
Initial boiling point and boiling range	Not applicable - solid
Flash point	Not applicable - solid
Evaporation rate	Not applicable - solid
Flammability (solid, gas)	Not flammable
Upper/lower flammability or explosive limits	Not established
Vapour pressure	Not applicable - solid

# SAFETY DATA SHEET



Version: 2.1 Date: 30 April 2026

according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

Vapour density	Not applicable - solid
Relative density	Not established
Solubility(ies)	Not established
Partition coefficient: n-octanol/water	Not established
Auto-ignition temperature	Not established
Decomposition temperature	Not established
Viscosity	Not applicable - solid
Explosive properties	Not explosive
Oxidising properties	Not classified

9.2 Other information None Known

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4 Conditions to avoid	Avoid prolonged storage at elevated temperature.
10.5 Incompatible materials	Keep away from acid, bases, reducing agents, organic or combustible material.
10.6 Hazardous decomposition products	May give off noxious and toxic fumes in a fire.

## SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute Toxicity - Ingestion	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
Acute Toxicity - Inhalation	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) > 5 mg/l (Dusts)
Acute Toxicity - Skin contact	Mixture: Based upon the available data, the classification criteria are not met. Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
Skin corrosion/irritation	Mixture: Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation	Mixture: Eye Dam. 1; H318: Causes serious eye damage.
Respiratory or skin sensitisation	Mixture: Based upon the available data, the classification criteria are not met.
Germ cell mutagenicity	Mixture: Based upon the available data, the classification criteria are not met.
Carcinogenicity	Mixture: Based upon the available data, the classification criteria are not met.
Reproductive toxicity	Mixture: Based upon the available data, the classification criteria are not met.
STOT - single exposure	Mixture: H335 May cause respiratory irritation.
STOT - repeated exposure	Mixture: Based upon the available data, the classification criteria are not met.
Aspiration hazard	Mixture: Based upon the available data, the classification criteria are not met.

Toxicological information on ingredients:

### SODIUM PERCARBONATE (CAS: 15630-89-4)

Acute toxicity oral (LD<sub>50</sub> mg/kg) 1,034.0mg/kg Species Rat

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2000 mg/kg Rat

### SODIUM CARBONATE (CAS: 497-19-8)

Acute toxicity oral (LD<sub>50</sub> mg/kg) 2800 mg/kg Species Rat

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2000 mg/kg Rat

Acute toxicity Inhalation (LD<sub>50</sub> mg/l) 2.3 mg/l Rat

11.2 Other information None.

# SAFETY DATA SHEET

Version: 2.1 Date: 30 April 2026



according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

## SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	Mixture: Based upon the available data, the classification criteria are not met. Estimated LC50 (Mixture): > 100 mg/l.
Sodium Percarbonate (CAS 15630-89-4)	LC <sub>50</sub> , (96h) 70.7mg/L, Pimephales promelas (Short-term toxicity to fish) EC <sub>50</sub> (48h) 4.9mg/L, Daphnia pulex, (Short-term toxicity to aquatic invertebrates)
Sodium Carbonate (CAS: 497-19-8)	LC <sub>50</sub> , (96h) 300 mg/l, Lepomis macrochirus (Bluegill), (Short-term toxicity to fish) EC <sub>50</sub> , (48h) 200 mg/l, Ceriodaphnia cf. dubia, (Short-term toxicity to aquatic invertebrates)
Citric Acid (CAS 77-92-9)	LC <sub>50</sub> (48h) 440 mg/L, Leuciscus idus melanotus, (Short-term toxicity to fish) EC <sub>50</sub> , (24h) 1535 mg/l, Daphnia magna, (Short-term toxicity to aquatic invertebrates)
<b>12.2 Persistence and degradability</b>	No data for the mixture as a whole.
Sodium Percarbonate (CAS 15630-89-4)	Not applicable for inorganic substances.
Sodium Carbonate (CAS: 497-19-8)	Not applicable for inorganic substances.
Citric Acid (CAS 77-92-9)	Readily biodegradable. % Biodegradation (19 days): 100 (OECD301E)
<b>12.3 Bioaccumulative potential</b>	No data for the mixture as a whole.
Sodium Percarbonate (CAS 15630-89-4)	Not applicable for inorganic substances.
Sodium Carbonate (CAS: 497-19-8)	Not applicable for inorganic substances.
Citric Acid (CAS 77-92-9)	The substance has low potential for bioaccumulation. Low log Kow: <3
<b>12.4 Mobility in soil</b>	No data for the mixture as a whole.
Sodium Percarbonate (CAS 15630-89-4)	No data available
Sodium Carbonate (CAS: 497-19-8)	No data available
Citric Acid (CAS 77-92-9)	No data available
<b>12.5 Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB. None of the substances in this product fulfil the criteria for being regarded as a PBT or vPvB substance.
<b>12.6 Other adverse effects</b>	None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste treatment methods</b>	Disposal should be in accordance with local, state or national legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled. Uncleaned empties should be disposed of in the same manner as the contents. Recover or recycle if possible.
<b>13.2 Additional information</b> Waste classification according to Directive 2008/98/EC (Waste Framework Directive)	HP4; Irritant — skin irritation and eye damage HP 5; Specific Target Organ Toxicity (STOT)

## SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

ADR/RID

IMDG

IATA/ICAO

# SAFETY DATA SHEET



Version: 2.1 Date: 30 April 2026

according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

14.1	UN number	Not applicable	Not applicable	Not applicable
14.2	UN proper shipping name	Not applicable	Not applicable	Not applicable
14.3	Transport hazard class(es)	Not applicable	Not applicable	Not applicable
14.4	Packing group	Not applicable	Not applicable	Not applicable
14.5	Environmental hazards	Not applicable	Not applicable	Not applicable
14.6	Special precautions for user	Not applicable	Not applicable	Not applicable
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable		
14.8	Additional Information	None		

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU regulations

Authorisations and/or restrictions on use

Not restricted

GB Regulations

Not restricted

Detergent regulations 2004/648/EC

Labelling; Contains more than 30% - oxygen-based bleaching agents, <5% perfumes (Linalool)

#### 15.1.2 National regulations

Wassergefährdungsklasse (Germany)

Water hazard class: 1 (Self classification)

#### 15.2 Chemical Safety Assessment

A chemical safety assessment is not required under REACH.

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

Sections indicated with the following have been revised

Previous issue 1.1 Date: 19 April 2023

#### References:

Existing Safety Data Sheets (SDSs).

GB Mandatory Classification list for; Sodium Carbonate (CAS No. 497-19-8); Citric Acid (CAS No. 77-92-9)

Existing ECHA registration for Sodium Percarbonate (CAS No. 15630-89-4); Sodium Carbonate (CAS No. 497-19-8); Citric Acid (CAS No. 77-92-9)

Classification of the substance or mixture according to The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain	Classification Procedure
Ox. Sol. – Not classified	Expert judgement and weight of evidence.
Eye Dam.1	Threshold Calculation
STOS SE 3	Threshold Calculation

#### Legend

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	Chemical Abstracts Service
DNEL	Derived No Effect Level
EC	European Community
ECHA	European Chemicals Agency
EU	European Union
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
LC50	Lethal concentration at which 50% of the population is killed
LD50	Lethal dose at which 50% of the population is killed
LTEL	Long Term Exposure Limit

# SAFETY DATA SHEET



Version: 2.1 Date: 30 April 2026

according to the REACH Regulation (EC) 1907/2006 as amended by Regulation UK SI 2019/758 and UK SI 2020/1577

**URIZAP**

OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the international railway transport of dangerous goods
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
UN	United Nations
vPvB	very Persistent and very Bioaccumulative

#### Hazard classification / Classification code:

Ox. Sol. 3; Oxidising solid, Category 3  
Acute Tox. 4; Acute Toxicity, Category 4  
Eye Dam. 1; Eye damage, category 1  
Eye Irrit. 2; Eye Irritation, Category 2  
STOT SE 3; Specific Target Organ Toxicity — Single Exposure, Category 3

#### Hazard Statement(s)

H272: May intensify fire; oxidiser.  
H302: Harmful if swallowed.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Thrive gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Thrive accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

#### Annex to the extended Safety Data Sheet (eSDS)

Exposure scenarios for substances in this preparation are not available.