

COMPACT AND CONNECTED SINGLE-FUNCTION COLOUR LASER PRINTERS, FOR EFFICIENT PRINTING IN HIGH QUALITY



i-SENSYS LBP630 Series

Designed for small to medium businesses or individuals working remotely, the Canon i-SENSYS LBP630 Series boasts ultra-efficient single-function colour laser printers.

Robust security

Safeguard sensitive documents with restricted access from Secure PIN functionality, plus a range of reliable security features to protect your device.

Mobile connectivity

Printing is only ever a tap away via a versatile range of mobile connection options, including AirPrint (Apple), Mopria (Android), and the Canon PRINT Business app.



ROBUST SECURITY



FAST PRINT SPEEDS



MOBILE CONNECTIVITY



SPACE SAVING DESIGN

Fast print speeds

Increase your business productivity with the LBP633Cdw model, delivering up to 21 A4 pages per minute and double-sided printing as standard.

Compact

A range of space saving laser printers, perfect for small working areas.

Canon

RANGE FEATURE STEP UP CHART



LBP631Cw



LBP633Cdw

A4 print speed	18ppm	21ppm
Display	5 Line LCD	5 Line LCD
Secure PIN print	●	●
Automatic duplex printing		●
250 sheet paper capacity	●	●
Wi-Fi ready	●	●

TECHNICAL SPECIFICATIONS

i-SENSYS LBP630 Series

PRINTER ENGINE

Print speed	LBP633Cdw: Single sided: Up to 21 ppm (A4) Up to 38 ppm(A5-Landscape) Double sided: Up to 12.7 ipm (A4) Single sided: Up to 18 ppm (A4) Up to 38 ppm (A5-Landscape)
Printing method	Colour laser beam printing
Print quality	Up to 1200 x 1200 dpi
Warm-up time	Approx. 13 seconds or less from power on
First Page Out Time	Colour approx.: 10.5 seconds or less Mono approx.: 10.4 seconds or less
Recommended Monthly Print Volume	250 - 2,500 pages per month
Duty cycle	Max. 30,000 pages per month ¹
Print margins	5 mm-top, bottom, left and right
Advanced printing features	Secure Print Print from USB memory key (JPEG/TIFF/PDF) iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

MEDIA HANDLING

Paper input (Standard)	250-sheet cassette 1-sheet manual feed slot
Paper input (Option)	
Maximum paper input capacity	Up to 251 sheets
Paper output	100-sheet
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope
Media sizes	Cassette: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 216.0 x 355.6 mm. Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm.
Media weights	Cassette: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper) Multi-purpose tray: 60 to 163 g/m ² (Up to 200 g/m ² with Coated paper)
Double sided printing	LBP633Cdw ONLY: Automatic Cassette: A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 182 x 257 mm Max. 216.0 x 355.6 mm 60 to 200 g/m ²

GENERAL FEATURES

Power requirements	220-240V (±10%) 50/60Hz (±2Hz)
Power consumption	Maximum: Approx. 850W or less Active printing: Approx. 390W Standby: Approx. 8.5W or less Sleep: Approx. 0.8W or less ² Typical Electricity Consumption (TEC): LBP633Cdw: 0.21 kWh/week ⁷ LBP631Cw: 0.19 kWh/week ⁷ For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx
Noise level	Sound power ² LBP633Cdw: Active: Simplex 66 dB or less / Duplex 65 dB or less Standby: Inaudible LBP631Cw: Active: 66 dB or less Standby: Inaudible Sound pressure ² LBP633Cdw: Active: Simplex 52 dB or less Duplex CL 52 dB or less / BW 51 dB or less Standby: Inaudible LBP631Cw: Sound pressure ² Active: 52 dB or less Standby: Inaudible
Dimensions (W x D x H)	430 mm x 418 mm x 287 mm
Weight	LBP633Cdw: Approx. 16.1 kg LBP631Cw: Approx. 14.9 kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)
Control panel	5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons, 10-key numeric keypad

CONTROLLER

Processor Speed	800MHz x 2
Memory	1GB
Storage	
Printer Languages	LBP633Cdw: UFR II, PCL5c ³ , PCL6, Adobe® PostScript ³ LBP631Cw: UFR II
FonTS	LBP633Cdw ONLY: 45 PCL fonts, 136 PS fonts
Interface and connectivity	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Print: TCP/IP (LPD/Port9100/IPP/PPS/WSD)
Network Protocol	Management: SNMPv1, SNMPv3 (IPv4, IPv6) Security: TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS) Security (wireless): Infrastructure Mode: WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(TKIP/AES) Access Point Mode: WPA2-PSK(AES)
Software and Printer Management	Remote User Interface (RUI), Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.
Operating Systems Compatibility	Windows® 11 / Windows® 10 / Windows® 8.1 / Server® 2019 / Server® 2016 / Server® 2012R2 / Server® 2012 Mac OS X version 10.11 & up Linux ⁴

CONSUMABLES

All-in-One cartridges	Cartridge 067 Black (1,350 pages ⁵⁾⁶ Cartridge 067H Black (3,130 pages ⁵⁾⁶ Cartridge 067 Cyan (1,250 pages ⁵⁾⁶ Cartridge 067H Cyan (2,350 pages ⁵⁾⁶ Cartridge 067 Magenta (1,250 pages ⁵⁾⁶ Cartridge 067H Magenta (2,350 pages ⁵⁾⁶ Cartridge 067 Yellow (1,250 pages ⁵⁾⁶ Cartridge 067H Yellow (2,350 pages ⁵⁾⁶
------------------------------	--

ACCESSORIES/ OPTIONS

Items

Notes:

- ⁽¹⁾ Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- ⁽²⁾ Declared noise emission in accordance with ISO 9296
- ⁽³⁾ Commands supported only. Third party driver or direct printing from application required.
- ⁽⁴⁾ Web distribution only
- ⁽⁵⁾ Based on ISO/IEC 19798
- ⁽⁶⁾ Printer ships with Black: 910 pages, C/M/Y: 680 pages starter cartridges
- ⁽⁷⁾ As per US ENERGY STAR® version 3.0.

**PRODUCT DETAILS:**

PRODUCT NAME	Mercury Code	EAN Code
LBP631Cw	5159C009AA	8714574670485
LBP633Cdw	5159C007AA	8714574670461

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 067 Black	5102C002AA	4549292187564
Cartridge 067H Black	5106C002AA	4549292187397
Cartridge 067 Yellow	5099C002AA	4549292187434
Cartridge 067H Yellow	5103C002AA	4549292187595
Cartridge 067 Magenta	5100C002AA	4549292187502
Cartridge 067H Magenta	5104C002AA	4549292187625
Cartridge 067 Cyan	5101C002AA	4549292187533
Cartridge 067H Cyan	5105C002AA	4549292187656

Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
5 The Square
Stockley Park
Uxbridge
UB11 1ET
Tel: 01895 648 000
www.canon.co.uk

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V., 2021