



DELL P Series P2425HE computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: P Series

Product code: P2425HE

Product name : P2425HE




DELL P Series P2425HE. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Pivot	✓
Display resolution *	1920 x 1080 pixels	Pivot angle	-90 - 90°
HD type *	Full HD	Swivelling	✓
Native aspect ratio *	16:9	Swivel angle range	-45 - 45°
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 21°
LED backlight	✓	On Screen Display (OSD)	✓
Backlight type	LED	Plug and Play	✓
Touchscreen *	✗	LED indicators	✓
Display brightness (typical)	250 cd/m ²	Power	
Response time *	8 ms	Energy efficiency class (SDR) *	D
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat	Energy consumption (SDR) per 1000 hours *	14 kWh
	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	Power consumption (typical) *	13.9 W
Supported graphics resolutions	480p, 576p, 720p, 1080p	Power consumption (standby) *	0.3 W
Supported video modes	1500:1	Power consumption (max)	180 W
Contrast ratio (typical) *	100 Hz	Power consumption (off)	0.3 W
Maximum refresh rate *	178°	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50/60 Hz
Viewing angle, vertical	178°	Input current	2 A
Display number of colours *	16.7 million colours	Power supply type	Internal
Response time (fast)	5 ms	Energy efficiency scale	A to G
Pixel pitch	0.2745 x 0.2745 mm	Operational conditions	
Pixel density	92.53 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 110 kHz	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	48 - 100 Hz	Operating relative humidity (H-H)	10 - 80%
Viewable size, horizontal	52.7 cm		

Display		Operational conditions	
Viewable size, vertical	29.6 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size diagonal	60.5 cm	Operating altitude	0 - 5000 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	99%	Weight & dimensions	
Dell ComfortView technology	✓	Width (with stand)	538.6 mm
Performance		Depth (with stand)	181.8 mm
NVIDIA G-SYNC *	✗	Height (with stand)	364 mm
AMD FreeSync *	✗	Weight (with stand)	5.18 kg
Flicker-free technology	✓	Width (without stand)	538.6 mm
Low Blue Light technology	✓	Depth (without stand)	50 mm
Windows operating systems supported	Windows 10, Yes	Height (without stand)	314.2 mm
Mac operating systems supported	MacOS	Weight (without stand)	3.69 kg
Multimedia		Bezel width (side)	5.8 mm
Built-in speaker(s) *	✗	Bezel width (top)	5.8 mm
Built-in camera *	✗	Bezel width (bottom)	1.2 cm
Design		Packaging data	
Product colour *	Black	Package weight	7.24 kg
Front bezel colour	Black	USB cable length	1 m
Feet colour	Grey	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Cables included	AC, DisplayPort, USB Type-C
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Quick start guide	✓
Number of USB Type-C upstream ports quantity	1	DisplayPort cable length	1.8 m
USB Type-A downstream ports quantity	3	Sustainability	
USB Type-C downstream ports quantity	1	Sustainability compliance	✓
USB Type-C DisplayPort Alternate Mode	✓	Sustainability certificates	TCO, ENERGY STAR
USB Power Delivery (USB PD)	✓	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Power Delivery up to	90 W	Carbon footprint	
HDMI *	✓	Total carbon footprint (kg of CO2e)	168
HDMI ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	85
HDMI version	1.4	Carbon emissions, logistics (kg of CO2e)	12
DisplayPorts quantity	2	Carbon emissions, energy usage (kg of CO2e)	68
DisplayPort version	1.4	Carbon emissions, end-of-life (kg of CO2e)	3
Headphone out *	✗	Total carbon emissions, w/o use phase (kg of CO2e)	100
HDCP	✓	PAIA version	GaBi version 1, 2024
HDCP version	1.4	Other features	
AC (power) in	✓	RJ-45 ports quantity	1
Ergonomics		Compliance certificates	TÜV mark, RoHS
VESA mounting *	✓	Brand-specific features	
Panel mounting interface	100 x 100 mm	Dell Display Manager (DDM) compatibility	✓
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Adjustable height (max)	15 cm		



5715063427316

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.