

Product code	Description
6,851	Classmaster Highlighters

Components:

975	Daylight Fluorescent Ink Blue
1,206	Daylight Fluorescent Ink Green
1,217	Daylight Fluorescent Ink Orange
1,265	Daylight Fluorescent Ink Pink
1,487	Daylight Fluorescent Ink Violet
6,850	Daylight Fluorescent Ink Lemon Yellow

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** Daylight Fluorescent Ink Blue

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC18 Ink and toners

· **Application of the substance / the mixture** Ink for highlighter pens.

· **Uses advised against** Any use not specified above.

· 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

Eastpoint Global Limited
Minerva House, Galahad Road,
Gorleston
NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

· **Further information obtainable from:** Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 1)

. Dangerous components:		
CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18-XXXX	Glycerol substance with a Community workplace exposure limit	10 – 25%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-XXXX	Propane-1,2-diol substance with a Community workplace exposure limit	10 – 25%

SECTION 4: First aid measures

- . 4.1 Description of first aid measures**
- . General information:** Immediately remove any clothing soiled by the product.
- . After inhalation:** Supply fresh air; consult doctor in case of complaints.
- . After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- . After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- . After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- . Information for doctor:** Treat symptomatically and supportively.
- . 4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- . 5.1 Extinguishing media**
- . Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- . For safety reasons unsuitable extinguishing agents:** Water with full jet
- . 5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- . 5.3 Advice for firefighters**
- . Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.
- . Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

- Information about fire - and explosion protection:** No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities**

- Storage:**

- Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

- Information about storage in one common storage facility:** Store away from oxidising agents.

- Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- Storage class:** 12

- 7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerol

WEL	Long-term value: 10 mg/m ³
-----	---------------------------------------

57-55-6 Propane-1,2-diol

WEL	Long-term value: 474* 10** mg/m ³ , 150* ppm
-----	---

*total vapour and particulates **particulates

- DNELs**

57-55-6 Propane-1,2-diol

Inhalative	Long-term systemic effects	50 mg/m ³ (general population)
------------	----------------------------	---

168 mg/m³ (worker)

Long-term local effects	10 mg/m ³ (general population)
-------------------------	---

10 mg/m³ (worker)

(Contd. on page 4)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 3)

. PNECs	
57-55-6 Propane-1,2-diol	
Freshwater	260 mg/L
Freshwater - Intermittent releases	183 mg/L
Marine water	26 mg/L
Sewage Treatment Plant	20,000 mg/L
Sediment (freshwater)	572 mg/kg
Sediment (marine water)	57.2 mg/kg
Soil	50 mg/kg

. Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Do not inhale gases / fumes / aerosols.

Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 4)

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Physical state	Fluid
· Colour:	Blue
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 Water)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	371 °C (57-55-6 Propane-1,2-diol)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	12.50 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 5)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
Strong acids.
Strong bases.
Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

56-81-5 Glycerol

Oral	LD50	> 20,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 2.75 mg/l (rat)

57-55-6 Propane-1,2-diol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

56-81-5 Glycerol

EC50 (96 h) > 10,000 mg/l (Bacteria)

57-55-6 Propane-1,2-diol

EC50 (96 h) > 10,000 mg/l (Bacteria)

- **12.2 Persistence and degradability** biodegradable

- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 8)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 7)

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.2 UN proper shipping name	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA	
· Class	Not applicable
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

None of the ingredients are listed.

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

None of the ingredients are listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **National regulations:**

- **Information about limitation of use:**

Class	Share in %
NK	24.5

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Blue

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** Daylight Fluorescent Ink Green

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC18 Ink and toners

· **Application of the substance / the mixture** Ink for highlighter pens.

· **Uses advised against** Any use not specified above.

· 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

Eastpoint Global Limited
Minerva House, Galahad Road,
Gorleston
NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

· **Further information obtainable from:** Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 1)

. Dangerous components:

CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-XXXX	Propane-1,2-diol substance with a Community workplace exposure limit	10 – 25%
CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18-XXXX	Glycerol substance with a Community workplace exposure limit	10 – 25%

SECTION 4: First aid measures**. 4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

. After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

. After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

. Information for doctor: Treat symptomatically and supportively.**. 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**. 5.1 Extinguishing media****. Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

. For safety reasons unsuitable extinguishing agents: Water with full jet**. 5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

. 5.3 Advice for firefighters**. Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

. Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 2)

* **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

- 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- 7.2 Conditions for safe storage, including any incompatibilities**

- Storage:**

- Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

- Information about storage in one common storage facility:** Store away from oxidising agents.

- Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- Storage class: 12**

- 7.3 Specific end use(s)** No further relevant information available.

* **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:**

57-55-6 Propane-1,2-diol

WEL	Long-term value: 474* 10** mg/m ³ , 150* ppm *total vapour and particulates **particulates
-----	--

56-81-5 Glycerol

WEL	Long-term value: 10 mg/m ³
-----	---------------------------------------

- DNELs**

57-55-6 Propane-1,2-diol

Inhalative	Long-term systemic effects	50 mg/m ³ (general population) 168 mg/m ³ (worker)
	Long-term local effects	10 mg/m ³ (general population) 10 mg/m ³ (worker)

(Contd. on page 4)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 3)

. PNECs	
57-55-6 Propane-1,2-diol	
Freshwater	260 mg/L
Freshwater - Intermittent releases	183 mg/L
Marine water	26 mg/L
Sewage Treatment Plant	20,000 mg/L
Sediment (freshwater)	572 mg/kg
Sediment (marine water)	57.2 mg/kg
Soil	50 mg/kg

. Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 4)

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Physical state	Fluid
· Colour:	Green
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 Water)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	371 °C (57-55-6 Propane-1,2-diol)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· **9.2 Other information**

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	12.50 %
· Change in condition	
· Evaporation rate	Not determined.

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 5)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
Strong acids.
Strong bases.
Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

57-55-6 Propane-1,2-diol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

56-81-5 Glycerol

Oral	LD50	> 20,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 2.75 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

57-55-6 Propane-1,2-diol

EC50 (96 h) > 10,000 mg/l (Bacteria)

56-81-5 Glycerol

EC50 (96 h) > 10,000 mg/l (Bacteria)

- **12.2 Persistence and degradability** biodegradable

- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 8)

GB

**Safety data sheet
according to UK REACH**

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 7)

- Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number	
ADR/RID/ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name	
ADR/RID/ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA	
Class	Not applicable
14.4 Packing group	
ADR/RID/ADN, IMDG, IATA	Not applicable
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Poisons Act**

Regulated explosives precursors

None of the ingredients are listed.

Regulated poisons

None of the ingredients are listed.

Reportable explosives precursors

None of the ingredients are listed.

Reportable poisons

None of the ingredients are listed.

Directive 2012/18/EU

- Named dangerous substances - ANNEX I** None of the ingredients are listed.

National regulations:**Information about limitation of use:**

Class	Share in %
NK	23.5

- 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Green

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Department issuing SDS:** Product safety department.
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
- *** Data compared to the previous version altered.**

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** Daylight Fluorescent Ink Orange

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC18 Ink and toners

· **Application of the substance / the mixture** Ink for highlighter pens.

· **Uses advised against** Any use not specified above.

· 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

Eastpoint Global Limited
Minerva House, Galahad Road,
Gorleston
NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

· **Further information obtainable from:** Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 1)

. Dangerous components:

CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18-XXXX	Glycerol substance with a Community workplace exposure limit	10 – 25%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-XXXX	Propane-1,2-diol substance with a Community workplace exposure limit	10 – 25%

SECTION 4: First aid measures**. 4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

. After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

. After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

. Information for doctor: Treat symptomatically and supportively.**. 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**. 5.1 Extinguishing media****. Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

. For safety reasons unsuitable extinguishing agents: Water with full jet**. 5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

. 5.3 Advice for firefighters**. Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

. Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 2)

* **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

- 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire - and explosion protection:** No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities**

- Storage:**

- Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

- Information about storage in one common storage facility:** Store away from oxidising agents.

- Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- Storage class: 12**

- 7.3 Specific end use(s)** No further relevant information available.

* **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerol

WEL	Long-term value: 10 mg/m ³
-----	---------------------------------------

57-55-6 Propane-1,2-diol

WEL	Long-term value: 474* 10** mg/m ³ , 150* ppm
-----	---

*total vapour and particulates **particulates

- DNELs**

57-55-6 Propane-1,2-diol

Inhalative	Long-term systemic effects	50 mg/m ³ (general population)
------------	----------------------------	---

168 mg/m³ (worker)

Long-term local effects	10 mg/m ³ (general population)
-------------------------	---

10 mg/m³ (worker)

(Contd. on page 4)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 3)

. PNECs	
57-55-6 Propane-1,2-diol	
Freshwater	260 mg/L
Freshwater - Intermittent releases	183 mg/L
Marine water	26 mg/L
Sewage Treatment Plant	20,000 mg/L
Sediment (freshwater)	572 mg/kg
Sediment (marine water)	57.2 mg/kg
Soil	50 mg/kg

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 4)

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Physical state	Fluid
· Colour:	Orange
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 Water)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	371 °C (57-55-6 Propane-1,2-diol)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	12.50 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 5)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
Strong acids.
Strong bases.
Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

56-81-5 Glycerol

Oral	LD50	> 20,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 2.75 mg/l (rat)

57-55-6 Propane-1,2-diol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

56-81-5 Glycerol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

57-55-6 Propane-1,2-diol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

- **12.2 Persistence and degradability** biodegradable

- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 8)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 7)

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

• 14.1 UN number or ID number	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.2 UN proper shipping name	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.3 Transport hazard class(es)	
• ADR/RID/ADN, ADN, IMDG, IATA	
• Class	Not applicable
• 14.4 Packing group	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.5 Environmental hazards:	Not applicable.
• 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
• UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

None of the ingredients are listed.

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

None of the ingredients are listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **National regulations:**

- **Information about limitation of use:**

Class	Share in %
NK	23.5

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Orange

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Department issuing SDS:** Product safety department.
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
- *** Data compared to the previous version altered.**

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** Daylight Fluorescent Ink Pink

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC18 Ink and toners

· **Application of the substance / the mixture** Ink for highlighter pens.

· **Uses advised against** Any use not specified above.

· 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

Eastpoint Global Limited
Minerva House, Galahad Road,
Gorleston
NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

· **Further information obtainable from:** Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· Additional information:

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 1)

. Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-XXXX	Propane-1,2-diol substance with a Community workplace exposure limit	10 – 25%
CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18-XXXX	Glycerol substance with a Community workplace exposure limit	10 – 25%
CAS: 58969-01-0 EC number: 684-520-9	Basic fuchsin  Carc. 2, H351;  Acute Tox. 4, H302	0.1 – < 1%

. Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- . 4.1 Description of first aid measures**
- . General information:** Immediately remove any clothing soiled by the product.
- . After inhalation:** Supply fresh air; consult doctor in case of complaints.
- . After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- . After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- . After swallowing:**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- . Information for doctor:** Treat symptomatically and supportively.
- . 4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- . 5.1 Extinguishing media**
- . Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- . For safety reasons unsuitable extinguishing agents:** Water with full jet
- . 5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- . 5.3 Advice for firefighters**
- . Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.
- . Additional information**
Cool endangered receptacles with water spray.

(Contd. on page 3)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 2)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

* SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

- 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire - and explosion protection:** No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities**

- Storage:**

- Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

- Information about storage in one common storage facility:** Store away from oxidising agents.

- Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- Storage class: 12**

- 7.3 Specific end use(s)** No further relevant information available.

* SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:**

- 57-55-6 Propane-1,2-diol**

WEL	Long-term value: 474* 10** mg/m ³ , 150* ppm
-----	---

*total vapour and particulates **particulates

- 56-81-5 Glycerol**

WEL	Long-term value: 10 mg/m ³
-----	---------------------------------------

- DNELs**

- 57-55-6 Propane-1,2-diol**

Inhalative	Long-term systemic effects	50 mg/m ³ (general population)
------------	----------------------------	---

168 mg/m³ (worker)

(Contd. on page 4)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 3)

	Long-term local effects	10 mg/m ³ (general population) 10 mg/m ³ (worker)
--	-------------------------	--

. PNECs
57-55-6 Propane-1,2-diol

Freshwater	260 mg/L
Freshwater - Intermittent releases	183 mg/L
Marine water	26 mg/L
Sewage Treatment Plant	20,000 mg/L
Sediment (freshwater)	572 mg/kg
Sediment (marine water)	57.2 mg/kg
Soil	50 mg/kg

. Additional information: The lists valid during the making were used as basis.

. 8.2 Exposure controls
. Appropriate engineering controls No further data; see section 7.

. Individual protection measures, such as personal protective equipment
. General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

. Hand protection


Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye/face protection


Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

. Body protection:


Protective work clothing

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 4)

Body protection must be chosen depending on product properties, activity and possible exposure.
• **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

* SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties	
• General Information	
• Physical state	Fluid
• Colour:	Pink
• Odour:	Mild
• Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
• Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 Water)
• Flammability	Not applicable.
• Lower and upper explosion limit	
• Lower:	Not determined.
• Upper:	Not determined.
• Flash point:	Not applicable.
• Auto-ignition temperature:	371 °C (57-55-6 Propane-1,2-diol)
• Decomposition temperature:	Not determined.
• pH	Not determined.
• Viscosity:	
• Kinematic viscosity	Not determined.
• Dynamic:	Not determined.
• Solubility	
• water:	Fully miscible.
• Partition coefficient n-octanol/water (log value)	Not determined.
• Vapour pressure:	Not determined.
• Density and/or relative density	
• Density:	Not determined.
• Relative density	Not determined.
• Vapour density	Not determined.
• 9.2 Other information	
• Appearance:	
• Form:	Liquid
• Important information on protection of health and environment, and on safety.	
• Ignition temperature:	Product is not self-igniting.
• Explosive properties:	Product does not present an explosion hazard.
• Solvent content:	
• VOC (EC)	12.50 %
• Change in condition	
• Evaporation rate	Not determined.
• Information with regard to physical hazard classes	
• Explosives	Void
• Flammable gases	Void
• Aerosols	Void
• Oxidising gases	Void
• Gases under pressure	Void

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 5)

· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
Strong acids.
Strong bases.
Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

57-55-6 Propane-1,2-diol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

56-81-5 Glycerol

Oral	LD50	> 20,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 2.75 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 6)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

57-55-6 Propane-1,2-diol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

56-81-5 Glycerol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

- **12.2 Persistence and degradability** biodegradable

- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 8)

GB

**Safety data sheet
according to UK REACH**

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 7)

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information**

· 14.1 UN number or ID number	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.2 UN proper shipping name	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA	
· Class	Not applicable
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· Poisons Act

· Regulated explosives precursors
None of the ingredients are listed.

· Regulated poisons
None of the ingredients are listed.

· Reportable explosives precursors
None of the ingredients are listed.

· Reportable poisons
None of the ingredients are listed.

· Directive 2012/18/EU
· Named dangerous substances - ANNEX I None of the ingredients are listed.

· National regulations:
· Information about limitation of use:

Class	Share in %
NK	23.5

(Contd. on page 9)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Pink

(Contd. of page 8)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

- **Department issuing SDS:** Product safety department.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Carc. 2: Carcinogenicity – Category 2

- *** Data compared to the previous version altered.**

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** Daylight Fluorescent Ink Violet

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC18 Ink and toners

· **Application of the substance / the mixture** Ink for highlighter pens.

· **Uses advised against** Any use not specified above.

· 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

Eastpoint Global Limited
Minerva House, Galahad Road,
Gorleston
NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

· **Further information obtainable from:** Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 1)

. Dangerous components:

CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18-XXXX	Glycerol substance with a Community workplace exposure limit	10 – 25%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-XXXX	Propane-1,2-diol substance with a Community workplace exposure limit	10 – 25%

SECTION 4: First aid measures**. 4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

. After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

. After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

. Information for doctor: Treat symptomatically and supportively.**. 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

. 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**. 5.1 Extinguishing media****. Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

. For safety reasons unsuitable extinguishing agents: Water with full jet**. 5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

. 5.3 Advice for firefighters**. Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

. Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 2)

* **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

- 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire - and explosion protection:** No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities**

- Storage:**

- Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

- Information about storage in one common storage facility:** Store away from oxidising agents.

- Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- Storage class: 12**

- 7.3 Specific end use(s)** No further relevant information available.

* **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerol

WEL	Long-term value: 10 mg/m ³
-----	---------------------------------------

57-55-6 Propane-1,2-diol

WEL	Long-term value: 474* 10** mg/m ³ , 150* ppm
-----	---

*total vapour and particulates **particulates

- DNELs**

57-55-6 Propane-1,2-diol

Inhalative	Long-term systemic effects	50 mg/m ³ (general population)
------------	----------------------------	---

168 mg/m³ (worker)

Long-term local effects	10 mg/m ³ (general population)
-------------------------	---

10 mg/m³ (worker)

(Contd. on page 4)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 3)

. PNECs	
57-55-6 Propane-1,2-diol	
Freshwater	260 mg/L
Freshwater - Intermittent releases	183 mg/L
Marine water	26 mg/L
Sewage Treatment Plant	20,000 mg/L
Sediment (freshwater)	572 mg/kg
Sediment (marine water)	57.2 mg/kg
Soil	50 mg/kg

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 4)

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Physical state	Fluid
· Colour:	Violet
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 Water)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	371 °C (57-55-6 Propane-1,2-diol)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· **9.2 Other information**

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	12.50 %
· Change in condition	
· Evaporation rate	Not determined.

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 5)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
Strong acids.
Strong bases.
Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

56-81-5 Glycerol

Oral	LD50	> 20,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 2.75 mg/l (rat)

57-55-6 Propane-1,2-diol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

56-81-5 Glycerol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

57-55-6 Propane-1,2-diol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

- **12.2 Persistence and degradability** biodegradable

- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 8)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 7)

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

• 14.1 UN number or ID number	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.2 UN proper shipping name	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.3 Transport hazard class(es)	
• ADR/RID/ADN, ADN, IMDG, IATA	
• Class	Not applicable
• 14.4 Packing group	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.5 Environmental hazards:	Not applicable.
• 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
• UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

- Regulated explosives precursors

None of the ingredients are listed.

- Regulated poisons

None of the ingredients are listed.

- Reportable explosives precursors

None of the ingredients are listed.

- Reportable poisons

None of the ingredients are listed.

- Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients are listed.

- National regulations:

- Information about limitation of use:

Class	Share in %
NK	23.5

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Violet

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Department issuing SDS:** Product safety department.
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
- *** Data compared to the previous version altered.**

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** Daylight Fluorescent Ink Lemon Yellow

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC18 Ink and toners

· **Application of the substance / the mixture** Ink for highlighter pens.

· **Uses advised against** Any use not specified above.

· 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

Eastpoint Global Limited
Minerva House, Galahad Road,
Gorleston
NR31 7RU

Tel: +44 (0) 1502 52 55 55

Email: customercare@eastpointglobal.com

· **Further information obtainable from:** Product safety department.

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

*

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 1)

. Dangerous components:		
CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18-XXXX	Glycerol substance with a Community workplace exposure limit	10 – 25%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-XXXX	Propane-1,2-diol substance with a Community workplace exposure limit	10 – 25%

SECTION 4: First aid measures	
· 4.1 Description of first aid measures	
· General information:	Immediately remove any clothing soiled by the product.
· After inhalation:	Supply fresh air; consult doctor in case of complaints.
· After skin contact:	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
· After eye contact:	Check for and remove any contact lenses. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:	Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
· Information for doctor:	Treat symptomatically and supportively.
· 4.2 Most important symptoms and effects, both acute and delayed	No further relevant information available.
· 4.3 Indication of any immediate medical attention and special treatment needed	No further relevant information available.

SECTION 5: Firefighting measures	
· 5.1 Extinguishing media	
· Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
· For safety reasons unsuitable extinguishing agents:	Water with full jet
· 5.2 Special hazards arising from the substance or mixture	Formation of toxic gases is possible during heating or in case of fire.
· 5.3 Advice for firefighters	
· Protective equipment:	Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit.
· Additional information	Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 2)

* **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

- 6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire - and explosion protection:** No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities**

- Storage:**

- Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

- Information about storage in one common storage facility:** Store away from oxidising agents.

- Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

- Storage class: 12**

- 7.3 Specific end use(s)** No further relevant information available.

* **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerol

WEL	Long-term value: 10 mg/m ³
-----	---------------------------------------

57-55-6 Propane-1,2-diol

WEL	Long-term value: 474* 10** mg/m ³ , 150* ppm
-----	---

*total vapour and particulates **particulates

- DNELs**

57-55-6 Propane-1,2-diol

Inhalative	Long-term systemic effects	50 mg/m ³ (general population)
------------	----------------------------	---

168 mg/m³ (worker)

Long-term local effects	10 mg/m ³ (general population)
-------------------------	---

10 mg/m³ (worker)

(Contd. on page 4)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 3)

. PNECs	
57-55-6 Propane-1,2-diol	
Freshwater	260 mg/L
Freshwater - Intermittent releases	183 mg/L
Marine water	26 mg/L
Sewage Treatment Plant	20,000 mg/L
Sediment (freshwater)	572 mg/kg
Sediment (marine water)	57.2 mg/kg
Soil	50 mg/kg

. Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 4)

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

* **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Physical state	Fluid
· Colour:	Yellow
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 Water)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	371 °C (57-55-6 Propane-1,2-diol)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	12.50 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 5)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
Strong acids.
Strong bases.
Strong oxidising agents.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

56-81-5 Glycerol

Oral	LD50	> 20,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 2.75 mg/l (rat)

57-55-6 Propane-1,2-diol

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

56-81-5 Glycerol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

57-55-6 Propane-1,2-diol

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

- **12.2 Persistence and degradability** biodegradable

- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 8)

GB

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 7)

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

• 14.1 UN number or ID number	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.2 UN proper shipping name	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.3 Transport hazard class(es)	
• ADR/RID/ADN, ADN, IMDG, IATA	
• Class	Not applicable
• 14.4 Packing group	
• ADR/RID/ADN, IMDG, IATA	Not applicable
• 14.5 Environmental hazards:	Not applicable.
• 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
• UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

None of the ingredients are listed.

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

None of the ingredients are listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **National regulations:**

- **Information about limitation of use:**

Class	Share in %
NK	23.5

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 06.08.2024

Version number 1

Revision: 05.08.2024

Trade name: Daylight Fluorescent Ink Lemon Yellow

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Department issuing SDS:** Product safety department.
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
- *** Data compared to the previous version altered.**

GB