

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

of the mixture

HP Color LaserJet CF259A-X-XC-XH-XR Black Print Cartridge

Registration number

None Synonyms

06-Nov-2021 Issue date

07 Version number

20-Apr-2023 **Revision date** 19-Jan-2023 Supersedes date

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is a toner preparation that is used in HP LJ Pro M404, HP LJ Pro M405, HP LJ Pro

M304, HP LJ Pro M305, HP LJ Pro MFP M329, HP LJ Enterprise M406, HP LJ Enterprise M407,

HP LJ Enterprise MFP M430 and HP LJ Enterprise MFP M431 series printers.

Uses advised against None known

### 1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

Telephone +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

Line

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

sustainability@hp.com Email: 1.4 Emergency telephone

+44 20 35147487

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Amorphous silica, Iron oxide, Styrene acrylate copolymer, Wax Contains:

Hazard pictograms None. Signal word None

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

Not available. Prevention Response Not available Not available. Storage Not available. Disposal

Supplemental label information None.

Material name: CF259A-X-XC-XH-XR SDS GREAT BRITAIN None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<50	Trade Secret	-	-	
Classification: -		-			
Iron oxide	<45	1317-61-9 215-277-5	01-2119457646-28-XXXX	-	
Classification: -					
Vax	<20	Proprietary	-	-	
		-			
Classification: -					
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

#### **SECTION 4: First aid measures**

Not available. **General information** 

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

#### **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising

from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Avoid contact with skin and eyes.

personnel

For emergency responders Not available.

6.2. Environmental precautions Keep out of waterways

Material name: CF259A-X-XC-XH-XR SDS GREAT BRITAIN 6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures.

6.4. Reference to other

sections

Not available.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s)

Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels

(DNELs)

Not available

Predicted no effect concentrations (PNECs) Not available.

**Exposure guidelines** 

Austria: TWA: 4 mg/m3 (inhalable fraction) Czech Republic: TWA: 4 mg/m3 Finland: TWA: 5 mg/m3, STEL: mg/m3 Germany: TRGS TWA: 4 mg/m3 inhalable fraction DFG TWA: 4 mg/m3 Ireland: TWA: 6.4 mg/m3 inhalable fraction, STEL: 2.4 mg/m3 inhalable fraction UK: TWA: 6 mg/m3 inhalable dust STEL 2.4 mg/m3 respirable dust Norway: TWA: 1.5 mg/m3 respirable dust

STEL: 3 mg/m3 respirable dust Switzerland: TWA: 4 mg/m3 respirable dust

8.2. Exposure controls

Appropriate engineering

controls

None established.

#### Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection

Not available.

Skin protection

Not available. - Hand protection Not available - Other Not available Respiratory protection Thermal hazards Not available. Not available. Hygiene measures Not available. **Environmental exposure** 

controls

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Fine powder **Appearance** Solid. Physical state **Form** solid Color Black.

Odor Slight plastic odor **Odor threshold** Not available. Not applicable Melting point/freezing point Not available. Initial boiling point and boiling Not applicable

range

Not applicable Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Material name: CF259A-X-XC-XH-XR SDS GREAT BRITAIN

14946 Version #: 07 Revision date: 20-Apr-2023 Issue date: 06-Nov-2021

#### Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not flammable Explosive limit - upper (%) Not available. Vapor pressure Not applicable Not applicable Relative vapor density

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient (n-octanol/water)

Not available

No data available **Auto-ignition temperature Decomposition temperature** 392 °F (200 °C) **Viscosity** Not applicable **Explosive properties** Not available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile Negligible

Softening point 212 - 302 °F (100 - 150 °C)

Specific gravity 1.4 - 1.8VOC Not applicable

## **SECTION 10: Stability and reactivity**

Not available. 10.1. Reactivity

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

None.

10.4. Conditions to avoid None

10.5. Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents.

10.6. Hazardous

Carbon monoxide and carbon dioxide.

decomposition products

### **SECTION 11: Toxicological information**

**General information** Not available.

Information on likely routes of exposure

Inhalation Not available. Skin contact Not available Eye contact Not available. Ingestion Not available. Not available. **Symptoms** 

#### 11.1. Information on toxicological effects

**Acute toxicity** LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Non-irritant

Serious eye damage/eye

irritation

Transient slight conjunctival irritation only

Respiratory sensitization Non - Sensitizing

Based on available data, the classification criteria are not met. Skin sensitization

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Not available. Carcinogenicity Not available. Reproductive toxicity Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading",

a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Material name: CF259A-X-XC-XH-XR SDS GREAT BRITAIN Aspiration hazard Not available.

Mixture versus substance

information

Not available.

Other information No information available.

**SECTION 12: Ecological information** 

**12.1. Toxicity** EL50: >100 mg/l, Crustacea, 48.00 Hours

Product Species Test Results

CF259A-X-XC-XH-XR

Aquatic

 Algae
 ErL50
 Algae
 > 100 mg/l, 72 Hours

 Crustacea
 EL50
 Crustacea
 > 100 mg/l, 48 Hours

 Fish
 LL50
 Fish
 > 100 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

**12.3. Bioaccumulative potential** Not available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

is available in your location, please visit http://

### **SECTION 14: Transport information**

**ADR** 

**14.1. UN number** Not regulated as dangerous goods.

14.2. UN proper shipping

name

shipping Not Regulated

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR)

Tunnel restriction code

14.4. Packing group

Not assigned.

Not assigned.

14.5. Environmental hazards No

14.6. Special precautions Not assigned.

for user

IATA

**14.1. UN number** UN2807

14.2. UN proper shipping Magnetized Material

name

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group None
14.5. Environmental hazards No

14.6. Special precautions Not assigned.

for user

Material name: CF259A-X-XC-XH-XR

SDS GREAT BRITAIN

#### **IMDG**

14.1. UN number Not regulated as dangerous goods.

Not Regulated 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant No


**EmS** Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk according to IMO instruments

Not available.

**IATA** 



**Further information** 

27 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

## Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

# Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed

Material name: CF259A-X-XC-XH-XR SDS GREAT BRITAIN

14946 Version #: 07 Revision date: 20-Apr-2023 Issue date: 06-Nov-2021

#### Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Not available

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

#### **SECTION 16: Other information**

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

**Revision information** 

None.

**Training information** 

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CF259A-X-XC-XH-XR SDS GREAT BRITAIN

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF259A-X-XC-XH-XR SDS GREAT BRITAIN