

SAFETY DATA SHEET

Air Wick Electrical Plug Diffuser Cherry Blossom & Raspberry

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : AIR WICK Scented Oil Electrical Plug-In Diffuser Cherry Blossom & Raspberry
SDS no. : D8407940
Formulation # : 3299813 / SKU 3340814
Product type : Liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Air care, continuous action (solid and liquid), Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

The United Kingdom:

RB UK Hygiene Home Commercial Ltd
Turner House
103 - 105 Bath Road
Slough
Berkshire
SL1 3UH
Tel: 0800 376 8181
Email: ConsumerCare@reckitt.com

The Republic Of Ireland:

E.H. Group B.V.
Schiphol Boulevard 267
1118 BH Schiphol
Netherlands
Tel: 01 661 7318
Email: ConsumerCare@reckitt.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : **GB** - NHS 111/NHS 24 Tel: 111
NI - www.gpoutofhours.hscni.net/
IE - Poisons Information Centre of Ireland: 01 809 2166 8am-10pm 7 days a week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Sens. 1, H317
Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

D8407940

SECTION 2: Hazards identification

2.2 Label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : May cause an allergic skin reaction.
Harmful to aquatic life with long lasting effects.

Precautionary statements

General : Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Not applicable

Response : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage : Not applicable.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients : ETHYL METHYLPHENYLGLYCIDATE
LINALOOL
LIMONENE
Tetramethyl acetyloctahydronaphthalenes
ALPHA-ISOMETHYL IONONE
Oils, lemon
ROSE KETONE-4

Supplemental label elements : Contains Citronellol, Ethyl 3-phenylglycidate, Formaldehyde cyclodecyl ethyl acetal, trans-rose ketone-2, Dimethyl Heptenal, 2,4-Dimethyl-3-cyclohexene Carboxaldehyde, 3-(4-isobutyl-2-methylphenyl)propanal, Citrus limon fruit water, Dimethylhydroxy Furanone, Methyl octine carbonate. May produce an allergic reaction.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

D8407940

SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type
(2-methoxymethylethoxy) propanol	REACH #: 01-2119450011-60 EC: 252-104-2 CAS: 34590-94-8	≥10 - ≤25	Not classified.	-	[2]
2-T-BUTYLCYCLOHEXYL ACETATE	EC: 201-828-7 CAS: 88-41-5	≥3 - ≤5	Aquatic Chronic 2, H411	-	[1]
BENZYL ACETATE	REACH #: 01-2119638272-42 EC: 205-399-7 CAS: 140-11-4	≥3 - ≤5	Aquatic Chronic 3, H412	-	[1] [2]
MIXED IONONES	REACH #: 01-2119937833-30 EC: 238-969-9 CAS: 14901-07-6	≥1 - ≤2.3	Aquatic Chronic 2, H411	-	[1]
ETHYL METHYLPHENYLGLYCIDATE	REACH #: 01-2119967770-28 EC: 201-061-8 CAS: 77-83-8	≥1 - ≤2.3	Skin Sens. 1B, H317 Aquatic Chronic 2, H411	-	[1]
LINALOOL	REACH #: 01-2119474016-42 EC: 201-134-4 CAS: 78-70-6 Index: 603-235-00-2	≥1 - ≤2.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	-	[1]
LIMONENE	REACH #: 01-2119529223-47 EC: 227-813-5 CAS: 5989-27-5 Index: 601-096-00-2	≥1 - ≤2.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	M [Acute] = 1	[1]
2-ethyl-3-hydroxy-4-pyrone	EC: 225-582-5 CAS: 4940-11-8	≥1 - ≤3	Acute Tox. 4, H302	ATE [Oral] = 1150 mg/kg	[1]
Tetramethyl acetyloctahydronaphthalenes	REACH #: 01-2119489989-04 EC: 259-174-3 CAS: 54464-57-2	≥1 - ≤1.2	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410	M [Chronic] = 1	[1]
α,α-dimethylphenethyl butyrate	EC: 233-221-8 CAS: 10094-34-5	≥0.3 - ≤1	Aquatic Chronic 2, H411	-	[1]
METHOXYTRIMETHYLHEPTANOL	EC: 255-574-7 CAS: 41890-92-0	≥1 - ≤1.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]
ALPHA-ISOMETHYL IONONE	REACH #: 01-2120138569-45 EC: 204-846-3 CAS: 127-51-5	≥0.3 - ≤1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411	-	[1]
Oils, lemon	REACH #: 01-2119495512-35 CAS: 8008-56-8	≥0.3 - ≤1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2,	-	[1]

D8407940

SECTION 3: Composition/information on ingredients

CITRONELLOL	REACH #: 01-2119453995-23 EC: 203-375-0 CAS: 106-22-9	≥0.3 - <1	H411 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	-	[1]
ETHYL 3-PHENYLGLYCIDATE	EC: 204-467-3 CAS: 121-39-1	≥0.3 - <1	Skin Sens. 1B, H317	-	[1]
(ethoxymethoxy) cyclododecane	REACH #: 01-2119971571-34 EC: 261-332-1 CAS: 58567-11-6	≥0.3 - <1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	-	[1]
2-methyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	EC: 248-907-2 CAS: 28219-60-5	≤0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400	M [Acute] = 1	[1]
TRANS-ROSE KETONE-2	EC: 245-842-1 CAS: 23726-91-2	≤0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	-	[1]
2,6-dimethylhept-5-enal	EC: 203-427-2 CAS: 106-72-9	≤0.3	Skin Sens. 1B, H317	-	[1]
ROSE KETONE-4	REACH #: 01-2120105798-49 EC: 245-833-2 CAS: 23696-85-7	≤0.3	Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Chronic 2, H411	-	[1]
2,4-DIMETHYL- 3-CYCLOHEXENE CARBOXALDEHYDE	EC: 268-264-1 CAS: 68039-49-6	≤0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	-	[1]
Benzenepropanal, 2-methyl- 4-(2-methylpropyl)-	CAS: 1637294-12-2	≤0.3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
Lemon, ext.	EC: 284-515-8 CAS: 84929-31-7	≤0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	-	[1]
DIMETHYLHYDROXY FURANONE	EC: 222-908-8 CAS: 3658-77-3	<0.1	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317	ATE [Oral] = 500 mg/kg	[1]
METHYL OCTINE CARBONATE	EC: 203-909-2 CAS: 111-80-8	<0.1	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 870 mg/kg M [Acute] = 1	[1]

D8407940

SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

D8407940

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous combustion products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and material for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

D8407940

SECTION 6: Accidental release measures

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations : Air care, continuous action (solid and liquid), Consumer use
Industrial sector specific solutions : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Dipropylene glycol monomethyl ether

NAOSH (Ireland, 5/2021) [(2-methoxymethylethoxy)-1-propanol]
Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values

OELV 8 hours: 50 ppm.

OELV 8 hours: 308 mg/m³.

EU OEL (Europe, 1/2022) [(2-Methoxymethylethoxy)-propanol]

Absorbed through skin.

TWA 8 hours: 50 ppm.

TWA 8 hours: 308 mg/m³.

BENZYL ACETATE

NAOSH (Ireland, 5/2021) Notes: Advisory Occupational Exposure Limit Values (OELVs)

OELV 8 hours: 10 ppm.

Biological exposure indices

No exposure indices known.

D8407940

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects	
(2-methoxymethylethoxy)propanol	DNEL	Long term Oral	36 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Inhalation	37.2 mg/m ³	General population	Systemic	
	DNEL	Long term Dermal	121 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Dermal	283 mg/kg bw/day	Workers	Systemic	
	DNEL	Long term Inhalation	308 mg/m ³	Workers	Systemic	
	BENZYL ACETATE	DNEL	Long term Oral	1.3 mg/kg bw/day	General population	Systemic
		DNEL	Long term Dermal	1.3 mg/kg bw/day	General population	Systemic
		DNEL	Long term Inhalation	2.2 mg/m ³	General population	Systemic
		DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
		DNEL	Long term Inhalation	9 mg/m ³	Workers	Systemic
MIXED IONONES		DNEL	Long term Inhalation	23.125 mg/m ³	Workers	Systemic
		DNEL	Long term Dermal	13.167 mg/kg bw/day	Workers	Systemic
		DNEL	Long term Inhalation	5.725 mg/m ³	General population [Consumers]	Systemic
		DNEL	Long term Dermal	6.583 mg/kg bw/day	General population [Consumers]	Systemic
		DNEL	Long term Oral	3.292 mg/kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Dermal	0.540347826 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Inhalation	0.6214 mg/m ³	General population	Systemic	
	DNEL	Long term Dermal	2.191252632 mg/kg bw/day	Workers	Systemic	
	DNEL	Long term Inhalation	2.498028 mg/m ³	Workers	Systemic	
	DNEL	Long term Oral	4.382505263 mg/kg bw/day	General population	Systemic	
ETHYL METHYLPHENYLGLYCIDATE	DNEL	Long term Oral	1.25 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Dermal	1.25 mg/kg bw/day	General population	Systemic	

D8407940

SECTION 8: Exposure controls/personal protection

LINALOOL	DNEL	Long term Inhalation	2.17 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	3.13 mg/cm ²	General population	Local
	DNEL	Short term Oral	5 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	5.43 mg/m ³	General population	Local
	DNEL	Short term Inhalation	8.7 mg/m ³	General population	Systemic
	DNEL	Short term Dermal	10 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Dermal	12.5 mg/cm ²	General population	Local
	DNEL	Long term Dermal	12.5 mg/cm ²	Workers	Local
	DNEL	Long term Inhalation	17.63 mg/m ³	Workers	Systemic
	DNEL	Short term Inhalation	21.74 mg/m ³	General population	Local
	DNEL	Short term Dermal	25 mg/cm ²	Workers	Local
	DNEL	Short term Inhalation	35.26 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	44.08 mg/m ³	Workers	Local
	DNEL	Short term Inhalation	88.16 mg/m ³	Workers	Local
	DNEL	Long term Dermal	15 mg/cm ²	Workers	Local
	DNEL	Short term Dermal	15 mg/cm ²	Workers	Local
	DNEL	Long term Dermal	15 mg/cm ²	General population [Consumers]	Local
	DNEL	Short term Oral	1.2 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	1.25 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	1.5 mg/cm ²	General population	Local
	DNEL	Long term Dermal	1.5 mg/cm ²	General population	Local
	DNEL	Long term Oral	2.49 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	3 mg/cm ²	Workers	Local
	DNEL	Long term Dermal	3 mg/cm ²	Workers	Local
DNEL	Long term Dermal	3.5 mg/kg bw/day	Workers	Systemic	
DNEL	Long term Inhalation	4.33 mg/m ³	General population	Systemic	
DNEL	Long term Inhalation	24.58 mg/m ³	Workers	Systemic	
LIMONENE	DNEL	Long term Inhalation	66.7 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	9.5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	16.6 mg/m ³	General population [Consumers]	Systemic
	DNEL	Long term Dermal	4.8 mg/kg bw/day	General population	Systemic

D8407940

SECTION 8: Exposure controls/personal protection

2-ethyl-3-hydroxy-4-pyrone	DNEL	Long term Oral	4.8 mg/kg bw/day	[Consumers] General population	Systemic
	DNEL	Long term Oral	4.8 mg/kg bw/day	[Consumers] General population	Systemic
	DNEL	Long term Dermal	4.8 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	9.5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	16.6 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	66.7 mg/m ³	Workers	Systemic
	DNEL	Long term Oral	2 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	2 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	3.48 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	5.6 mg/kg bw/day	Workers	Systemic
α,α-dimethylphenethyl butyrate	DNEL	Long term Inhalation	19.7 mg/m ³	Workers	Systemic
	DNEL	Long term Oral	1.8 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	1.8 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	3.13 mg/m ³	General population	Systemic
METHOXYTRIMETHYLHEPTANOL	DNEL	Long term Dermal	3.6 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	12.6948 mg/m ³	Workers	Systemic
	DNEL	Long term Oral	0.813 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.813 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	1.2 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	2.28 mg/kg bw/day	Workers	Systemic
ALPHA-ISOMETHYL IONONE	DNEL	Long term Inhalation	8.03 mg/m ³	Workers	Systemic
	DNEL	Long term Oral	35.5 µg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	44.6 µg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.375 mg/kg bw/day	Workers	Systemic
CITRONELLOL	DNEL	Long term Inhalation	1.45 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	8.22 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	161.6 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	327.4 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	47.8 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	196.4 mg/kg bw/day	[Consumers] General population	Systemic

D8407940

SECTION 8: Exposure controls/personal protection

(ethoxymethoxy)cyclododecane	DNEL	Long term Oral	13.8 mg/kg bw/day	[Consumers] General population	Systemic	
	DNEL	Short term Dermal	2.95 mg/cm ²	[Consumers] General population	Local	
	DNEL	Short term Dermal	2.95 mg/cm ²	Workers	Local	
	DNEL	Short term Inhalation	10 mg/m ³	General population	Local	
	DNEL	Long term Inhalation	10 mg/m ³	General population	Local	
	DNEL	Short term Inhalation	10 mg/m ³	Workers	Local	
	DNEL	Long term Inhalation	10 mg/m ³	Workers	Local	
	DNEL	Long term Oral	13.8 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Inhalation	47.8 mg/m ³	General population	Systemic	
	DNEL	Long term Inhalation	161.6 mg/m ³	Workers	Systemic	
	DNEL	Long term Dermal	196.4 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Dermal	327.4 mg/kg bw/day	Workers	Systemic	
	DNEL	Long term Inhalation	23.5 mg/m ³	Workers	Systemic	
	DNEL	Long term Dermal	3.3 mg/kg bw/day	Workers	Systemic	
	DNEL	Long term Inhalation	5.8 mg/m ³	General population	Systemic	
	DNEL	Long term Dermal	1.67 mg/kg bw/day	[Consumers] General population	Systemic	
	DNEL	Long term Oral	1.67 mg/kg bw/day	[Consumers] General population	Systemic	
	DNEL	Long term Oral	1.67 mg/kg bw/day	[Consumers] General population	Systemic	
	2,6-dimethylhept-5-enal	DNEL	Long term Dermal	1.67 mg/kg bw/day	General population	Systemic
		DNEL	Long term Dermal	3.3 mg/kg bw/day	Workers	Systemic
DNEL		Long term Inhalation	5.8 mg/m ³	General population	Systemic	
DNEL		Long term Inhalation	23.5 mg/m ³	Workers	Systemic	
DNEL		Long term Oral	1 mg/kg bw/day	General population	Systemic	
DNEL		Long term Dermal	1 mg/kg bw/day	General population	Systemic	
DNEL		Long term Inhalation	1.74 mg/m ³	General population	Systemic	
DNEL		Long term Dermal	2 mg/kg bw/day	Workers	Systemic	
DNEL		Long term Inhalation	4.35 mg/m ³	General population	Local	
DNEL		Short term Inhalation	5.22 mg/m ³	General population	Systemic	
DNEL	Long term Inhalation	7.05 mg/m ³	Workers	Systemic		

D8407940

SECTION 8: Exposure controls/personal protection

Benzenepropanal, 2-methyl-4-(2-methylpropyl)-	DNEL	Short term Inhalation	13.04 mg/m ³	General population	Local	
	DNEL	Long term Inhalation	17.63 mg/m ³	Workers	Local	
	DNEL	Short term Inhalation	21.16 mg/m ³	Workers	Systemic	
	DNEL	Short term Inhalation	52.89 mg/m ³	Workers	Local	
	DNEL	Long term Dermal	70.83 mg/cm ²	General population	Local	
	DNEL	Short term Oral	85 mg/kg bw/day	General population	Systemic	
	DNEL	Short term Dermal	85 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Dermal	141.67 mg/cm ²	Workers	Local	
	DNEL	Short term Dermal	170 mg/kg bw/day	Workers	Systemic	
	DNEL	Short term Dermal	212.5 mg/cm ²	General population	Local	
	DNEL	Short term Dermal	425 mg/cm ²	Workers	Local	
	DNEL	Long term Dermal	0.08929 mg/cm ²	General population	Local	
	DNEL	Long term Dermal	0.17857 mg/cm ²	Workers	Local	
	DNEL	Long term Oral	0.25 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Dermal	0.42 mg/kg bw/day	General population	Systemic	
	DNEL	Long term Inhalation	0.435 mg/m ³	General population	Systemic	
	DNEL	Long term Dermal	0.83 mg/kg bw/day	Workers	Systemic	
	DNEL	Long term Inhalation	2.47 mg/m ³	Workers	Systemic	
	Lemon, ext.	DNEL	Long term Oral	3.33 mg/kg bw/day	General population	Systemic
		DNEL	Long term Dermal	3.33 mg/kg bw/day	General population	Systemic
DNEL		Long term Inhalation	5.8 mg/m ³	General population	Systemic	
DNEL		Long term Dermal	6.67 mg/kg bw/day	Workers	Systemic	
	DNEL	Long term Inhalation	23.3 mg/m ³	Workers	Systemic	

PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
MIXED IONONES	Fresh water	0.004 mg/l	Assessment Factors
	Marine water	0 mg/l	Assessment Factors
	Fresh water sediment	63.228 mg/kg dwt	Equilibrium Partitioning
	Marine water sediment	63.228 mg/kg dwt	Equilibrium Partitioning
LINALOOL	Soil	29.468 mg/kg dwt	Equilibrium Partitioning
	Fresh water	0.2 mg/l	Assessment Factors
	Marine water	0.02 mg/l	Assessment Factors
LIMONENE	Sewage Treatment Plant	10 mg/l	Assessment Factors
	Fresh water	14 µg/l	Assessment Factors
	Marine water	1.4 µg/l	Assessment Factors
	Sewage Treatment Plant	1.8 mg/l	Assessment Factors
	Fresh water sediment	3.85 mg/kg dwt	Equilibrium Partitioning

D8407940

SECTION 8: Exposure controls/personal protection

CITRONELLOL (ethoxymethoxy)cyclododecane	Marine water sediment	0.385 mg/kg dwt	Equilibrium Partitioning
	Soil	0.763 mg/kg	Equilibrium Partitioning
	Fresh water	0.002 mg/l	Assessment Factors
	Marine water	0 mg/l	Assessment Factors
	Soil	0.004 mg/kg dwt	Equilibrium Partitioning
	Fresh water	0.002 mg/l	Assessment Factors
	Marine water	0 mg/m ³	Assessment Factors
	Soil	0.468 mg/kg dwt	Equilibrium Partitioning

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : EN 16523-1:2015
Tested for protection against chemical permeation.
Low chemical resistant or waterproof gloves.
(EN 16523-1:2015 supersedes EN 374-3:2003)
EN 374-2:2003
Tested for protection against liquid penetration and micro-organisms.
EN 388:2003
Tested for protection against mechanical risks (abrasion, blade cut resistance, tear resistance and puncture resistance).
ISO 374-1:2016/Type A
Protective glove with permeation resistance of at least 30 minutes each for at least 6 test chemicals.
ISO 374-1:2016/Type B
Protective glove with permeation resistance of at least 30 minutes each for at least 3 test chemicals.
ISO 374-1:2016/Type C
Protective glove with permeation resistance of at least 10 minutes for at least 1 test chemical. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

D8407940

SECTION 8: Exposure controls/personal protection

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid.
Colour : Colourless to light yellow.
Odour : Fragrant.
Melting point/freezing point : Not relevant/applicable due to nature of the product.
Initial boiling point and boiling range : Not relevant/applicable due to nature of the product.
Flammability (solid, gas) : Not relevant/applicable due to nature of the product.
Upper/lower flammability or explosive limits : Not relevant/applicable due to nature of the product.
Flash point : Closed cup: 68°C (154.4°F)
Auto-ignition temperature : Not relevant/applicable due to nature of the product.
Decomposition temperature : Not relevant/applicable due to nature of the product.
pH : Not applicable. Product is non-soluble (in water).
Viscosity : Dynamic (room temperature): Not available.
Kinematic (room temperature): Not available.
Kinematic (40°C): Not available.

Solubility

:

Media	Result
cold water	Not soluble
hot water	Not soluble

Partition coefficient n-octanol/water (log Pow) : Not relevant/applicable due to nature of the product.

Vapour pressure : 0.067 kPa (0.503 mm Hg)
Relative density : 0.9697 to 0.9797
Density : 0.9697 to 0.9797 g/cm³ [25°C (77°F)]
Relative vapour density : Not relevant/applicable due to nature of the product.

Particle characteristics

Median particle size : Not relevant/applicable due to nature of the product.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

9.2.2 Other safety characteristics

Not applicable.

D8407940

SECTION 10: Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : No specific data.
- 10.5 Incompatible materials** : No specific data.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
(2-methoxymethylethoxy) propanol	LD50 Oral	Rat - Male	5230 mg/kg	-
2-T-BUTYLCYCLOHEXYL ACETATE	LD50 Dermal	Rabbit	>5000 mg/kg	-
BENZYL ACETATE	LD50 Oral	Rat	4600 mg/kg	-
	LD50 Dermal	Rabbit	>5 g/kg	-
MIXED IONONES	LD50 Oral	Rat	2490 mg/kg	-
	LD50 Oral	Rat	4590 mg/kg	-
ETHYL METHYLPHENYLGLYCIDATE	LD50 Oral	Rat	5470 mg/kg	-
	LD50 Dermal	Rabbit	5610 mg/kg	-
LINALOOL	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
LIMONENE	LD50 Oral	Rat	4400 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
2-ethyl-3-hydroxy-4-pyrone	LD50 Oral	Rat	1150 mg/kg	-
	LD50 Dermal	Rabbit	>5 g/kg	-
α,α-dimethylphenethyl butyrate	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	>5 g/kg	-
METHOXYTRIMETHYLHEPTANOL	LD50 Oral	Rat	4490 mg/kg	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
ALPHA-ISOMETHYL IONONE	LD50 Oral	Rat	>5000 mg/kg	-
	LD50 Dermal	Rabbit	>5 g/kg	-
Oils, lemon	LD50 Oral	Rat	2840 mg/kg	-
	LD50 Dermal	Rabbit	2650 mg/kg	-
CITRONELLOL	LD50 Oral	Rat	3450 mg/kg	-
	LD50 Dermal	Rabbit	2300 mg/kg	-
ETHYL 3-PHENYLGLYCIDATE (ethoxymethoxy) cyclododecane	LD50 Oral	Rat	>5 g/kg	-
	LD50 Dermal	Rabbit	>5 g/kg	-
TRANS-ROSE KETONE-2	LD50 Oral	Rat	>5 g/kg	-
	LD50 Oral	Rat	2920 mg/kg	-
2,6-dimethylhept-5-enal	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	>5 g/kg	-
METHYL OCTINE CARBONATE	LD50 Oral	Rat	870 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

D8407940

SECTION 11: Toxicological information

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
FIL,AWICK,AMOURE LE EU JUDE_FF3299813 (D8407940)_EU	72327.0	N/A	N/A	N/A	N/A
(2-methoxymethylethoxy)propanol	5230	N/A	N/A	N/A	5.1
2-T-BUTYLCYCLOHEXYL ACETATE	4600	N/A	N/A	N/A	N/A
BENZYL ACETATE	2490	N/A	N/A	N/A	N/A
MIXED IONONES	4590	N/A	N/A	N/A	N/A
ETHYL METHYLPHENYLGLYCIDATE	5470	N/A	N/A	N/A	N/A
LINALOOL	2790	5610	N/A	N/A	N/A
LIMONENE	4400	N/A	N/A	N/A	N/A
2-ethyl-3-hydroxy-4-pyrone	1150	N/A	N/A	N/A	N/A
METHOXYTRIMETHYLHEPTANOL	4490	N/A	N/A	N/A	N/A
Oils, lemon	2840	N/A	N/A	N/A	N/A
CITRONELLOL	3450	2650	N/A	N/A	N/A
ETHYL 3-PHENYLGLYCIDATE	2300	N/A	N/A	N/A	N/A
TRANS-ROSE KETONE-2	2920	N/A	N/A	N/A	N/A
ROSE KETONE-4	N/A	2500	N/A	N/A	N/A
2,4-DIMETHYL-3-CYCLOHEXENE	2500	N/A	N/A	N/A	N/A
CARBOXALDEHYDE					
DIMETHYLHYDROXY FURANONE	500	N/A	N/A	N/A	N/A
METHYL OCTINE CARBONATE	870	2500	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
(2-methoxymethylethoxy)propanol	Eyes - Mild irritant	Human	-	8 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
LINALOOL	Skin - Mild irritant	Rabbit	-	500 mg	-
	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1 MI	-
	Eyes - Moderate irritant	Rabbit	-	100 uL	-
	Skin - Mild irritant	Human	-	72 hours 32 %	-
LIMONENE	Skin - Mild irritant	Man	-	48 hours 16 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Moderate irritant	Guinea pig	-	24 hours 100 mg	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 mg	-
METHOXYTRIMETHYLHEPTANOL	Skin - Mild irritant	Rabbit	-	24 hours 10 %	-
	Skin - Mild irritant	Mouse	-	1 %	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 mg	-
CITRONELLOL	Eyes - Moderate irritant	Rabbit	-	0.42 %	-
	Skin - Moderate irritant	Man	-	48 hours 16 mg	-
	Skin - Moderate irritant	Rabbit	-	4 hours 0.42 %	-
	Skin - Severe irritant	Guinea pig	-	24 hours 100 mg	-
	Skin - Severe irritant	Rabbit	-	4 hours 0.5 MI	-

D8407940

SECTION 11: Toxicological information

	Skin - Severe irritant	Rabbit	-	24 hours 100 mg	-
--	------------------------	--------	---	-----------------	---

Conclusion/Summary

- Skin** : Based on available data, the classification criteria are not met.
Eyes : Based on available data, the classification criteria are not met.
Respiratory : Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

- Conclusion/Summary** :
Skin : May cause an allergic skin reaction. Calculation method
Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

Carcinogenicity

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

Reproductive toxicity

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

Teratogenicity

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Product/ingredient name	Result
LIMONENE Oils, lemon Lemon, ext.	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Information on likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : May cause an allergic skin reaction.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : No specific data.
Inhalation : No specific data.
Skin contact : Adverse symptoms may include the following:
 irritation
 redness
Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

- Potential immediate effects** : Not available.

D8407940

SECTION 11: Toxicological information

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
LINALOOL	Acute EC50 36.7 ppm Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 28.8 ppm Fresh water	Fish - <i>Oncorhynchus mykiss</i>	96 hours
LIMONENE	Acute EC50 421 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute EC50 688 µg/l Fresh water	Fish - <i>Pimephales promelas</i> - Juvenile (Fledgling, Hatchling, Weanling)	96 hours

Conclusion/Summary : Harmful to aquatic life with long lasting effects. Calculation method

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
LINALOOL	-	62.4 % - Readily - 28 days	-	-

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
LINALOOL	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
(2-methoxymethylethoxy) propanol	0.004	-	Low
BENZYL ACETATE	1.96	8	Low
MIXED IONONES	1.903	159	Low
LINALOOL	2.84	-	Low
LIMONENE	4.38	-	High
2-ethyl-3-hydroxy-4-pyrone	0.63	-	Low
CITRONELLOL	3.41	-	Low
(ethoxymethoxy) cyclododecane	-	340 to 580	Low

D8407940

SECTION 12: Ecological information

Lemon, ext.	3.33 to 6.3	1.818 to 3.825	Low
-------------	-------------	----------------	-----

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

For long distance transport of bulk material or shrunk pallet take into consideration sections 7 and 10.

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	9003	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C ((2-methoxymethylethoxy) propanol, LINALOOL)	-	-

D8407940

SECTION 14: Transport information

14.3 Transport hazard class(es)	-	9	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	Yes.	No.	No.

Additional information

ADN : The product is only regulated as a dangerous good when transported in tank vessels.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]
FIL,AWICK,AMOURE LE EU JUDE_FF3299813 (D8407940)_EU	≥90	3

Labelling : Not applicable.

Other EU regulations

Explosive precursors : Not applicable.

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

15.2 Chemical safety assessment : No Chemical Safety Assessment has been carried out.

D8407940

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate
 ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
 ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
 BCF = Bioconcentration Factor
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DMEL = Derived Minimal Effect Level
 DNEL = Derived No Effect Level
 EC50 = Half maximal effective concentration
 EUH statement = CLP-specific Hazard statement
 IATA = International Air Transport Association
 LC50 = Median lethal concentration
 LD50 = Median lethal dose
 LogPow = logarithm of the octanol/water partition coefficient
 OECD = Organisation for Economic Co-operation and Development
 PBT = Persistent, Bioaccumulative and Toxic
 PNEC = Predicted No Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006]
 RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
 RRN = REACH Registration Number
 SADT = Self-Accelerating Decomposition Temperature
 vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Sens. 1, H317 Aquatic Chronic 3, H412	Calculation method Calculation method

Full text of abbreviated H statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Asp. Tox. 1	ASPIRATION HAZARD - Category 1
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 3
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A

D8407940

SECTION 16: Other information

Skin Sens. 1B	SKIN SENSITISATION - Category 1B
---------------	----------------------------------

Date of printing : 14/10/2025

Date of issue/ Date of revision : 14/10/2025

Date of previous issue : No previous validation

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.