

# SAFETY DATA SHEET 2WORK 70% ALCOHOL HAND SANITISER GEL

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 2WORK 70% ALCOHOL HAND SANITISER GEL

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Hand Sanitiser.

1.3. Details of the supplier of the safety data sheet

Supplier VOW Europe LTD

1ST FLOOR 1 EUROPA DRIVE SHEFFIELD, S9 1XT 0844 980 8000 www.voweurope.com

1.4. Emergency telephone number

Emergency telephone NHS Direct Wales 08454647

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

**Health hazards** Eye Irrit. 2 - H319

Environmental hazards Not Classified

### 2.2. Label elements

#### Hazard pictograms





Signal word Warning

Hazard statements H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

**Precautionary statements** P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with national regulations.

Revision date: 24/09/2020 Revision: 13 Supersedes date: 23/09/2020

### 2WORK 70% ALCOHOL HAND SANITISER GEL

Supplementary precautionary P240 Ground and bond container and receiving equipment.

statements P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P264 Wash contaminated skin thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

## 2.3. Other hazards

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

### ETHANOL (ETHYL ALCOHOL)

60-100%

CAS number: 64-17-5

#### Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

**General information** Get medical attention if any discomfort continues.

**Inhalation** Due to the small packaging, the risk of inhalation is minimal.

**Ingestion** Do not induce vomiting. Get medical attention immediately.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** No specific symptoms known.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

**Eye contact** May cause severe eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Water spray, fog or mist. Carbon dioxide or dry powder. Dry chemicals.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards Extremely flammable liquid and vapour. May form explosive mixture with air at very high

concentration.

Hazardous combustion

products

Oxides of carbon.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Cool containers exposed to flames with water until well after the fire is out.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Personal precautions

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains, water courses or onto the ground. Contain spillage with sand,

earth or other suitable non-combustible material.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of

ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth

and place into containers. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid contact with eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away

from heat, sparks and open flame.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

### Occupational exposure limits

Long term exposure limit (8 hour TWA):

- •1000 ppm
- •1920 mg/m3

Short term exposure limit - N/A

## 8.2. Exposure controls

## Protective equipment



Appropriate engineering

controls

Not applicable.

Revision date: 24/09/2020 Revision: 13 Supersedes date: 23/09/2020

### 2WORK 70% ALCOHOL HAND SANITISER GEL

Personal protection Materials for protective clothing: GIVE EXCELLENT RESISTANCE: butyl rubber. viton. GIVE

GOOD RESISTANCE: neoprene. tetrafluoroethylene. GIVE LESS RESISTANCE: nitrile

rubber. polyethylene. GIVE POOR RESISTANCE: natural rubber. PVA. PVC.

**Eye/face protection** No specific eye protection required during normal use. Eyewear complying with an approved

standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection Not applicable.

Other skin and body

protection

Not applicable.

Hygiene measures Do not smoke in work area. Discard contaminated shoes and clothing.

**Respiratory protection** Not applicable.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Colourless.

Odour Alcohol odour. Pleasant odour.

**pH** 6.0 - 7.5

Melting point Not available.

Flammability (solid, gas) Highly flammable liquid and vapour.

Upper/lower flammability or

explosive limits

Not available.

Relative density 0.8-0.9 g/cm-3

Solubility(ies) Not available.

**Viscosity** 5800-7000 mPa.s @ 20°C

Oxidising properties Does not meet the criteria for classification as oxidising.

## 9.2. Other information

### SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

## 10.3. Possibility of hazardous reactions

## 10.4. Conditions to avoid

**Conditions to avoid** Keep away from heat, sparks and open flame.

#### 10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

## 10.6. Hazardous decomposition products

Hazardous decomposition

Oxides of carbon.

products

Revision date: 24/09/2020 Revision: 13 Supersedes date: 23/09/2020

### 2WORK 70% ALCOHOL HAND SANITISER GEL

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity - oral

Summary Not classified.

Acute toxicity - dermal

Summary Not classified

Acute toxicity - inhalation

Summary Not classified.

Skin corrosion/irritation

Summary No adverse effect observed

Serious eye damage/irritation

**Summary** Eye Irritation

Respiratory sensitisation

Summary No adverse effect observed

Skin sensitisation

**Summary** No sensitising effect known.

Germ cell mutagenicity

**Summary** Based on available data, the classification criteria are not met.

Carcinogenicity

**Summary** Does not contain any substances known to be carcinogenic.

Reproductive toxicity

**Summary** Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure
Summary

Not Classified

Specific target organ toxicity - repeated exposure

Summary

Not classified

Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

Inhalation No specific health hazards known.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

**Skin contact** Skin irritation should not occur when used as recommended.

**Eye contact** Irritating to eyes. Symptoms following overexposure may include the following: Redness.

SECTION 12: Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

12.1. Toxicity

**Toxicity** The product is not expected to be toxic to aquatic organisms.

### 12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** Soluble in water.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

#### 12.6. Other adverse effects

Other adverse effects None known.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal methods Waste is classified as hazardous waste. Dispose of waste product or used containers in

accordance with local regulations Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapour), and can be dangerous. Keep product and empty

container away from heat and sources of ignition.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

#### SECTION 14: Transport information

#### 14.1. UN number

**UN No. (ADR/RID)** 1993

**UN No. (IMDG)** 1993

**UN No. (ICAO)** 1993

**UN No. (ADN)** 1993

## 14.2. UN proper shipping name

Proper shipping name

FLAMMABLE LIQUID, N.O.S. (ETHANOL)

(ADR/RID)

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (ETHANOL)

Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (ETHANOL)

Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (ETHANOL)

#### 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

### Transport labels



### 14.4. Packing group

ADN packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

Ш

No.

#### 14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 3

Emergency Action Code •3Y

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations •CDG: Carriage of dangerous goods

30

•CHIP: Chemicals (Hazard Information and Packaging for Supply)

•CLP: Classification, Labelling and Packaging of Substances and Mixtures (CLP Regulation),

adopting in the EU the Globally Harmonised System (GHS) •COSHH: Control of substances hazardous to health

•DSEAR: The Dangerous Substances and Explosive Atmospheres Regulations 2002

DSEAR)

•REACH: Registration, Evaluation, Authorisation & restriction of CHemicals (REACH)

#### 15.2. Chemical safety assessment

## SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

CASChemical Abstracts Service CDGCarriage of dangerous goods

CHIPChemicals (Hazard Information and Packaging for Supply)

CLPClassification, Labelling and Packaging of Substances and Mixtures Regulation

COSHH Control of substances hazardous to health

DSEARDangerous Substances and Explosive Atmospheres Regulations 2002

EC50 Effective Concentration 50% EWCEuropean Waste Code LC50 Lethal Concentration 50%

LD50 lethal Dose 50%

PBTPersistent, bioaccumulative and toxic substances

REACHRegistration, Evaluation, Authorisation & restriction of CHemicals (REACH)

TWATime Weighted Average VOCVolatile Organic Compound

VPvBVery high persistent, bioaccumulative and toxic substances

WELWorkplace Exposure Limit

personnel should use this material.

Key literature references and

sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the

appropriate relevant information is incorporated into this Safety Data Sheet.

Revision date 24/09/2020

Revision 13

Supersedes date 23/09/2020

SDS number 23543

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

**DIRECTIONS FOR USE** 

**PRODUCT LOGO** 

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, many of which are solely within the user's knowledge and control, the user is responsible for determining whether the usage of this product is fit for a particular purpose and suitable for the user's method of use or application. It is essential that the user, not the manufacturer, evaluates this product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.