

**Gorilla Super Glue Liquid**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name	Gorilla Super Glue Liquid
	Contains: ethyl 2-cyanoacrylate
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not applicable.
Unique Formula Identifier (UFI)	H6NA-G09T-J00X-GF1E

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s)	Adhesives.
Uses Advised Against	Not known.

**1.3 Details of the supplier of the safety data sheet**

Manufacturer	
Company Identification	Gorilla Glue Europe Ltd
Address of Manufacturer	26 Eaton Avenue Matrix Park Buckshaw Village Chorley Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
E-mail	Eucustomercare@gorillaglu.com
Office hours	08:30 - 17:00
Supplier	
Company Identification	GG Brands Netherlands B.V.
Address of Supplier	Lichttoren 32 5611 BJ Eindhoven
Telephone:	+31 85 064 4029
E-mail	Eucustomercare@gorillaglu.com
Office hours	08:30-17:00

**1.4 Emergency telephone number**

Supplier Contact:	Stuart Shotton
Emergency Phone No.	+44 (0)843 507 1200
Northern Ireland:	NHS Direct
Emergency Phone No.	+44 111 (24 hours)
Republic of Ireland:	NPIC Ireland
Emergency Phone No.	+353 (0) 1 809 2166 (8am - 10pm)

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**



## Gorilla Super Glue Liquid

Regulation (EC) No. 1272/2008 (CLP) Skin Irrit. 2 :Causes skin irritation.  
Eye Irrit. 2 :Causes serious eye irritation.  
STOT SE 3 :May cause respiratory irritation.

### 2.2 Label elements

Product Name

According to Regulation (EC) No. 1272/2008 (CLP)

Gorilla Super Glue Liquid

Contains: ethyl 2-cyanoacrylate

Hazard Pictogram(s)



GHS07

Signal Word(s)

Warning

Hazard Statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

EUH208: Contains: 1,4-dihydroxybenzene. May produce an allergic reaction.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.

P261: Avoid breathing vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI)

H6NA-G09T-J00X-GF1E

### 2.3 Other hazards

None known.

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
ethyl 2-cyanoacrylate	7085-85-0	230-391-5 01-2119527766-29-XXXX	80-90	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	GHS07
tetrahydrofuran	109-99-9	203-726-8 01-2119444314-46-XXXX	<0.5	Flam. Liq. 2 H225 Eye Irrit. 2 H319	GHS02 GHS08



## Gorilla Super Glue Liquid

				STOT SE 3 H335 Carc. 2 H351	GHS07
--	--	--	--	--------------------------------	-------

1,4-dihydroxybenzene	123-31-9	204-617-8 01-2119527766-29-XXXX	<0.5	Acute Tox. 4 H302 Skin Sens. 1 H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351 Aquatic Acute 1 H400	GHS05 GHS08 GHS07 GHS09
----------------------	----------	------------------------------------	------	---	----------------------------------

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-factor	ATE
ethyl 2-cyanoacrylate	7085-85-0	STOT SE 3	C>= 10.00 <= 100.00		
tetrahydrofuran	109-99-9	Eye Irrit. 2	C>= 25.00 <= 100.00		
		STOT SE 3	C>= 25.00 <= 100.00		
1,4-dihydroxybenzene	123-31-9			Aquatic Acute 1: 10	Acute Tox. 4 (H302) : 367

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

## SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
Skin Contact	Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Wash out mouth with water.

## 4.2 Most important symptoms and effects, both acute and delayed

Causes irritation to eyes and skin. May cause respiratory irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media



## Gorilla Super Glue Liquid

Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media None.

### 5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Carbon monoxide, Nitrogen oxides, Isocyanates, Traces of hydrogen cyanide

### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing vapours. Wear appropriate personal protective equipment, avoid direct contact. Take off contaminated clothing and wash it before reuse. Wash hands and exposed skin thoroughly after handling.

### 6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

If medical advice is needed, have product container or label at hand. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. Avoid contact with skin and eyes. Avoid breathing vapours. Wash hands and exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

### 7.3 Specific end use(s)

Adhesives.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

**Gorilla Super Glue Liquid**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Ethyl cyanoacrylate	7085-85-0			0.3	1.5	
Tetrahydrofuran	109-99-9	50	150	100	300	Sk
Hydroquinone	123-31-9		0.5			

Region United Kingdom  
Source UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Sk  
Notes Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection Wear suitable protective clothing and gloves.  
Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection In case of inadequate ventilation wear respiratory protection. A suitable mask with filter type A may be appropriate.



Thermal hazards Not applicable.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Transparent.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Non-flammable.
Lower and upper explosion limit	Not known.
Flash Point	81° C
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.

**Gorilla Super Glue Liquid**

Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Immiscible. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Density (g/ml) : 1.06 g/cm <sup>3</sup> @ 20° C
Relative vapour density	Not known.
Particle characteristics	Not applicable.
<b>9.2 Other information</b>	
Organic solvents	0.3%

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

Stable under normal conditions.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

Heat and direct sunlight.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) - 91750
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Causes skin irritation. In an OECD 404 guideline study with New Zealand rabbits a slightly irritating property of ethyl 2-cyanoacrylate was shown with a primary dermal irritation index (PDII) of 0.87 (mean).
Serious eye damage/irritation	Calculation method : Causes serious eye irritation. Ethyl 2-cyanoacrylate was tested in an OECD 405 guideline study resulting in an overall irritation score of 29.33 (mean) with reversibility within 24 hours.
Skin sensitization data	Calculation method : Not classified. It is not a skin sensitizer. Contains: 1,4-dihydroxybenzene. May produce an allergic reaction.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified. There is no evidence of mutagenic potential.



## Gorilla Super Glue Liquid

Carcinogenicity

Calculation method : Not classified.

No evidence of carcinogenicity.

Reproductive toxicity

Calculation method : Not classified.

No evidence of reproductive effects.

Lactation

Calculation method : Not classified.

STOT - single exposure

Calculation method : May cause respiratory irritation.

Evidence for respiratory irritation induced by methyl 2-cyanoacrylate exists from a study with human volunteers, and it is feasible to assign similar properties to ethyl 2-cyanoacrylate (ECA). Based on the high structural and physicochemical similarity and in view of the overall irritating properties, it is considered that ECA also exerts respiratory irritation.

STOT - repeated exposure

Calculation method : Not classified.

Aspiration hazard

Calculation method : Not classified.

### 11.2 Information on other hazards

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity - Aquatic invertebrates

Low toxicity to invertebrates.

Toxicity - Fish

Low toxicity to fish.

Toxicity - Algae

Low toxicity to algae.

Toxicity - Sediment Compartment

Not classified.

Toxicity - Terrestrial Compartment

Not classified.

### 12.2 Persistence and degradability

No information available.

In presence of moisture ethyl 2-cyanoacrylate polymerises within seconds (inherent property of ethyl 2-cyanoacrylate based instant glues).

### 12.3 Bioaccumulative potential

No information available.

In presence of moisture ethyl 2-cyanoacrylate polymerises within seconds (inherent property of ethyl 2-cyanoacrylate based instant glues). Thus, very low determined monomer concentrations in water or moist media represent a non-steady state situation from which a defined effective concentration cannot be derived.

### 12.4 Mobility in soil

Immiscible with water. The product is predicted to have low mobility in soil.

### 12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

### 12.6 Endocrine disrupting properties

None known.

### 12.7 Other adverse effects

Not known.

**Gorilla Super Glue Liquid****SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of this material and its container as hazardous waste. Do not dispose of with household waste. Incineration by an approved method could be considered.

**13.2 Additional Information**

Waste code

Disposal should be in accordance with local, state or national legislation.

08 00 00 Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels,) adhesives, sealants and printing inks

08 04 00 Wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances

**SECTION 14: TRANSPORT INFORMATION**

Primary packs containing less than 500 ml are unregulated by this mode of transport and may be shipped unrestricted.

**14.1 UN number or ID number**

IATA UN 3334

**14.2 UN proper shipping name**

IATA AVIATION REGULATED LIQUID, N.O.S. (ethyl 2-cyanoacrylate)

**14.3 Transport hazard class(es)**

IATA 9

**14.4 Packing group**

IATA III

**14.5 Environmental hazards**

Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

Not known.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

subject to authorisation





## Gorilla Super Glue Liquid

REACH: Annex XVII Restrictions on the ethyl 2-cyanoacrylate (7085-85-0) - Entry 3, Entry 75  
manufacture, placing on the market and 1,4-dihydroxybenzene (123-31-9) - Entry 75  
use of certain dangerous substances, tetrahydrofuran (109-99-9) - Entry 3, Entry 40, Entry 75  
mixtures and articles

Community Rolling Action Plan (CoRAP) 1,4-dihydroxybenzene (123-31-9), tetrahydrofuran (109-99-9)

Regulation (EU) N° 2019/1021 of the Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council

concerning the export and import of

hazardous chemicals

### National regulations

Seveso Directive None known.

Wassergefährdungsklasse (Germany) WGK number 2 (obviously hazardous to water)

### 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

1-3, 9, 11-12, 14-16

### LEGEND

Hazard Pictogram(s)



GHS07

GHS02: GHS: Flame

GHS05: GHS: Corrosion

GHS08: GHS: Health hazard

GHS09: GHS: Environment

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2

Acute Tox. 4 : Acute toxicity, Category 4

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Muta. 2 : Germ cell mutagenicity, Category 2

Carc. 2 : Carcinogenicity, Category 2

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1



## Gorilla Super Glue Liquid

### Hazard Statement(s)

H225: Highly flammable liquid and vapour.  
H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H341: Suspected of causing genetic defects.  
H351: Suspected of causing cancer.  
H400: Very toxic to aquatic life.  
EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

### Precautionary Statement(s)

P261: Avoid breathing vapours.  
P264: Wash hands and exposed skin thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312: Call a POISON CENTRE/doctor if you feel unwell.  
P321: Specific treatment (see Medical Advice on this label).  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.  
P501: Dispose of contents in accordance with local, state or national legislation.

### Acronyms

ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
DNEL : Derived No Effect Level  
EC : European Community  
EINECS : European Inventory of Existing Commercial Chemical Substances  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration



## Gorilla Super Glue Liquid

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources  
for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Training Advice

Regular safety training as appropriate

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.