



## Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 12

SDS No. : 598342  
V001.1

Revision: 06.08.2019  
printing date: 27.04.2020  
Replaces version from: -

**Bloo In Cistern Block - Blue**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Bloo In Cistern Block - Blue

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:  
total WC care

#### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd.  
Wood Lane End, Hemel Hempstead  
HP2 4RQ Hertfordshire  
Phone: +44 (0) 1442 278000

consumer.response@henkel.com

#### 1.4. Emergency telephone number

Henkel Hemel Hempstead: +44 1442 278000 / 0845 490 0176 (Monday to Friday from 9.00 to 17:00)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP):

Skin Irrit. 2  
H315 Causes skin irritation.  
Eye Dam. 1  
H318 Causes serious eye damage.  
Skin Sens. 1  
H317 May cause an allergic skin reaction.  
Aquatic Chronic 3  
H412 Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Label elements (CLP):

##### Hazard pictogram:



##### Signal word:

Danger

<b>Hazard statement:</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
<b>Precautionary statement:</b>	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with national regulation.
<b>Contains:</b>	sodium dodecylbenzenesulphonate, Terpineol with impurities, $\alpha$ -Sulfo- $\omega$ -(dodecyloxy)poly(oxy-1,2-ethanediyl)sodium salt

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### 3.2. Mixtures

#### Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
sodium dodecylbenzenesulphonate 25155-30-0	246-680-4		$\geq 20 - < 40$ %	Serious eye damage 1 H318 Skin irritation 2 H315 Acute toxicity 4 H302
Terpineol with impurities 8000-41-7	232-268-1		$\geq 1 - < 5$ %	Skin irritation 2 H315 Skin sensitizer 1 H317 Serious eye irritation 2 H319 Chronic hazards to the aquatic environment 2 H411
$\alpha$ -Sulfo- $\omega$ -(dodecyloxy)poly(oxy-1,2- ethanediyl)sodium salt 9004-82-4			$\geq 2,5 - < 5$ %	Serious eye damage 1 H318 Skin irritation 2 H315 Chronic hazards to the aquatic environment 3 H412

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of adverse health effects seek medical advice.

##### Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advice.

**Skin contact:**

Rinse with water. Take off all clothing contaminated by the product.

**Eye contact:**

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

**Ingestion:**

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

**4.2. Most important symptoms and effects, both acute and delayed**

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Moderate to strong irritation of the skin (redness, swelling, burning), severe burns also possible.

After eye contact: Corrosive, may cause permanent damage to eyes (impairment of vision).

After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting. Vomit may get into the lungs causing damage (aspiration).

**4.3. Indication of any immediate medical attention and special treatment needed**

After inhalation: No special action.

After skin contact: No special action.

After eye contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea).

After ingestion: In case of ingestion of larger or unknown quantities administer a defoamer (Dimeticon or Simeticon).

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions.

Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

**Extinguishing media which must not be used for safety reasons:**

None

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

**5.3. Advice for firefighters**

Use personal protective equipment and self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Avoid contact with skin and eyes.

If large amounts are released contact the fire service.

**6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**

Remove mechanically. Rinse away residue with plenty of water.

**6.4. Reference to other sections**

See advice in section 8

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

No special measures required if used properly.

**Hygiene measures:**

Protective equipment only required in case of industrial use or for large packs (not for household packs)  
Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

**7.2. Conditions for safe storage, including any incompatibilities**

Store dry at between +5 and +40°C.  
Consider national regulations.

**7.3. Specific end use(s)**

total WC care

**SECTION 8: Exposure controls/personal protection**

Only relevant for professional/industrial use

**8.1. Control parameters**

Valid for  
Great Britain

Contains no components with occupational exposure limit values.

**8.2. Exposure controls**

Respiratory protection:  
Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:

Wear tight fitting goggles.

Skin protection:

Protective clothing against chemicals. Observe manufacturer's instructions.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

The following data apply to the whole mixture.

a) Appearance	piece hard blue
b) Odor	pine-like
c) Odour threshold	No data available / Not applicable
d) pH	9,3 - 10,0
()	
e) Melting point	No data available / Not applicable
f) Initial boiling point and boiling range	No data available / Not applicable
g) Flash point	Not applicable
h) Evaporation rate	No data available / Not applicable

i) Flammability (solid , gas)	No data available / Not applicable
j) Upper / lower flammability or explosive limits	No data available / Not applicable
k) Vapour pressure	No data available / Not applicable
l) Vapor density	No data available / Not applicable
m) Relative density	No data available / Not applicable
n) Solubility (ies)	soluble in water
o) Partition coefficient: n-octanol/water	No data available / Not applicable
p) Auto-ignition temperature	No data available / Not applicable
q) Decomposition temperature	No data available / Not applicable
r) Viscosity	No data available / Not applicable
s) Explosive properties	No data available / Not applicable
t) Oxidising properties	No data available / Not applicable

**9.2. Other information**

Not applicable

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None if used for intended purpose.

**10.2. Chemical stability**

Stable under normal conditions of temperature and pressure.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

No decomposition if used according to specifications.

**10.5. Incompatible materials**

None if used properly.

**10.6. Hazardous decomposition products**

No decomposition if used according to specifications.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
sodium dodecylbenzenesulphonat e 25155-30-0	LD50	1.260 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Terpineol with impurities 8000-41-7	LD50	> 2.000 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)

**Acute dermal toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
sodium dodecylbenzenesulphonat e 25155-30-0	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)
Terpineol with impurities 8000-41-7	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)

**Acute inhalative toxicity:**

No data available.

**Skin corrosion/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
sodium dodecylbenzenesulphonat e 25155-30-0	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Terpineol with impurities 8000-41-7	irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious eye damage/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Terpineol with impurities 8000-41-7	irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
sodium dodecylbenzenesulphonat e 25155-30-0	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

**Germ cell mutagenicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
sodium dodecylbenzenesulphonat e 25155-30-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
sodium dodecylbenzenesulphonat e 25155-30-0	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Terpineol with impurities 8000-41-7	negative	bacterial reverse mutation assay (e.g Ames test)	no data		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Terpineol with impurities 8000-41-7	negative	in vitro mammalian chromosome aberration test	no data		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Terpineol with impurities 8000-41-7	negative	mammalian cell gene mutation assay	no data		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

**Carcinogenicity**

No data available.

**Reproductive toxicity:**

No data available.

**STOT-single exposure:**

No data available.

**STOT-repeated exposure::**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
sodium dodecylbenzenesulphonat e 25155-30-0	NOAEL 250 mg/kg	oral: feed	2 y daily	rat	not specified

**Aspiration hazard:**

No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
sodium dodecylbenzenesulphonate 25155-30-0	LC50	3,2 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
Terpineol with impurities 8000-41-7	LC50	> 62 - 80 mg/l	96 h	Danio rerio	OECD Guideline 203 (Fish, Acute Toxicity Test)
$\alpha$ -Sulfo- $\omega$ -(dodecyloxy)poly(oxy-1,2-ethanediyl)sodium salt 9004-82-4	LC50	7,9 mg/l	48 h	Leuciscus idus	DIN 38412-15

#### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
sodium dodecylbenzenesulphonate 25155-30-0	EC50	6,3 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Terpineol with impurities 8000-41-7	EC50	73 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

#### Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
sodium dodecylbenzenesulphonate 25155-30-0	NOEC	1,65 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)
$\alpha$ -Sulfo- $\omega$ -(dodecyloxy)poly(oxy-1,2-ethanediyl)sodium salt 9004-82-4	NOEC	0,72 mg/l	21 d	Daphnia magna	OECD Guideline 202 (Daphnia sp. Chronic Immobilisation Test)

#### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
sodium dodecylbenzenesulphonate 25155-30-0	EC50	48 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
sodium dodecylbenzenesulphonate 25155-30-0	NOEC	18 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Terpineol with impurities 8000-41-7	EC50	68 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Terpineol with impurities 8000-41-7	NOEC	3,9 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
$\alpha$ -Sulfo- $\omega$ - (dodecyloxy)poly(oxy-1,2- ethanediyl)sodium salt 9004-82-4	EC50	2,6 mg/l	96 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09

### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
sodium dodecylbenzenesulphonate 25155-30-0	EC50	> 500 - < 723 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

### 12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
sodium dodecylbenzenesulphonate 25155-30-0	readily biodegradable	aerobic	> 60 %	28 d	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
Terpineol with impurities 8000-41-7	readily biodegradable	aerobic	80 %	28 d	OECD Guideline 310 (Ready BiodegradabilityCO <sub>2</sub> in Sealed Vessels (Headspace Test)
$\alpha$ -Sulfo- $\omega$ - (dodecyloxy)poly(oxy-1,2- ethanediyl)sodium salt 9004-82-4	readily biodegradable	aerobic	77 - 79 %	28 d	EU Method C.4-E (Determination of the "Ready" BiodegradabilityClosed Bottle Test)

### 12.3. Bioaccumulative potential

Does not bioaccumulate.

Hazardous substances CAS-No.	Bioconcentratio n factor (BCF)	Exposure time	Temperature	Species	Method
sodium dodecylbenzenesulphonate 25155-30-0	130	3 d		Leuciscus idus melanotus	OECD Guideline 305 B (Bioaccumulation: Semi-static Fish Test)

### 12.4. Mobility in soil

Hazardous substances CAS-No.	LogPow	Temperature	Method
sodium dodecylbenzenesulphonate 25155-30-0	1,96	25 °C	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
Terpineol with impurities 8000-41-7	2,6	30 °C	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)

#### 12.5. Results of PBT and vPvB assessment

Hazardous substances CAS-No.	PBT / vPvB
Terpineol with impurities 8000-41-7	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

#### 12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

**SECTION 14: Transport information****14.1. UN number**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.2. UN proper shipping name**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.3. Transport hazard class(es)**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.4. Packing group**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.5. Environmental hazards**

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

**14.6. Special precautions for user**

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Declaration of ingredients according to Detergent Regulation 648/2004/EC**

> 30 %	anionic surfactants
< 5 %	polycarboxylates
Further ingredients	Perfumes

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):

1 - 16