





benefit

•High capacity span: less maintenance

- •One towel at-a-time: reduced consumption and increased hygiene
- •Decor embossing with Lotus flower: designed to make a great impression





article	system	Roll Length	Roll Width	Roll Diameter	Core Inner Diameter	Ply	Print	Embossing	Colour
471110	H13	145.2 m	24.7 cm	19.3 cm	4.5 cm	2	no	yes	White

description

The Tork Electronic system (H13) for hand towel rolls has a high capacity span that is ideal for busy washrooms found in places like schools and airports.





shipping data

consumer unit

EAN	7322540656671		
pieces	1		
height	247 mm		
width	193 mm		
length	193 mm		
volume	9.2 dm3		
net weight	1821 g		
gross weight	1845 g		

transport unit

EAN	7322540656688		
pieces	6		
consumer units	6		
material	Plastic		
height	247 mm		
width	390 mm		
length	585 mm		
volume	56.4 dm3		
net weight	10.93 kg		
gross weight	11.13 kg		

pallet

EAN	7322540695724		
pieces	150		
consumer units	150		
height	1396 mm		
width	1000 mm		
length	1200 mm		
volume	1.4 m3		
net weight	273.22 kg		
gross weight	278.28 kg		





environmental

Content Virgin Pulp **Recycled fibres** Chemicals Material In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used. Chemicals The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are: Wetstrength agent Dye = if coloured The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Food contact This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification

performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into





contact with foodstuffs for a short period of time. Environmental label = EU Ecolabel This product is approved for the EU Ecolabel.

Date of issue: 2011 Revision date: 2014-05-23 Production Material produced and converted at Cuijk mill, Netherlands, certified according to ISO 9001:2008, ISO 14001, OHSAS 18001 and BRC-IoP Destruction HAND TOWEL is mainly used for personal hygiene and can be collected together with household waste.

