



1. Identification of the substance/preparation and of the company/undertaking

Identification of the

preparation

C9352 Series

Use of the preparation Inkjet printing

Company identification Hewlett-Packard, Ltd.

Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Emergency telephone number

Poison Information Center 0207771 5307

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

1 344 36-0000

 (Toll-free within the US)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Date prepared
 24-Jan-2007

 SDS number
 149907

Component/substance	CAS number	% by weight	EU number	EU classification
Cyan ink				
Water	7732-18-5	> 60	231-791-2	
1,5-pentanediol	111-29-5	< 10	203-854-4	
Ethyl alkyldiol	Proprietary	< 7.5	Proprietary	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi; R36/38
Metal nitrate #2	Proprietary	< 7.5	Proprietary	F; R36/37/38, 8
Alkyldiol ethoxylate	Proprietary	< 2.5	Proprietary	Xn; R21/22, 38, 41
Substituted phthalocyanine salt #2	Proprietary	< 2.5	Proprietary	Xn, N; R22, 48/22, 51/53
Ammonium nitrate	6484-52-2	< 2.5	229-347-8	Xi, O; R36/37/38, 52, 8
 Magenta ink				
Water	7732-18-5	> 60	231-791-2	
1,5-pentanediol	111-29-5	< 10	203-854-4	
Ethyl alkyldiol	Proprietary	< 7.5	Proprietary	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi; R36/38
Metal nitrate #2	Proprietary	< 7.5	Proprietary	F; R36/37/38, 8
Alkyldiol ethoxylate	Proprietary	< 2.5	Proprietary	Xn; R21/22, 38, 41
Amino alkyldiol	Proprietary	< 2.5	Proprietary	
Ammonium nitrate	6484-52-2	< 2.5	229-347-8	Xi, O; R36/37/38, 52, 8
Yellow ink				
Water	7732-18-5	> 60	231-791-2	
1,5-pentanediol	111-29-5	< 10	203-854-4	
Ethyl alkyldiol	Proprietary	< 7.5	Proprietary	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi; R36/38
Metal nitrate #2	Proprietary	< 7.5	Proprietary	F; R36/37/38, 8
Alkyldiol ethoxylate	Proprietary	< 2.5	Proprietary	Xn; R21/22, 38, 41
Ammonium nitrate	6484-52-2	< 2.5	229-347-8	Xi, O; R36/37/38, 52, 8

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

3. Hazards Identification

Classification R52/53, S61

Emergency Overview Contact with skin and eyes may result in irritation.

Acute health effectsAny potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Amino alkyldiol

Contact with skin may result in irritation.

Ammonium nitrate

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Amino alkyldiol

Contact with eyes may result in irritation.

Ammonium nitrate

Contact with eyes may result in irritation.

Ethvl alkvldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Amino alkvldiol

Inhalation may result in respiratory irritation.

Ammonium nitrate

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation.

Material name C9352 SERIES Creation date 02-Jul-2003

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Ammonium nitrate

Contains nitrate salts, may cause methemoglobinemia.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Substituted phthalocyanine salt # 2

Harmful if swallowed.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Chronic health effects Cyan ink

Substituted phthalocyanine salt: Prolonged ingestion exposure may cause serious damage to

health.

CarcinogenicityNone of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This Cyan ink is classified for environmental effects according to EU Directive 1999/45/EC with

R52-53. The magenta and yellow inks are not classified according to EU Directive 1999/45/EC.

4. First aid measures

First aid procedures

Eye Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. Fire-fighting measures

Flash point and method > 200 °F; Pensky-Martens Closed Cup

Hazardous combustion

products

Refer to section 10.

Extinguishing media CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting procedures None established.

6. Accidental release measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Material nameC9352 SERIESSDS UKCreation date02-Jul-2003Version number63 / 6



Procedures if material is released or spilled.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure controls/personal protection

Exposure limit values Exposure limits have not been established for this product.

Personal protective equipment

Hygiene measures

General Use personal protective equipment to minimize exposure to skin and eye.

Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. Physical and chemical properties

pH 6.5 - 8.75

Vapour pressureNot determinedBoiling pointNot determinedSolubilitySoluble in water

Specific gravity 1 - 1.2

VOC content < 3 %

Flash point > 200 °F

Viscosity > 2 cp

Vapour density> 1 (Air = 1.0)Evaporation rateNot determinedFlammabilityNot determinedOxidising propertiesNot determined.

Colour Cyan, magenta, yellow

10. Stability and reactivity

Stability Stable under recommended storage conditions.

Hazardous polymerisation Will not occur.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Incompatibility Incompatible with strong bases and oxidizing agents.

11. Toxicological information

This ink formulation has not been tested for toxicological effects.

Refer to Section 3 for potential health effects and Section 4 for first aide measures.

Material nameC9352 SERIESSDS UKCreation date02-Jul-2003Version number64 / 6

12. Ecological information

Aquatic toxicity

Cyan ink

LC50/96h/fathead minnows =< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

Magenta ink

LC50/96h/fathead minnows =< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

Yellow ink

LC50/96h/fathead minnows =< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

13. Disposal considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

IATA

Proper shipping name Not applicable Hazard class Not applicable

Special precautions None.

Packaging exceptions None.

Identification number (UN) None.

Packing group N/A

15. Regulatory information

International regulationsAll chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

EU label This product does not require a label according to EU Directive 1999/45/EC.

Risk phrases R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases S61 Avoid release to the environment. Refer to special instructions/safety data

sheets.

16. Other information

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US



Ingredient risk phrase

definition(s)

R8 Contact with combustible material may cause fire.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

Irritating to skin. **R38**

R41 Risk of serious damage to eyes.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if

swallowed.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Harmful to aquatic organisms. R52

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by

2001/58/EC.

Issue date Jan 24 2007 9:11AM

Revision

Replaces sheet dated Feb 7 2006 12:10PM

Preparation and revision

information

15. Regulatory information: US federal regulations

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible exposure limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds