Owner's Manual

USB 3.1 Gen 1 USB-C[™] to USB-A Hub with Memory Card Reader

Models: U460-003-3AM, U460-003-3AMB

USB Type-C and USB-C are trademarks of USB Implementers Forum

Este manual esta disponible en español en la página de Tripp Lite: www.tripplite.com

Ce manuel est disponible en français sur le site Web de Tripp Lite : www.tripplite.com

Русскоязычная версия настоящего руководства представлена на веб-сайте компании Tripp Lite по адресу: www.tripplite.com

PROTECT YOUR INVESTMENT!

Register your product for quicker service and ultimate peace of mind. You could also win an ISOBAR6ULTRA surge protector—a \$100 value!

www.tripplite.com/warranty



1111 W. 35th Street, Chicago, IL 60609 USA www.tripplite.com/support

Copyright © 2017 Tripp Lite. All trademarks are the sole property of their respective owners.

Package Includes

- U460-003-3AM (White) or U460-003-3AMB (Black)
- Owner's Manual

Optional Accessories

- U322-Series USB 3.0 A/B Device Cables
- U326-Series USB 3.0 Micro-B Device Cables

Product Features

- Portable design with built-in cable is perfect for travel and stores easily into a laptop bag
- USB-A Hub ports support data transfer rates up to 5 Gbps and are compatible with previous USB generations
- Micro SD and SD/MMC memory card slots allow external memory access via the USB-C port
- Plug-and-Play No software or drivers required

Installation

- 1. Connect the unit's USB Type-C connector to the USB-C port on your laptop, tablet or personal electronic device.
- 2. Connect up to three USB devices to the unit's USB-A Hub ports.
- Insert a Micro SD or SD/MMC card into the corresponding memory card slot to access external memory.

Note: Only one memory card slot can be used at a time.

Specifications

Input Connectors	
USB	USB-C (Male)
Output Connectors	
USB-A	USB A (Female) x3
Memory Card Slots	Micro SD x1, SD/MMC x1
Environmental	
Operating Temperature	32 to 113°F (0 to 45°C)
Operating Humidity	10% to 85% RH, Non-Condensing
Storage Temperature	14 to 158°F (-10 to 70°C)
Storage Humidity	5% to 90% RH, Non-Condensing

Warranty and Product Registration

3-YEAR LIMITED WARRANTY

TIPP UTE warrants its products to be free from defects in materials and workmanship for a period of three (3) years from the due of Initial purchase. TIPP UTE's obligation under this warranty you must or replacing (at its sole option) any such defective products. To obtain service under this warranty, you must obtain a Returned Metarial Authoratizon (RMA) number from TIPP UTE or an authorized TIPP UTE service center. Products must be returned to TRIPP UTE or an authorized TRIPP UTE service center with transportation charges pregatal and must be accompanied by a bird description of the problem encountered and proof of date and place of purchase. This warranty does not apply to equipment, which has been damaged by acodet, TRIPP UTE MAKES NO WARRANTIES, DEPRESS OR MINELD, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A BATRICLULAR PURCHSE.

Some states do not permit limitation or exclusion of implied warranties; therefore, the adversaid limitation(s) or exclusion(s) may not pady to the purchase. DCEPT A SPONDED ADOVE, IN NO EVENT VILL ITAPP LITE BE LIABLE FOR DIRECT, NOIRECT, SPECAL, INCIDENTLA, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS FROUCT, EVENT A 20VED OF THE POSSIBILITY OF SUCH DAMAGES, Specifically, TIPP LITE is not liable for any costs, such as iost profiles or revenue, loss of equipment, loss of use of equipment, loss of software, loss of data, costs disturbatic, calma by thit gamber, or otherwise.

PRODUCT REGISTRATION

Visit www.tripplite.com/warranty today to register your new Tripp Lite product. You'll be automatically entered into a drawing for a chance to win a FREE Tripp Lite product!*

* No purchase necessary. Void where prohibited. Some restrictions apply. See website for details.

FCC Notice, Class B

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Case B digital device, pursuant to part 15 of the FCO Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy, and, if not installed call used in accordance with the instructions, may cause harmful interference to radio communicators. However, there is no gaarantee that interference will not occur in a particular installation. The tile equipment does cause harmful interference to radio or tetrision reception, which can be determined by turning the equipment of and on, the user is encouraged to try to conect the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- · Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications to this equipment not expressly approved by Tripp Lite could void the user's authority to operate this equipment.

Use of this equipment in life support applications where failure of this equipment can reasonably be expected to cause the failure of the life support equipment or to significantly affect its safety or effectiveness is not recommended.

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.



1111 W. 35th Street, Chicago, IL 60609 USA www.tripplite.com/support

17-10-343 93-3564_RevC