MATERIAL SAFETY DATA SHEET

PRODUCT NAME:

BCI-15BK

DESCRIPTION:

Ink Tank

USED WITH MACHINE(S): Bubble Jet Printer i70

MANUFACTURER:

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-Ku

Tokyo 146, Japan Phone: 03-3758-2111

DISTRIBUTOR:

Canon UK Limited

Woodhatch

Reigate Surrey

Phone: 01737 220000

DATE PREPARED:

14/11/02

DATE REVISED:

UK MSDS REF:

MSDS3218

MATERIAL SAFETY DATA SHEET

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-15 Black

8190A **Product Code:**

Company Name: Canon Inc.

Address:

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

SECTION 2	COMPOSI	TION/II	NFORMATIO	ON ON INGRE	DIENTS		
< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m³	Not established	Not established
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m³
Ammonium benzoate	1863-63-4 / 217-468-9	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Triol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	65 - 85	None / None	Not established	Not established	Not established	Not established
				5		8	

Date of Issue:

November 14, 2002

Revised:



MATERIAL SAFETY DATA SHEET

< Carcinogen > Chemical Name CAS# Reference None **SECTION 3** HAZARDS IDENTIFICATION **EU** Classification: Not classified as dangerous. **Emergency Overview:** Ink tank containing black liquid ink with slight odor. Potential Health Effects and Symptoms: Inhalation: No adverse effects are expected under intended use. Glycerin mist may cause physical irritation and difficulty breathing. Over exposure to diethylene glycol may cause headache, nausea, dizziness, vomiting, drowsiness and cough. Ingestion of glycerin and/or diethylene glycol may cause headache, nausea, dizziness, vomiting, drowsiness, abdominal pain, dullness and diarrhea. Eye: May cause minimal irritation based on the animal test data of similar composition ink. (See SECTION 11) Skin: May be no irritation and no sensitization based on the animal test data of similar composition ink. (See SECTION 11) **Chronic Effects:** Not identified Medical Conditions Generally known to be Aggravated by Exposure: Not identified **SECTION 4** FIRST AID MEASURES First Aid Measures: Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. Ingestion: Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Immediately flush with water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Note to Physicians:

None

Date of Issue: November 14, 2002

Revised:

MATERIAL SAFETY DATA SHEET

SECTION 5 FIRE F	IGHTING MEASURES	
Fire Fighting Measures:		
Extinguishing Media:		
CO ₂ , water, foam or d		
Unsuitable Extinguishin None	ng Media:	
Special Fire Fighting Pa None	rocedures:	
Unusual Fire and Explo	osion Hazards:	
Fire and Explosive Propert	ies (See also Section 9):	
Hazardous Combustion	Products:	
CO, CO ₂ and NOx		
Other Properties:		
None		
SECTION 6 ACCIDI	ENTAL RELEASE MEASURES	
Personal Precautions:		
Avoid contact with skin, e	eyes and clothing.	
Environmental Precautions		
	surface water or ground water.	
Method for Cleaning Up:		
Wipe off with wet cloth o	r paper.	
SECTION 7 HANDL	ING AND STORAGE	
Handling:		
Use with adequate ventila	tion.	
Avoid contact with skin, e		
When contact, wash out in	nmediately.	
Storage:		
Keep in a cool and dry pla Protect from sunlight.	ice.	
Keep out of the reach of c	hildren.	
Specific Uses:		
Ink for Ink Jet Printer.		
For more information, ple	ase refer to the instruction of this product.	
	URE CONTROLS / PERSONAL PROTECTION	
Exposure Guidelines:	1 (41 C + OFOTIONO)	
	k. (Also refer to SECTION 2)	
Engineering Controls: Use adequate ventilation.		
Personal Protection Equipm	non4/ale	
Respiratory Protection:		
respiratory restorion.	■ Not Required	
Eye/Face Protection:	☐ Required ☑ Not Required	
Skin Protection:	Required	
	Not Required	

Date of Issue:

November 14, 2002

Revised:

The state of the s			
SECTION 9 PHYSICAL AND CI	HEMICAL PROPERTIES		
Appearance:	Black liquid		
Odor:	Slight odor		
pH:	7.7 - 8.3		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature(°C):	Not available		
Flash Point(°C):	Estimate : None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature(°C):	Not available		
Flammability:	Neither flammable nor combustible.		
Explosive Properties:	None		
Oxidizing Properties:	None		
Vapor Pressure:	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.04 - 1.10		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water)	: Not available		
Percent Volatile (%):	65 - 85		
Evaporation Rate:	Not available		
Viscosity (mPa s):	1.68 - 2.28		
SECTION 10 STABILITY AND R	EACTIVITY		
Stability:	⊠ Stable		
	Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products:	CO, CO ₂ , NOx and Ammonia		
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		



SECTION 11 TOXICOLOGICAL INFORMATION
Acute Toxicity:
Inhalation:
Not available
Ingestion:
Not available
Eye:
[Data of similar composition ink]
Minimal irritant (rabbit)
OECD Guidelines No.405 (1987)
92/69/EEC Method B5
Skin:
[Data of similar composition ink]
Non irritant (rabbit)
OECD Guidelines No.404 (1992)
92/69/EEC Method B4
Sensitization:
[Data of similar composition ink]
Non sensitizer (guinea pig)
OECD Guidelines No.406 (1992)
96/54/EC Method B6
Mutagenicity:
Ames test: Negative (test strains: S.typhimurium & E.Coli)
Reproductive Toxicity:
Not available
Carcinogenicity:
No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP,
OSHA regulations or Annex I to Directive 67/548/EEC.
Others:
Not available

SECTION 12	ECOLOGICAL INFORMATION		
Mobility:	Not available		
Persistence / Degradability:	Not available		
Bioaccumulation:	Not available		
Ecotoxicity:	Not available		
Other Adverse Eff	ects: Not available		
SECTION 13	DISPOSAL CONSIDERATION		
Method of Disposa Disposal may be	l: subject to federal, state and local laws.		
SECTION 14	TRANSPORT INFORMATION		
UN #:	None		
UN Shipping Name	e: None		
UN Classification:	None		
UN Packing Group	: None		
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No		
Special Precaution	None		
< EU Information > Information on the			
R-Phrase: Not required			
S-Phrase: Not required			
Dangerous Con None	nponent(s):		
Special Precaute Not required	tions under 1999/45/EC Annex V:		
Specific Provision	s in Relation to Protection of Man or the Environment:		
76/769/EEC:	Not regulated		
(EC)2037/2000	: Not regulated		
(EEC)2455/92:	Not regulated		
Others:	None		

< USA Information >			
Information on the Label under I	FHSA:		
Signal Word: Not required	Not required		
Hazard warning: Not required			
Safety Advice: Not required			
Hazardous Component(s): None			
SARA Title III §313:			
Chemical Name		Weight %	
None		_	
California Proposition 65:			
Chemical Name		Weight %	
None		_	
< Canada Information > WHMIS Controlled Product:	Not applicable (Manufactured article)		
< Australia Information >			
Statement of Hazardous Nature:	Not classified as hazardous according to criteria of I	NOHSC.	
SECTION 16 OTHER INFOR	RMATION		
<r list="" phrase=""> R22 : Harmful if swallowed. R36 : Irritating to eyes.</r>			



MATERIAL SAFETY DATA SHEET

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. DEG MAX: MAX (Maximula Arbeitsplattengraphisticsen) under Dutten Forsehunger president.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue:	November 14, 2002	Revised: