





Connect the reversible USB-C plug to your source device's USB-C or Thunderbolt 3 port. The fumble-free USB-C plug connects in either direction to ensure fast, easy connection every time.

#### Ready to Use Right Out of the Package

The plug-and-play USB Type-C dock requires no software, drivers or external power. The compact unit fits easily into a pocket, briefcase or laptop bag for connecting on the go. It automatically resumes operation from hibernation and suspend modes.

#### 3-Year Warranty and Environmentally Responsible Design

The U442-DOCK10-S comes with a 3-year warranty. It's manufactured in compliance with strict RoHS specifications, reflecting Tripp Lite's commitment to environmental responsibility.

HDMI input

- Not for use with Thunderbolt monitors  
\*Requires adapter (sold separately)

#### Package Includes

- U442-DOCK10-S USB-C Docking Station, 4K, HDMI, Thunderbolt 3, PD, MicroSD – 30 Hz, Silver
- Owner's manual

## Specifications

OVERVIEW	
UPC Code	037332213365
Technology	HDMI (All types); USB (all versions); USB 3.0 (SuperSpeed); USB 3.1 (Gen 1)
INPUT	
Bus Powered	Yes
Product Length (ft.)	1
PHYSICAL	
Shipping Dimensions (hwd / in.)	0.800 x 5.700 x 3.200
Shipping Weight (lbs.)	0.2000
Unit Packaging Type	Box
Unit Dimensions (hwd / in.)	0.51 x 4.5 x 1.3
Unit Weight (lbs.)	0.15
Unit Weight (kg)	0.07
Material of Construction	Aluminium
Color	Silver; White
Cable Jacket Rating	VW-1
ENVIRONMENTAL	
Operating Temperature Range	32 to 131 F (0 to 55 C)
Storage Temperature Range	14 to 158 F (-10 to 70 C)



Relative Humidity	5% to 95% RH, Non-Condensing
BTUs	6.1 BTU/Hr
Power Consumption (Watts)	1.8
Power Provided to Connected Device(s)	5V 0.9A (4.5W) Output (USB A), Up to 20V 3A (60W) Input (USB C)
<b>CONNECTIONS</b>	
Ports	5
Side A - Connector 1	USB C (MALE)
Side B - Connector 1	HDMI (FEMALE); MICRO SD (FEMALE); USB 3.0 A (FEMALE); USB C (FEMALE)
Connector Plating	Nickel
<b>FEATURES &amp; SPECIFICATIONS</b>	
Max Supported Video Resolution	4K x 2K (3840 x 2160) @30Hz
HDMI Specification	2.0
HDCP Specification	2.2
USB Specification	USB 3.1 Gen 1 (up to 5 Gbps)
Driver Required	No
USB Power Delivery (PD) Charging Support	Yes
Full Duplex Support	Yes
Suspend Mode Support	Yes
Remote Wakeup Support	Yes
<b>CERTIFICATIONS</b>	
Certifications	Tested to CE, FCC, RoHS, REACH

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>