

Technical Data Sheet

General

Article number: 533000x

Description: Industrial Nitrile Gloves



Specification:

Recommended when you are in continuous contact with solvents. Resistant to most chemicals. Excellent grip and molded to the contours of the hand. Highly comfortable and suitable for multiple use.

Cleaning



For cleaning with various chemicals, Colad advises to use their Industrial Nitrile or Neoprene gloves. These Gloves are fitted with a soft, anti-allergic liner that prevents allergies and strengthens the gloves. Both Colad gloves are tested according to EN 374-1-:2016 (type A chemical resistance), EN 374-4:2013 (degradation) and EN 374-5:2016 (bacteria and fungi) which means they are leak-proof, protect against mechanical risks and chemical dipping (full contact).

Certificates:

Personal Protective Equipment (PPE) CAT III according to European directive 2016/425/EU. PPE of complex design protects against risks that cause irreversible damage to health.




Notified body number: 0123


EU Type Examination Test Results:

Tested in accordance with


EN ISO 374-5:
2016



<p>Tested in accordance with</p> <p>EN ISO 374-1: 2016 Type A</p>  <p>AJKLMNOPSTF</p>	<p>Methanol (A) - Level 2 n-heptane (J) - Level 6 40% Sodium Hydroxide (K) - Level 6 96% Sulphuric Acid (L) - Level 3 65% Nitric Acid (M) - Level 2 99% Acetic Acid (N) - Level 3 25% Ammonium Hydroxide (O) - Level 6 30% Hydrogen Peroxide (P) - Level 6 40% Hydrofluoric Acid (S) - Level 4 37% Formaldehyde (T) - Level 6 Toluene (F) - Level 1</p>					
	<table border="1"> <tr> <td>Level 1: > 10 minutes</td> <td>Level 4: > 120 minutes</td> </tr> <tr> <td>Level 2: > 30 minutes</td> <td>Level 5: > 240 minutes</td> </tr> <tr> <td>Level 3: > 60 minutes</td> <td>Level 6: > 480 minutes</td> </tr> </table>	Level 1: > 10 minutes	Level 4: > 120 minutes	Level 2: > 30 minutes	Level 5: > 240 minutes	Level 3: > 60 minutes
Level 1: > 10 minutes	Level 4: > 120 minutes					
Level 2: > 30 minutes	Level 5: > 240 minutes					
Level 3: > 60 minutes	Level 6: > 480 minutes					

<p>EN388:2016</p>  <p>4101X</p>	<p>Abrasion resistance: Level 4 Blade cut resistance: Level 1 Tear resistance: Level 0 Puncture resistance: Level 1</p>
--	---

Sizing Chart		
Measurement	Glove Size	Article number
9	Large	Art. no. 5330000
10	Extra Large	Art. no. 5330002



Technical Specification:

Colour	Green
Packing	One pair in a plastic bag with size indication
Packaging Unit	12 pairs in a transport carton box
Material	Nitrile
Length	330 mm
Weight	90 g per pair
Design	Non-slip fingers
Available sizes	5330000 – Size L 5330002 – Size XL

Remarks

Characteristics: Protect against solvents, acids, oil, grease and lubricants.
Very good protection/flexibility ratio. These nitrile gloves are molded to the contours of the hand with bended fingers, the preformed palm and the non-skid profile.
Before use, check glove for any damage. Do not use a damaged glove.
If any allergic reaction should occur, please consult medical attention.

Approved by:

SATRA Technology Europe Ltd
Wyndham Way
Welford Way, Kettering
Northamptonshire, NN16 8SD United Kingdom

Related products of Colad

Article number: 5000 – Description: Respirator A1P2
Article number: 5200xx – Description: BodyGuard® Comfort Overall

Disclaimer

Technical Data Sheet & Material Safety Data Sheet; it is the responsibility of the user to read understands and apply the information of the TDS. The information about work and environmental safety is available on the material safety data sheet (MSDS) via www.colad.co. It is the responsibility of the user to read and apply the information.

Products are for professional use. Necessary protective equipment and clothing should be worn. The repairs should always be done in accordance with the OEM rules and specifications. All information is for the user's consideration, investigation and verification. The specific use applications and conditions of use are beyond the control of EMM International BV. It is the responsibility of the user to determine the suitability of any of the products mentioned for the user's specific application.

Created by:

EMM International BV
Bohemenstraat 19, 8028 SB Zwolle, The Netherlands
www.emm.com



T +31(0)38 467 66 00
www.colad.co