





# Technical Data Sheet


<p><b>General</b></p> <p>Article number: 53090x Description: Disposable Nitrile Gloves Blue</p>	
<p><b>Specification:</b> A very high quality, powder free and solvent resistant nitrile glove that is stronger, thicker and more durable than conventional nitrile gloves. Prevent hairs, skin fibers and skin grease from coming into contact with the paint and protect the user against chemical splashes.</p> <p><b>Features and benefits:</b></p> <ul style="list-style-type: none"> <li>- Thickness 4.5 mil (0.115 mm)</li> <li>- Long sleeve (length 245 mm)</li> <li>- Textured finger tips for better grip</li> <li>- Especially suitable for working with paints and solvents</li> </ul> <p><b>Remarks:</b></p> <ul style="list-style-type: none"> <li>- <b>Natural latex free</b> The gloves are natural latex-free. Absolutely safe to wear for people with a latex allergy.</li> <li>- <b>Silicone free</b> The gloves are silicon free. This prevents contamination of the pant.</li> <li>- <b>Powder free</b> The gloves are washed 3 times during production. This makes them 100% powder free to prevent paint contamination.</li> <li>- <b>Single use</b> The gloves are designed to be disposed after use. This prevents contamination and guarantees clean working.</li> </ul> <div style="text-align: center;">  </div> <p><b>Certificates:</b> Personal Protective Equipment (PPE): CAT III according to European regulation 2016/425/EU. PPE of complex design protects against risks that cause irreversible damage to health.</p> <p><b>CE</b>      Notified body number: 2777</p>	

**EU Type Examination Test Results :**

Tested in accordance with	Performance level	AQL	Inspection Levels
<b>EN ISO 374-5: 2016</b>  <b>VIRUS</b> Specified: Level 2 (AQL<1.5) acc. to producer	Level 3	< 0.65	G1
	Level 2	< 1.5	G1
	Level 1	< 4.0	S4

<b>Tested in accordance with</b> <b>EN ISO 374-1: 2016 Type B</b>  <b>JKPT</b>	n-heptane (J) - Level 2 Degradation: 52.7% 40% Sodium Hydroxide (K) - Level 6 Degradation: 5.8% 30% Hydrogen Peroxide (P) - Level 2 Degradation: 29.8% 37% Formaldehyde (T) – Level 4 Degradation : 22.5%					
	<table border="0"> <tr> <td>Level 1: &gt; 10 minutes</td> <td>Level 4: &gt; 120 minutes</td> </tr> <tr> <td>Level 2: &gt; 30 minutes</td> <td>Level 5: &gt; 240 minutes</td> </tr> <tr> <td>Level 3: &gt; 60 minutes</td> <td>Level 6: &gt; 480 minutes</td> </tr> </table>	Level 1: > 10 minutes	Level 4: > 120 minutes	Level 2: > 30 minutes	Level 5: > 240 minutes	Level 3: > 60 minutes
Level 1: > 10 minutes	Level 4: > 120 minutes					
Level 2: > 30 minutes	Level 5: > 240 minutes					
Level 3: > 60 minutes	Level 6: > 480 minutes					

Sizing Chart		
Measurement	Glove Size	Article number
8	Medium	Art. no. 530904
9	Large	Art. no. 530900
10	Extra Large	Art. no. 530902



**Single use only**  
 Made in Thailand

**Technical Specification:**

Colour	Blue
Packing	Dispenser box of 100 pieces
Packaging Unit	Box of 10 dispenser boxes
Material	Nitrile
Thickness	4.5 mil (0.115 mm)
Length	245
Available sizes	530904 – Size M 530900 – Size L 530902 – Size XL

**Approved by:**

**SATRA Technology Europe Ltd**  
 Bracetown Business Park  
 Clonee, D15 YN2P Ireland

**Related products of Colad**

Article number: 5000 – Description: Respirator A1P2  
 Article number: 5200xx – Description: BodyGuard® Comfort Overall

**Disclaimer**

Technical Data Sheet & Material Safety Data Sheet; it is the responsibility of the user to read understands and apply the information of the TDS. The information about work and environmental safety is available on the material safety data sheet (MSDS) via [www.colad.co](http://www.colad.co). It is the responsibility of the user to read and apply the information.

Products are for professional use. Necessary protective equipment and clothing should be worn. The repairs should always be done in accordance with the OEM rules and specifications. All information is for the user's consideration, investigation and verification. The specific use applications and conditions of use are beyond the control of EMM International BV. It is the responsibility of the user to determine the suitability of any of the products mentioned for the user's specific application.

**Created by:**

EMM International BV  
Bohemienstraat 19, 8028 SB Zwolle, The Netherlands  
[www.emm.com](http://www.emm.com)



T +31(0)38 467 66 00  
[www.colad.co](http://www.colad.co)