

Digital Locks







AS2300-AS2304 AS2300 Series

Optional Holdback



FEATURES



Optional holdback



1000+ combinations



Reversible handing



SPECIFICATION

Finish: Satin Chrome/Polished Brass


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 14 buttons - 13 coded & 1 clear

Door type: Suitable for internal and external use
Fixings: 105mm Spindle and fixing kit supplied for
door thickness of 35mm to 60mm

Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed

CODE FINISH PACKAGING AS2300 SC BOXED AS2301 PB BOXED AS2303 SC VISI AS2304 PB VISI



AS3301 AS3300 Series

Easy Code Change / Optional Holdback




FEATURES



88 Quick and easy code change

Change the code without removing the unit from the door











SPECIFICATION

Finish: Satin Chrome


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 14 buttons - 12 coded, 1 clear & 1 code change

Fixings: 2 flat bladed spindles (80 & 100mm) and fixing kit supplied for thickness up to 54mm

Door type: Suitable for internal and external use

Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed



AS3302 AS3300 Series

Easy Code Change / Optional Holdback




FEATURES




88 Quick and easy code change

Change the code without removing the unit from the door













SPECIFICATION

Finish: Stainless Steel PVD


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 14 buttons - 12 coded, 1 clear & 1 code change

Fixings: 2 flat bladed spindles (80 & 100mm) and fixing kit supplied for door thickness up to 54mm

Door type: Suitable for internal and external use

Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed



AS3303 AS3300 Series

Easy Code Change / Optional Holdback / Key Override



FEATURES



88 Quick and easy code change

Change the code without removing the unit from the door



Optional holdback



Option to disable on-door code change



Key override



4000+ combinations



Reversible handing





SPECIFICATION

Finish: Satin Chrome

Construction: Cast housing & knob with Stainless Steel buttons


Buttons: 14 buttons - 12 coded, 1 clear & 1 code change


Fixings: 1 flat bladed sprung spindles (120mm) and fixing kit supplied for door thickness up to 54mm


Door type: Suitable for internal and external use


Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed

Cylinder: 6 pin removable cylinder with 3 keys









AS4301 AS4300 Series Clutched Handle



FEATURES



© Clutched handle

Protects against force -Clutch disengages latch



2000+ combinations



Reversible handing



SPECIFICATION

Finish: Satin Stainless


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage (non-functional)

Fixings: 8mm bladed spindle, fixing kit supplied for doors up to 60mm thickness

Door type: Suitable for internal and external use

Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed



AS4302 AS4300 Series

Clutched Handle / Free Passage Mode



FEATURES



© Clutched handle

Protects against force -Clutch disengages latch



Free passage mode



2000+ combinations



Reversible handing



SPECIFICATION

Finish: Satin Stainless


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage

Fixings: 8mm bladed spindle, fixing kit supplied for doors up to 60mm thickness

Door type: Suitable for internal and external use

Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed



AS4303 AS4300 Series

Easy Code Change / Free Turning Handle /

Free Passage Mode



FEATURES



88 Quick and easy code change

Change the code without removing the unit from the door



Free turning handle

Protects against force -Handle engages with code



Free passage mode



1000+ combinations



Reversible handing



SPECIFICATION

Finish: Satin Stainless

Construction: Cast housing & knob with Stainless Steel buttons


Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage


Fixings: 8mm bladed spindle, fixing kit supplied for doors up to 60mm thickness


Door type: Suitable for internal and external use


Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed

PRODUCT DIMENSIONS









58mm

AS4304 AS4300 Series

Clutched Handle / No Latch Supplied



FEATURES



Clutched handle

Protects against force -Clutch disengages latch



2000+ combinations



Reversible handing



SPECIFICATION


Finish: Satin Stainless

Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage (non-functional)

Fixings: 8mm bladed spindle, fixing kit supplied for doors up to 60mm thickness

Door type: Suitable for internal and external use





AS4305 AS4300 Series

Clutched Handle / Free Passage Mode / No Latch Supplied



FEATURES



© Clutched handle

Protects against force -Clutch disengages latch



Free passage mode



2000+ combinations



Reversible handing





SPECIFICATION

Finish: Satin Stainless


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage

Fixings: 8mm bladed spindle, fixing kit supplied for doors up to 60mm thickness

Door type: Suitable for internal and external use

PRODUCT DIMENSIONS



For more details on this or any products in the Asec range please visit our website www.asec.co.uk or email us at info@asec.co.uk

AS4306 AS4300 Series

Easy Code Change / Free Turning Handle / Free Passage Mode / No Latch Supplied



FEATURES



88 Quick and easy code change

Change the code without removing the unit from the door



Free turning handle

Protects against force -Handle engages with code



Free passage mode



1000+ combinations



Reversible handing



SPECIFICATION


Finish: Satin Stainless


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage

Fixings: 8mm bladed spindle, fixing kit supplied for doors up to 60mm thickness

Door type: Suitable for internal and external use







AS4307 AS4300 Series

External Handle Only / Clutched Handle /

No Latch Supplied



FEATURES



Clutched handle

Protects against force -Clutch disengages latch



Ideal for use with panic hardware



2000+ combinations



Reversible handing



SPECIFICATION

Finish: Satin Stainless


Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage (non-functional)

Fixings: 8mm exit spindle, fixing kit supplied Door type: Suitable for internal and external use

Usage: Designed for use in conjunction with Asec Panic Hardware or any third party panic hardware (see table to the right)

PRODUCT DIMENSIONS



ASEC PUSH PAD

| CODE | HANDED |
|--------|------------|
| AS3105 | Left Hand |
| AS3106 | Right Hand |

ASEC PANIC LATCH

| CODE | HANDED |
|--------|------------|
| AS3101 | Left Hand |
| AS3102 | Right Hand |

AS4308 AS4300 Series

External Handle Only / Easy Code Change / Free Turning Handle / Free Passage Mode /

No Latch Supplied

FEATURES



SS Quick and easy code change

Change the code without removing the unit from the door



Free turning handle

Protects against force -Handle engages with code



Ideaal for use with panic hardware



Free passage mode



1000+ combinations



Reversible handing



SPECIFICATION

Finish: Satin Stainless

Construction: Cast housing & knob with Stainless Steel buttons

Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage

Fixings: 8mm exit spindle, fixing kit supplied Door type: Suitable for internal and external use

Usage: Designed for use in conjunction with Asec Panic Hardware


or any third party panic hardware (see table to the right)


ASEC PUSH PAD

| CODE | HANDED |
|--------|------------|
| AS3105 | Left Hand |
| AS3106 | Right Hand |

ASEC PANIC LATCH

| CODE | HANDED |
|--------|------------|
| AS3101 | Left Hand |
| AS3102 | Right Hand |





AS4309 AS4300 Series

Easy Code Change / Free Turning Handle /





FEATURES



88 Quick and easy code change

Change the code without removing the unit from the door



Free turning handle

Protects against force -Handle engages with code



Free passage mode



Key override



1000+ combinations



Reversible handing



SPECIFICATION

Finish: Satin Stainless

Construction: Cast housing & knob with Stainless Steel buttons


Buttons: 12 buttons - 10 Coded, 1 clear & 1 Free passage

Fixings: 8mm bladed spindle and M4 Stainless Steel screws to suit doors up to 60mm thickness

Door type: Suitable for internal and external use

Deadlatch: Anti-thrust pin ensures automatic locking when the door is closed

Cylinder: 6 pin removable cylinder with 3 keys



Compare the range...



| | | | | 300 RIES | | AS3300 SERIES | | | AS4300 SERIES | | | | | | | | |
|---------------|--|--------|--------|-------------|--------|------------------|--------|--------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | AS2300 | AS2301 | AS2303 | AS2304 | AS3301 | AS3302 | AS3303 | AS4301 | AS4302 | AS4303 | AS4304 | AS4305 | AS4306 | AS4307 | AS4308 | AS4309 |
| 0 | Finish | SC | PB | SC | PB | SC | SS PVD | SC | SS | SS | SS | SS | SS | SS | SS | SS | SS |
| 000 | Quick and easy code change | | | | | • | • | • | | | • | | | • | | • | • |
| J. | Free turning handle | | | | | | | | | | • | | | • | | • | • |
| (5) | Clutched keypad handle | | | | | | | | • | • | | • | • | | • | | |
| \rightarrow | Optional holdback | • | • | • | • | • | • | • | | | | | | | | | |
| \rightarrow | Free passage mode | | | | | | | | • | • | • | | • | • | | • | • |
| | External code change plug | | | | | • | • | • | | | • | | | • | | • | • |
| | Key override | | | | | | | • | | | | | | | | | • |
| ₹ | Designed for use with Panic Hardware | | | | | | | | | | | | | | • | • | |
| | Combinations | +0001 | +0001 | +0001 | +0001 | 4000+ | 4000+ | 4000+ | 2000+ | 2000+ | +0001 | 2000+ | 2000+ | +0001 | 2000+ | +0001 | +0001 |
| | Cycle tested | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ | 100k+ |
| \bigcirc | Guarantee | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year | 5 year |





This is Asec.



www.asec.co.uk