

# Allied AT-GS950/16PS switch 8 ports gigabit poe+ & 2 sfp



## DESCRIPTION

The Allied Telesis AT-x310-50FT features 48 Fast Ethernet ports with 2 Gigabit uplinks and 2 stacking ports. With the ability to stack up to four units, the AT-X310-50FT provides cost-effective port density, along with a fully featured operating system, ideal for the edge of Enterprise networks.

## TECHNICAL CHARACTERISTICS

Brand : ALLIED TELESIS

Part number : AT-X310-50FT-50

### Main features :

Network standard : Gigabit

ODI Model Layer : Layer 3

Management : WEB+SNMP+RMON+CLI

Operating environment : Professional

Industrial : No

Rackmount : Yes

PoE function : No

Power supply : Embedded power supply

Outband console port : Yes

Temperature supported in operation : 0 to 50°C

Mounting system : 19» kit included

### Connectors :

Total number of ports : 56

Number of RJ-45 ports : 50

Number of fiber ports : 4

Number of BNC Ethernet ports : 0

### RJ-45 patch cords :

Number of 10/100 ports : 48

Number of 10G ports : 0

Number of Gigabit ports : 2

### Fiber optics :

Number of 100FX ports : 0

Number of SFP Gigabit ports : 0

Number of SFP+ ports : 2

Number of SFP 1G/100 ports : 2

Number of SFP 100FX ports : 0

**PoE data :**

PoE standard : -

PoE budget (Watts) : 0

Number of 15-Watt PoE ports : 0

Number of 30-Watt PoE+ ports : 0

Number of 60-W PoE++ ports : 0

**Dimensions :**

Length (mm) : 440

Width (mm) : 310

Height (mm) : 44