

Eaton 93PS, 10kW frame, 8kW, sans batteries, avec MBS



DESCRIPTION

Lowest total cost of ownership and maximum availability taking scalability, resiliency, safety, and efficiency to the next level.

The most advanced UPSs in their power range, the Eaton 91PS and 93PS are ideal for small data centers and other mission - critical applications where efficiency, reliability, safety and scalability are essential.

TECHNICAL CHARACTERISTICS

Brand : EATON

Part number : 91PS8MBS

Design :

Certification : IEC 62040-1 IEC 62040-2 IEC 62040-3

Depth : 750 mm

Efficiency : 96%

Form factor : Tower

Height : 950 mm

Input current Total Harmonic Distortion (THD) : 5%

Input frequency : 50/60 Hz

Input operation voltage (max) : 415 V

Input operation voltage (min) : 220 V

Input power factor : 0.99

International Protection (IP) code : IP20

LED indicators : Y

Noise level : 54 dB

Number of input phases : 1/3

Operating altitude : 0 - 2000 m

Output operation voltage (max) : 240 V

Output operation voltage (min) : 220 V

Output power : 8000 W

Output power capacity : 8 kVA

Output power factor : 1

Output voltage Total Harmonic Distortion (THD) : 1.5%

Power factor : 1

Product colour : Black

Serial interface : Y

Serial interface type : RS-232

Serial ports quantity : 1

Sustainability certificates : RoHS, WEEE

Sustainability compliance : Y

UPS topology : Double-conversion (Online)

USB port : Y

Weight : 67 kg

Width : 335 mm