


Iiyama- Signage screen LH5060UHS-B1AG



DESCRIPTION

TECHNICAL CHARACTERISTICS

Brand : Iiyama
Part number : LH5060UHS-B1AG
Connectivité :
RS-232C : Yes
Représentation / réalisation :
HDCP : Yes
Certificat :
Certification : CB, CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH, UKCA
AC input frequency : 50/60 Hz
AC input voltage : 100 - 240 V
Active display area (W x H) : 1095.8 x 616 mm
Audio (L/R) out : 1
Batteries included : Yes
Bezel width (bottom) : 1.55 cm
Bezel width (side) : 1.06 cm
Bezel width (top) : 1.06 cm
Built-in processor : Yes
Built-in speaker(s) : Yes
Cables included : HDMI, Power, RS-232
Computer system : No
Contrast ratio (typical) : 1200:1
Display brightness : 500 cd/m ²
Display depth : 41 mm
Display diagonal : 125.7 cm (49.5»)
Display diagonal (metric) : 125.7 cm
Display height : 648 mm
Display number of colours : 1.07 billion colours

Display resolution : 3840 x 2160 pixels
Display technology : LED
Display weight : 12.6 kg
Display width : 1127.5 mm
DVI port : No
Energy consumption (SDR) per 1000 hours : 106 kWh
Energy efficiency class (SDR) : G
Energy efficiency scale : A to G
Ethernet LAN : Yes
Ethernet LAN (RJ-45) ports : 1
HD type : 4K Ultra HD
HDCP version : 1.4/2.2
HDMI ports quantity : 3
HDMI version : 2.0
Horizontal scan range : 28 - 160 kHz
Internal memory : 2 GB
Internal storage capacity : 16 GB
Mean time between failures (MTBF) : 50000 h
Mounting kit : Yes
Native aspect ratio : 16:9
Native refresh rate : 60 Hz
Number of built-in speakers : 2
On Screen Display (OSD) languages : Simplified Chinese, Czech, German, English, Spanish, French, Italian, Japanese, Polish, Russian
On-board graphics card model : ARM Mali-G52
Operating hours (hours/days) : 24/7
Operating system installed : Android 11
Operating temperature (T-T) : 0 - 40 °C
Orientation : Horizontal/Vertical
Package depth : 128 mm
Package height : 760 mm
Package weight : 16.8 kg
Package width : 1250 mm
Panel mounting interface : 400 x 300 mm
Panel type : IPS
Placement supported : Indoor
Power consumption (standby) : 0.5 W
Power consumption (typical) : 95 W
Processor cores : 4
Processor family : ARM Cortex
Processor manufacturer : ARM
Processor model : A53
Product colour : Black
Product design : Digital A-board
Purpose : Universal
Remote (IR) input : 1
Remote control included : Yes
Response time : 8 ms
RMS rated power : 10 W
Storage temperature (T-T) : -20 - 60 °C
Touchscreen : No
USB port : Yes
USB ports quantity : 2
USB version : 2.0

VESA mounting : Yes
Viewing angle, horizontal : 178°
Viewing angle, vertical : 178°
Wi-Fi : Yes
Wi-Fi standards : Wi-Fi 5 (802.11ac)