

Iiyama- Touch screen 17" T1721MSC-B2



DESCRIPTION

TECHNICAL CHARACTERISTICS

Brand : Iiyama
Part number : T1721MSC-B2
Représentation / réalisation :
NVIDIA G-SYNC : No
AMD FreeSync : No
Connectivité :
HDMI : Yes
Design :
Certification : CE, RoHS support, ErP, WEEE, cULus, REACH, UKCA
Écran :
DDC/CI : Yes
AC adapter output voltage : 12 V
Backlight type : LED
Built-in camera : No
Built-in speaker(s) : Yes
Built-in USB hub : Yes
Cable management : Yes
Cables included : HDMI, Power, USB
Contrast ratio (typical) : 1000:1
Depth (with stand) : 198 mm
Display brightness (peak) : 230 cd/m ²
Display brightness (typical) : 250 cd/m ²
Display diagonal : 43.2 cm (17")
Display diagonal (metric) : 43 cm
Display number of colours : 16.7 million colours
Display resolution : 1280 x 1024 pixels
Display surface : Matt

Display technology : LED
Energy consumption (SDR) per 1000 hours : 13 kWh
Energy efficiency class (HDR) : Not available
Energy efficiency class (SDR) : E
Energy efficiency scale : A to G
European Product Registry for Energy Labelling (EPREL) code : 1385536
Feet colour : Black
Glass thickness : 1.5 mm
HD type : SXGA
HDMI ports quantity : 1
Headphone out : Yes
Height (with stand) : 364 mm
Horizontal scan range : 31.4 - 80 kHz
International Protection (IP) code : IPX3
Manual : Yes
Market positioning : Business
Native aspect ratio : 5:4
Number of OSD languages : 8
Number of simultaneous touchpoints : 10
Number of speakers : 2
On Screen Display (OSD) : Yes
On Screen Display (OSD) languages : German, English, Spanish, French, Italian, Japanese, Russian
Package depth : 172 mm
Package height : 500 mm
Package weight : 5.8 kg
Package width : 537 mm
Panel mounting interface : 100 x 100 mm
Panel type : TN
Pixel pitch : 0.264 x 0.264 mm
Power adapter included : Yes
Power consumption (off) : 0.3 W
Power consumption (standby) : 1.5 W
Power consumption (typical) : 20 W
Power supply type : External
Product colour : Black
Quick start guide : Yes
Response time : 5 ms
RMS rated power : 4 W
Screen shape : Flat
Stand included : Yes
Surface hardness : 7H
Sustainability certificates : CE, EAC, ErP, REACH, RoHS, UKCA, WEEE, cUL
Sustainability compliance : Yes
Tilt adjustment : Yes
Tilt angle range : 10 - 70°
Touch technology : Multi-touch
Touchscreen : Yes
Touchscreen technology : Projected capacitive system
Touchscreen type : Tabletop
VESA mounting : Yes
VGA (D-Sub) ports quantity : 1
Viewable size, horizontal : 33.8 cm
Viewable size, vertical : 27.1 cm

Viewing angle, horizontal : 170°
Viewing angle, vertical : 160°
Weight (with stand) : 4.4 kg
Width (with stand) : 392.5 mm