

# NETIS ST3108S 10/100 Mbps Switch with plastic case- 8 Ports



## DESCRIPTION

The NETIS ST3108S is a 10/100 Mbps 8-port switch that provides additional network ports quite easily. The price is as compact as the size, for a reliable and efficient Fast Ethernet device.

The switch supports N-way and Auto MDI/MDI-X functions, detecting if the connection requires a crossover, and automatically chooses the MDI or MDI-X configuration to properly match the other end of the link as well as the speed.

In addition, the Energy-Efficient Ethernet technology allows for less power consumption during periods of low data activity, reducing the cost of your installation.

Product features:

- 8 x 10/100 Mbps RJ-45 ports with auto negotiation and auto MDI/MDI-X functions
- Compliant with the following standards: : IEEE 802.3 10Base-T, IEEE 802.3u 100Base-TX
- IEEE802.3x flow control in Full Duplex
- Data transmission rates: 10/100Mbps in Half-Duplex, 20/200Mbps in Full-Duplex
- 2 K MAC address table
- Housing: black ABS/ can be wall-mounted
- Dimensions: 130 x 70 x 21mm
- Weight: 96 g
- External power supply: 110/230 V, 5V 800 mA, 5.5/2.1mm jack
- Supported temperature in operation: 0°~40°C
- Supported humidity rate in operation: 5~90% without condensing

## TECHNICAL CHARACTERISTICS

Brand : STONET BY NETIS

Part number : ST3108C

### Main features :

Network standard : 10/100 Mbps

ODI Model Layer : Unmanaged

Management : No

Operating environment : Soho

Industrial : No

Rackmount : No

PoE function : No

Power supply : External power adapter included

Outband console port : No

Temperature supported in operation : 0 to 50°C

Mounting system : Wallmounted

**Connectors :**

Total number of ports : 8

Number of RJ-45 ports : 8

Number of fiber ports : 0

Number of BNC Ethernet ports : 0

Other ports : No

**RJ-45 patch cords :**

Number of 10/100 ports : 8

Number of 10G ports : 0

Number of Gigabit ports : 0

**Fiber optics :**

Number of 100FX ports : 0

Number of SFP Gigabit ports : 0

Number of SFP+ ports : 0

Number of SFP 1G/100 ports : 0

Number of SFP 100FX ports : 0

**PoE data :**

PoE standard : -

PoE budget (Watts) : 0

Number of 15-Watt PoE ports : 0

Number of 30-Watt PoE+ ports : 0

Number of 60-W PoE++ ports : 0

**Dimensions :**

Length (mm) : 84

Width (mm) : 59

Height (mm) : 18