



DESCRIPTION

A Standard Smart Hotel TV with Pro:Centric Solution

Pro:Centric Cloud

Pro:Centric Cloud improves the usability of enterprise's CMS solution and cloudification of system, reinforcing the service of 3rd party solution. It also offers various design templates, improving data collection and analytics platform with an eye-catching dashboard.

Pro:Centric Direct

The hotel content management solution Pro:Centric Direct offers easy and simple editing tools, making it easy to perform service and IP network-based remote management. The Pro:Centric Direct solution enables users to edit their interface easily by providing customized interface and efficiently manages all TVs in the room. The latest PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP). These IoT and voice-related functions will be your starting point to prepare for the hotel rooms of next generation through artificial intelligence.

Pro:Idiom

Digital Rights Management (DRM) technology provides access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.

Instant On

The high speed loading system enables users to enjoy content immediately after turning on the TV.

EzManager

EzManager provides a convenient installation function for automatically set up Pro:Centric TV settings without the extra effort of configuration. Auto-installation requires 1-3 minutes while manual installation requires 3-5 minutes.

TECHNICAL CHARACTERISTICS

Brand : LG
Part number : 32LN661H
Représentation / réalisation :
Smart TV : Y

Réseau :

Bluetooth : Y
AC input frequency : 50 - 60 Hz
AC input voltage : 100-240 V
Analog signal format system : PAL, SECAM
Cable lock slot : Y
Cable lock slot type : Kensington
Cables included : AC
Common interface Plus (CI+) : Y
Common interface Plus (CI+) version : 1.4
Content management solution : LG Pro:Centric
Depth (with stand) : 241 mm
Depth (without stand) : 8.4 cm
Desktop stand : Y
Digital audio optical out : 2
Digital signal format system : DVB-T2, DVB-C, DVB-S2
Display diagonal : 81.3 cm (32»)
Display diagonal (metric) : 80 cm
Display resolution : 1366 x 768 pixels
Display technology : LCD
DVI port : N
Energy consumption (SDR) per 1000 hours : 27 kWh
Energy efficiency class (HDR) : Not available
Energy efficiency class (SDR) : F
Ethernet LAN : Y
Ethernet LAN (RJ-45) ports : 2
HD type : HD
HDMI ports quantity : 3
HDMI version : 2.0/2.1
Height (with stand) : 495 mm
Height (without stand) : 44.1 cm
Hotel mode : Y
Native aspect ratio : 16:9
Number of speakers : 2
Operating system installed : Web OS
Operating system version : 22
Panel mounting interface : 200 x 200 mm
Power consumption (max) : 51.5 W
Power consumption (standby) : 0.5 W
Power consumption (typical) : 40.2 W
Product colour : Black
Remote control included : Y
RF ports quantity : 2
RMS rated power : 10 W
Screen shape : Flat
Tuner type : Analog & digital
USB 2:0 ports quantity : 2
USB cloning : Y
VESA mounting : Y
Web browser : Y
Weight (with stand) : 6.1 kg
Weight (without stand) : 4.9 kg
Width (with stand) : 739 mm

Width (without stand) : 73.9 cm

Wi-Fi : Y