



DESCRIPTION

Precision HDR pictures and business-friendly features

Bring extra impact to every presentation with the FWD-43W66F/T 43»BRAVIA Professional Display that combines lifelike HDR image quality with easy operation and smart content sharing.

Optimised for professional applications, the BRAVIA FWD-43W66F/T delivers crisply-detailed Full HD pictures, with X-Reality PRO refining each frame for refined, low-noise content.

With advanced control, Simple Pro Mode and optional interactive compatibility, it makes it easy to create attractive digital signage so you always present a clear image.

Enrich your audience's display experience with seamless TEOS integration and a choice of built-in solutions to add extra functionality, from meeting room support to automation.

Beautifully refined Full HD HDR pictures

High Dynamic Range (HDR) preserves subtle details that can get lost in the darkest and brightest areas of every scene, bringing you more dynamic, lifelike pictures in Full HD.

See finer detail

X-Reality PRO picture processing analyses every frame, matching scenes with our special image database to refine images and reduce noise.

Smoother movement

Motionflow XR inserts additional picture frames between the originals, ensuring smoother, sharper detail in fast-moving sequences.

Optimised for professional use

The FWD-43W66F/T meets the needs of today's business and educational environments, with flexible installation options plus wired or wireless network connection and serial communication control.

TEOS Integration

BRAVIA integrates seamlessly with TEOS, Sony's suite of workspace management applications that orchestrate control of devices and content in boardrooms, meeting areas and public spaces.

Smart Plug & Play

Connect a smartphone or USB drive to share your content directly onto your BRAVIA.

Flexible mounting and installation

BRAVIA Professional Displays offer flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

Greater peace of mind

There's extra reassurance with our 3 Year Advanced Exchange PrimeSupport service that's included as standard. If there's a fault with your BRAVIA Professional Display, we'll provide a replacement unit at no extra charge to keep you up and running.

TECHNICAL CHARACTERISTICS

Brand : SONY

Part number : FWD-43W66F/T

Représentation / réalisation :

Wi-Fi Direct : Y

HDCP : Y

AC input frequency : 50 Hz

AC input voltage : 220 - 240 V

Audio formats supported : MP3, WAV, WMA

Bezel width (bottom) : 1.69 cm

Bezel width (side) : 1.44 cm

Bezel width (top) : 1.2 cm

Built-in speaker(s) : Y

CardBus PCMCIA slots quantity : 1

Composite video in : 1

Computer system : Y

Contrast ratio (dynamic) : 300000:1

Contrast ratio (typical) : 1300:1

Depth (with stand) : 268 mm

Digital signal format system : DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2

Display brightness : 350 cd/m²

Display depth : 68 mm

Display diagonal : 109.2 cm (43»)

Display diagonal (metric) : 108 cm

Display height : 572 mm

Display resolution : 1920 x 1080 pixels

Display technology : LCD

Display weight : 7.8 kg

Display width : 974 mm

Energy efficiency scale : A++ to E

Ethernet LAN : Y

Ethernet LAN (RJ-45) ports : 1

Harmonized System (HS) code : 85285210

HD type : Full HD

HDCP version : 1.4

HDMI ports quantity : 2

Height (with stand) : 628 mm

High Dynamic Range (HDR) supported : Y

High Dynamic Range 10 (HDR10) : Y

Hybrid Log-Gamma (HLG) : Y

Image formats supported : JPEG
Internal storage capacity : 4 GB
LED backlighting type : Direct-LED
Motion interpolation technology : Motionflow XR
Multicast support : Y
Native aspect ratio : 16:9
Number of built-in speakers : 2
Number of speaker outputs : 2
Operating hours (hours/days) : 18/7
Operating system installed : Linux
Package weight : 12 kg
Panel mounting interface : 200 x 200 mm
Power consumption (standby) : 0.5 W
Power consumption (typical) : 51 W
Product colour : Black
Product design : Digital signage flat panel
Purpose : Universal
Remote (IR) input : 1
Response time : 8 ms
RMS rated power : 10 W
TV tuner integrated : Y
USB port : Y
USB ports quantity : 3
VESA mounting : Y
Video formats supported : AVCHD, AVI, MKV, MPEG1, MPEG2-PS, MPEG2-TS, WEBM, WMV9, XVID
Viewing angle, horizontal : 178°
Viewing angle, vertical : 178°
Weight (with stand) : 8.2 kg
Width (with stand) : 974 mm
Wi-Fi : Y