

Poly Rove 20 Single Cell DECT 1880-1900 MHz B1 Base Station



DESCRIPTION

We've Got You Covered

SCALABLE + SECURE WORKPLACE WIRELESS COMMUNICATION SOLUTION

Keep the conversation going whenever, wherever at work. Built for on-site employees the Poly Rove wireless IP phone solution delivers the sweet freedom to move. Not to mention, its built to stay cleaner for longer with Microban® antimicrobial product protection. And guard your most critical conversations with DECT™ technology.

Protected By Microban®

INTEGRATED MICROBAN® ANTIMICROBIAL PROTECTION

Rest assured that your devices, enhanced with Microban® antimicrobial product protection², stay cleaner, fresher and more durable for longer. Protection that lasts the life of the product, actively reducing the growth of bacteria 24 hours a day 7 days a week.

You Grow. We Scale.

DON'T WORRY ABOUT OUTGROWING YOUR SOLUTION

You shouldn't feel held back by your communication solution. We scale with you as you grow. Choose from various quantities of handsets, bases and repeaters to meet your organizations needs and shift sizes.

Armor Up With DECT Security

GUARD YOUR MOST CRITICAL CONVERSATIONS

Conversations are safe and secure with DECT wireless security. And it doesn't stop there - maintain DECT encryption even when you add a base or repeater to your solution.

Dropped Phone? No Problem.

RUGGEDIZED PROTECTION + PRO-GRADE QUALITY

Built to withstand all that life throws at it. Drops. Dust. Water. The ruggedized handsets are drop proof up to 6.6 ft/2 m and IP65 dust-tight and water resistant. Your investment will go the distance.

WE GOT YOUR BACK

MONITOR, MANAGE, AND MAINTAIN

With Poly cloud management software, you'll be smarter. And management will be happier. Monitor, manage and maintain devices securely from the cloud with PDMS-SP software. And you can integrate our APIs into your business workflow no matter what platform you use.

TECHNICAL CHARACTERISTICS

Brand : HP

Part number : 8F3E3AA#ABB

Caractéristiques du téléphone :

Full duplex : Yes

AC adapter included : Yes

AC adapter output current : 1 A

AC adapter output voltage : 5 V

Base station : Yes

Battery capacity : 1100 mAh

Battery technology : Lithium-Ion (Li-Ion)

Call forwarding : Yes

Call hold : Yes

Call park : Yes

Call pick up : Yes

Call transfer : Yes

Call waiting : Yes

Caller ID : Yes

Charger : Yes

Conference call : Yes

Country of origin : China

DECT connectable : Yes

Display : LCD

Display diagonal : 6.1 cm (2.4»)

Display resolution : 240 x 320 pixels

Distinctive ring : Yes

Do not disturb function : Yes

Dual-Tone Multi-Frequency (DTMF) modes : Out-of band, SIP info

Echo cancellation : Yes

Firmware upgradeable : Yes

Frequency band : 1.88 - 1.9 GHz

Frequency range : 150 - 7000 Hz

Graphical user interface (GUI) language : Multi

Handset : Yes

Handset type : Wireless handset

Handset weight : 168 g

Headphone outputs : 1

Headset connectivity : 3.5 mm

Lines quantity : 20 lines

Message-waiting indicator (MWI) : Yes

Noise reduction : Yes

Number of function keys : 3

Number of handles included : 1 pc(s)

Number of melodies : 20

Number of programmable keys : 4

Operating relative humidity (H-H) : 5 - 95%

Operating temperature (T-T) : -10 - 55 °C

Package depth : 163 mm

Package height : 44 mm

Package weight : 365 g

Package width : 176 mm

Product colour : Black
Product type : IP mobile phone
Quick start guide : Yes
Redialing : Yes
Simultaneous ring : Yes
Speakerphone : Yes
Speed dialling : Yes
Standby time : 300 h
Storage relative humidity (H-H) : 5 - 95%
Storage temperature (T-T) : -40 - 70 °C
Sustainability certificates : ENERGY STAR, CE, RoHS, Federal Communications Commission (FCC)
Sustainability compliance : Yes
Talk time : 18 h
Unicode UTF-8 character support : Yes
Volume control : Buttons
Warranty period : 1 year(s)
Weight : 233 g