



DESCRIPTION

Empower your workforce

Tackle the most challenging environments with Brother's 4» mobile label and receipt printer.

Our RJ-4230B mobile printer is fast, compact and extremely rugged. It empowers workers to operate in any environment with speed, accuracy and efficiency.

It has built-in Bluetooth connectivity, printing up to 4» width receipts, quotes, tickets, invoices and labels on demand.

Reliable Connectivity

Provides multiple connectivity options for use in different environments, with USB and Bluetooth (low energy) with MFI capabilities and passive NFC.

Robust Design

The RJ-4230B is our toughest yet, with an IP54 rating and drop tested up to 2.1 metres, providing the ultimate in durability.

Easy to deploy

Using the new Mobile Deploy App, update your printer remotely from any location.

Easy to use

The LCD screen with menu options makes it easy to program as well as a backlight that ensures you can see it in dark conditions.

Seamless Integration

Printer drivers are available for Windows OS and software development kits can be downloaded to support Android and iOS operating systems.

Customisation

We have a wide range of accessories made to suit any environment. See next page.

Brother Font Manager

Brother Font Manager can be used to convert and download fonts in characters or languages not supported by built-in fonts. These can then be stored on a RJ printer and recalled later when printing receipts and labels.

TECHNICAL CHARACTERISTICS

Brand : BROTHER
Part number : RJ4230BZ1
Connectivité :
Bluetooth : Y
Vitesse d'impression :
Type : Mobile printer
Autres caractéristiques :
Rechargeable : Y
AC input frequency : 50 - 60 Hz
AC input voltage : 110/220 V
Battery recharge time : 4 h
Battery technology : Lithium-Ion (Li-Ion)
Bluetooth profiles : GATT, HCRP, OPP, SPP
Bluetooth version : 4.2
Built-in display : Y
Connectivity technology : Wired & Wireless
Depth : 159 mm
Display type : LCD
Ethernet LAN : N
Flash memory : 64 MB
Harmonized System (HS) code : 84433210
Height : 68 mm
International Protection (IP) code : IP54
Maximum media length : 3 m
Maximum printing width : 10.4 cm
Maximum resolution : 203 x 203 DPI
Maximum roll diameter : 5.8 cm
Near Field Communication (NFC) : Y
Operating relative humidity (H-H) : 10 - 90%
Operating temperature (T-T) : -20 - 55 °C
Power source type : Battery, DC
Print speed : 127 mm/sec
Print technology : Direct thermal
Product colour : Black
RAM capacity : 0.256 GB
Standard interfaces : Bluetooth, NFC, USB 2.0
Storage relative humidity (H-H) : 10 - 90%
Storage temperature (T-T) : -20 - 60 °C
Supported paper width : 45 - 113 mm
USB 2:0 ports quantity : 1
USB connector : Mini-USB Type-B
USB port : Y
Weight : 850 g
Width : 153 mm
Wi-Fi : N
Windows operating systems supported : Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro x64,

