

DisplayPorts quantity : 1
DVI port : Y
Energy consumption (SDR) per 1000 hours : 256 kWh
Energy efficiency class (SDR) : G
Energy efficiency scale : A to G
Ethernet LAN : Y
Ethernet LAN (RJ-45) ports : 1
Harmonized System (HS) code : 85285210
HD type : 4K Ultra HD
HDMI input ports quantity : 4
HDMI ports quantity : 4
Height : 993.7 mm
Image formats supported : BMP, JPEG, JPG, PNG
Internal memory : 4 GB
Internal storage capacity : 32 GB
Mean time between failures (MTBF) : 50000 h
Multi-touch : Y
Native aspect ratio : 16:9
Number of built-in speakers : 2
Number of OSD languages : 18
Number of simultaneous touchpoints : 20
On Screen Display (OSD) : Y
On Screen Display (OSD) languages : Arabic, Simplified Chinese, Traditional Chinese, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Operating relative humidity (H-H) : 20 - 80%
Operating system installed : Android 9.0
Operating temperature (T-T) : 0 - 40 °C
Orientation : Horizontal/Vertical
Panel mounting interface : 600 x 400 mm
PC Audio in : Y
Picture-in-Picture : Y
Pixel pitch : 0.429 x 0.429 mm
Placement supported : Indoor
Power consumption (standby) : 0.5 W
Power consumption (typical) : 159.8 W
Processor model : MTK5680
Product colour : Black
Product design : Interactive flat panel
Purpose : Universal
Remote control included : Y
Response time : 8 ms
RMS rated power : 40 W
RS-232 interface : Y
Storage relative humidity (H-H) : 10 - 90%
Storage temperature (T-T) : -20 - 60 °C
Touchscreen : Y
USB port : Y
VESA mounting : Y
VGA (D-Sub) input ports : 1
Video formats supported : ASF, AVI, DAT, FLV, MKV, MP4, MPEG, MPG, TS, VOB, WEBM, WMV
Viewing angle, horizontal : 178°
Viewing angle, vertical : 178°
Weight : 53 kg

Width : 1715.5 mm

Wi-Fi : Y