

Spiral Hose Guard Features



- Provides high strength abrasion resistance for most types of hydraulic, pneumatic and industrial hose assemblies across a wide range of industries including: mining, forestry, drill rigs, plant and agricultural machinery, automotive, marine and offshore
- Exceptional anti-crushing performance
- High abrasion resistance
- Good UV resistance
- Easy installation and routing
- Proven in arduous conditions
- Conveniently coiled and packed in cartons for easy storage
- Suitable for wrapping single hoses or multiple hose looms

Hose I.D.	Hose Type								
	R1AT	R2AT	1SC	2SC	4SP	4SH	R13	R15	R17
3/16"	A	A							
1/4"	B	B	B	B	C				B
5/16"	B	C							B
3/8"	C	C	C	C	D			D	C
1/2"	D	D	D	D	E			E	D
5/8"	D	E							E
3/4"	E	E	E	E	E	E	E	E	E
1"	F	F		F	F	F	F	F	F
1.1/4"	G	G			G	G	G	G	
1.1/2"	G	H			H	H	H		
2"	I	I			I	I	I	I	

Protective Hose Sleeves Spiral Hose Guard

Features

- Provides high strength abrasion resistance for most types of hydraulic, pneumatic & industrial hose assemblies across a wide range of industries including: Mining, Forestry, Drill Rigs, Plant & Agricultural Machinery, Automotive, Marine & Offshore
- Exceptional anti-crushing performance.
- High abrasion resistance
- Good UV resistance
- Easy installation & routing
- Suitable for wrapping single hoses or multiple hose looms
- Proven in arduous conditions
- Conveniently coiled & packed in cartons for easy storage
- Available in various colours on request


Material: Polypropylene

Colour: Black & Yellow standard others available on request

Surface: Flat

Working Temperature:
-35°C to +100°C

Part Code	Coverage	Wall (mm)	Width (mm)
FSG-10	10-12mm	1.1	10
FSG-12	12-15mm	1.1	12
FSG-16	16-20mm	1.5	15.5
FSG-20	20-25mm	1.8	16
FSG-25	25-34mm	2	22.5
FSG-32	32-43mm	2.2	23.5
FSG-42	42-54mm	2.5	28
FSG-50	50-61mm	3	28
FSG-60	60-74mm	3	28
FSG-74	74-80mm	4	46.5
FSG-80	80-87mm	4.5	48.5
FSG-88	88-99mm	4.5	50
FSG-100	100-129mm	4.5	57
FSG-130	130-150mm	4.5	60
FSG-150	150-200mm	5	60
FSG-200	200-300mm	5	60



Black, Polypropylene

Yellow, Polypropylene

Hi Viz Green, Polypropylene

Hose I.D.	Hose Type								
	R1AT	R2AT	1SC	2SC	4SP	4SH	R13	R15	R17
3/16"	A	A							
1/4"	B	B	B	B	C				B
5/16"	B	C							B
3/8"	C	C	C	C	D			D	C
1/2"	D	D	D	D	E			E	D
5/8"	D	E							E
3/4"	E	E	E	E	E	E	E	E	E
1"	F	F		F	F	F	F	F	F
1.1/4"	G	G			G	G	G	G	
1.1/2"	G	H			H	H	H		
2"	I	I			I	I	I	I	

Protective Hose Sleeves

Polypropylene Protective Hose Sleeves


Working Temperature: Available in various colours on request.
-40°C to +90°C



Flat Type Black, Polypropylene

0369	ID mm	Length Metres	To Suit
FSG-10	10	20	A
FSG-12	12	20	B
FSG-14	14	20	-
FSG-16	16	20	C
FSG-20	20	20	D
FSG-25	25	20	E
FSG-32	32	20	F
FSG-42	42	10	G
FSG-50	50	10	H
FSG-60	60	10	I
FSG-74	74	10	-
FSG-80	80	10	-
FSG-88	88	10	-
FSG-100	100	10	-
FSG-130	130	10	-
FSG-150	150	10	-
FSG-200	200	2	-

Tech Sheet 10265



Flat Type Yellow, Polypropylene

0369	ID mm	Length Metres	To Suit
FYSG-10	10	20	A
FYSG-12	12	20	B
FYSG-16	16	20	C
FYSG-20	20	20	D
FYSG-25	25	20	E
FYSG-32	32	20	F
FYSG-42	42	10	G
FYSG-50	50	10	H
FYSG-60	60	10	I

Tech Sheet 10265



Round Type Black, Polypropylene

0369	ID mm	Length Metres	To Suit
RSG-10	10	20	A
RSG-12	12	20	B
RSG-16	16	20	C
RSG-20	20	20	D
RSG-25	25	20	E
RSG-32	32	20	F
RSG-42	42	10	G
RSG-50	50	10	H
RSG-60	60	10	I

Tech Sheet 10265



Flat Type Hi-Viz Green, Polypropylene

0369	ID mm	Length	To Suit
FGSG-10	10	20	A
FGSG-12	12	20	B
FGSG-14	14	20	-
FGSG-16	16	20	C
FGSG-20	20	20	D
FGSG-25	25	20	E
FGSG-32	32	20	F
FGSG-42	42	10	G
FGSG-50	50	10	H
FGSG-60	60	10	I

Tech Sheet 10265

Larger sizes are available; speak to your account manager for further information.