Safety Data Sheet Regulation EC No 1907/2006 Art.31

Productname: Ambertron Creationdate: 22.03.13 Version: 1.1

Ref.Nr.: UDS000251_3_20130322 **Replaces:** UDS000251_20120126

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ambertron

Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaners - Precision

1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd. Ambersil House - Wylds Road Castlefield Industrial Estate TA6 4DD Bridgwater Somerset United Kingdom

Tel.: +44 1278 727200 Fax.: +44 1278 425644 E-mail : hse.uk@crcind.com

1.4. Emergency telephone number

(+44)(0)1278 72 7200

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC:

Health: R38: Irritating to skin.

R67: Vapours may cause drowsiness and dizziness.

Physical:R12: Extremely flammable.
EXTREMELY FLAMMABLE

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

2.2. Label elements

Environment:

Warning symbol(s): EXTREMELY FLAMMABLE



Regulation EC No 1907/2006 Art.31

 Productname :
 Ambertron
 Creationdate :
 22.03.13 Version : 1.1

 Ref.Nr.:
 UDS000251_3_20130322
 Replaces:
 UDS000251_20120126

Xi: IRRITANT

×

N: DANGEROUS FOR THE ENVIRONMENT

*

Risk-phrase(s): R12: Extremely flammable.

R38: Irritating to skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R67: Vapours may cause drowsiness and dizziness.

Safety-phrase(s): S2: Keep out of the reach of children.

S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe vapours/spray. S24: Avoid contact with skin.

S51: Use only in well-ventilated areas.

Extra label elements according Pressurised container: protect from sunlight and do not expose to temperatures **to Aerosol Dispenser Directive** exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a

75/324/EC: nake

naked flame or any incandescent material.

Without adequate ventilation formation of explosive mixtures may be possible.

Other extra label elements: Remark: Preparations classified as harmful on the basis of an aspiration

hazard need not be labelled as harmful with R65 when placed on the market in aerosol containers or in containers fitted with a sealed spray attachment. (EU-

Directive 67/548 Annex VI 9.4)

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Hazardous ingredient	CAS-nr.	EC-nr	w/w %	symbol	R-phrases*	Notes
$\label{eq:continuous} \mbox{Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1\%)}$	68512-91- 4	270-990- 9	30-60	F+	12	K
Naphtha (petroleum), hydrotreated light	64742-49- 0	931-254- 9	30-60	F,Xn,N	11-38-51/53-65- 67	В,Р
propan-2-ol; isopropyl alcohol ;isopropanol	67-63-0	200-661- 7	0-1	F,Xi	11-36-67	В
Explanation notes						
B : substance with national established workplace exposure limit						
K : not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)						

Regulation EC No 1907/2006 Art.31

Productname: Ambertron

Ref.Nr.: UDS000251_3_20130322

 Creationdate :
 22.03.13 Version : 1.1

 Replaces:
 UDS000251_20120126

P: not classified as carcinogen, less than 0.1% w/w benzene (Einecs-nr. 200-753-7)

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Naphtha (petroleum), hydrotreated light	01-2119484651- 34	64742- 49-0	931- 254-9	30- 60	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2	H225,H315,H336,H304,H411	В,Р
propan-2-ol; isopropyl alcohol ;isopropanol	01-2119457558- 25	67-63-0	200- 661-7	0-1	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3	H225,H319,H336	В
Explanation notes							
B : substance with national established workplace exposure limit							
P : not classified as carcinogen, less than 0.1% w/w benzene (Einecs-nr. 200-753-7)							

^{(*} Explanation phrases : see chapter 16)

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with eyes :	If substance has got into eyes, immediately wash out with plenty of water Seek medical advice
Contact with skin :	Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water Seek medical advice
Inhalation :	Fresh air, keep warm and at rest. Seek medical attention if ill effects occur
Ingestion :	If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention

4.2. Most important symptoms and effects, both acute and delayed

Inhalation :	Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness
Ingestion :	After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.
	Symptoms : sore throat, abdominal pain, nausea, vomiting
Skin contact :	Irritating to skin
	Symptoms : redness and pain
Eye contact :	May cause irritation.
	Symptoms : redness and pain

4.3. Indication of any immediate medical attention and special treatment needed

General Advice :	If you feel unwell, seek medical advice (show the label where possible
	If symptoms persist always call a doctor

SECTION 5: Firefighting measures

5.1. Extinguishing media

Regulation EC No 1907/2006 Art.31

Productname: Ambertron

Ref.Nr.: UDS000251_3_20130322

 Creationdate :
 22.03.13 Version : 1.1

 Replaces:
 UDS000251_20120126

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO,CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation

Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

Do not breathe aerosols or vapours.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Wash thoroughly after use

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Regulation EC No 1907/2006 Art.31

 Productname :
 Ambertron
 Creationdate :
 22.03.13 Version : 1.1

 Ref.Nr.:
 UDS000251_3_20130322
 Replaces:
 UDS000251_20120126

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C. Keep out of reach of children.

7.3. Specific end use(s)

Cleaners - Precision

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

Hazardous ingredient	CAS-nr.	method	
EU established exposure limits:		-	
propan-2-ol; isopropyl alcohol ;isopropanol	67-63-0	TWA	400 ppm
		STEL	500 ppm

8.2. Exposure controls

Control procedures :	Ensure adequate ventilation
	Keep away from heat and sources of ignition
	Take precautionary measures against static discharges
Personal protection :	Take precautions to avoid contact with skin and eyes when handling the product.
	Ensure adequate ventilation
inhalation :	In case of insufficient ventilation, wear suitable respiratory equipment.
	Air purifying respirator equiped with organic gas/vapor cartridge (type A or AX)
hands and skin :	Wear suitable protective gloves against chemicals
	(nitrile)
eyes:	Wear safety goggles.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

Apperance : physical state : Propane/butane propelled liquid.

colour :Colorless.odour :Solvent.pH :Not applicable.

Boiling point/range: 55 °C
Flash point: -26 °C
Evaporation rate: Not available.

Explosion limits : upper limit : 19 % lower limit : 1.1 %

Regulation EC No 1907/2006 Art.31

Productname: Ambertron

Ref.Nr.: UDS000251_3_20130322

 Creationdate :
 22.03.13 Version : 1.1

 Replaces:
 UDS000251_20120126

Vapour pressure : Not available.

Relative density: 0.66 g/cm3 (@ 20°C).
Solubility in water: Insoluble in water

Auto-ignition: > 200 °C
Viscosity: Not available.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation: Inhalation of solvent vapours may give rise to nausea, headaches and

dizziness

Ingestion: After vomiting of swallowed product aspiration into lungs is likely. Solvents may

induce chemical pneumonia.

Skin contact: Irritating to skin

Eye contact: May cause irritation.

Toxicological data:

Regulation EC No 1907/2006 Art.31

Productname: Ambertron

Ref.Nr.: UDS000251_3_20130322

Creationdate : Replaces:

22.03.13 Version : 1.1 UDS000251_20120126

Hazardous ingredient	CAS-nr.	method	
propan-2-ol; isopropyl alcohol ;isopropanol	67-63-0	LD50 oral rat	> 5000 mg/kg
		LC50 inhal.rat	> 20 mg/l
		LD50 derm.rabit	> 5000 mg/kg
Naphtha (petroleum), hydrotreated light	64742-49-0	LD50 oral rat	> 5000 mg/kg
		LC50 inhal.rat	> 20 mg/l
		LD50 derm.rabit	> 3000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Ecotoxicological data:

Hazardous ingredient	CAS-nr.	method	
propan-2-ol; isopropyl alcohol ;isopropanol	67-63-0	IC50 algae	> 1000 mg/l
		LC50 fish	9640 mg/l
		EC50 daphnia	> 1000 mg/l
Naphtha (petroleum), hydrotreated light	64742-49-0	IC50 algae	55 mg/l
		LC50 fish	> 1 mg/l
		EC50 daphnia	3.87 mg/l

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Insoluble in water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available

SECTION 13: Disposal considerations

Regulation EC No 1907/2006 Art.31

Productname: Ambertron

Ref.Nr.: UDS000251_3_20130322 Creationdate: 22.03.13 Version: 1.1 Replaces:

UDS000251_20120126

13.1. Waste treatment methods

Product: This material and its container must be disposed of in a safe way.

Do not discharge into drains or the environment, dispose to an authorised

waste collection point.

Contaminated packaging: Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number: 1950

14.2. UN proper shipping name

Proper shipping name: AEROSOLS (hydrocarbons)

14.3. Transport hazard class(es)

Class: 2.1 ADR/RID - Classification code: 5F

14.4. Packing group

Packing group: Not applicable.

14.5. Environmental hazards

ADR/RID - Environmentally

hazardous:

Marine pollutant

IMDG - Marine pollutant:

14.6. Special precautions for user

Yes

Yes

IATA/ICAO - Environmentally

hazardous:

ADR/RID - Tunnelcode:	(D)
IMDG - Ems:	F-D, S-U
IATA/ICAO - PAX:	203
IATA/ICAO - CAO	203

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation EC No 1907/2006 Art.31

Productname: Ambertron

22.03.13 Version: 1.1 Creationdate: Ref.Nr.: UDS000251_3_20130322 Replaces: UDS000251_20120126

The Safety Data Sheet is compiled according to the current European requirements.

Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

EU-directive 99/45/EC

Regulation (EC) No 1907/2006 (REACH)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation risk-phrases: R11: Highly flammable.

R12: Extremely flammable. R36: Irritating to eyes. R38: Irritating to skin.

R65: Harmful: may cause lung damage if swallowed. R67: Vapours may cause drowsiness and dizziness.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

*Explanation hazard statements: H225 : Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

Technical Data







AMBERTRON is an electronic cleaning solvent which is ideal for the safe and effective cleaning of electrical contacts and switches.

New Formulation that does not frost on use thus preventing condensation on precision electrical parts and contacts

APPLICATIONS

Ideal for quick and efficient cleaning of:

* PCBs , Electrical Contacts and Switches * Tape Heads

* Communications Equipment

Safe to use on all plastic and rubber surfaces, the rapid evaporation of Ambertron ensures that no residues are left on the treated equipment.



N.B. Not for use on live equipment.

TECHNICAL DATA

Appearance : Clear, colourless liquid
Odour : Hydrocarbon solvent

SG @ 25°C : 0.67

Pressure @ 25°C : 3.0 Bar
Discharge rate : 1.1 g/sec

Solubility : Miscible with most organic solvents

Flammability : Classified as extremely flammable under

current EC Regulations

Flashpoint : Not applicable in sealed aerosol

Packaging : 400 ml aerosol (12 per carton). Also

available in non-aerosol, packed in 25

litres

STORAGE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 72 months with correct storage. Aerosols should always be stored below 50° C, away from direct heat and naked flame.

HEALTH AND SAFETY

Health and Safety sheet available separately.