



37-8050 - (6801-NWO-FG)

JIC Male 37 Deg Cone x UNF Male 90 Deg Positional Forged Elbow



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71409

37-8050 - (6801-NWO-FG)

DESCRIPTION:

JIC MALE 37 DEG CONE X UNF
MALE 90 DEG POSITIONAL
FORGED ELBOW

UK PART NUMBER:


37-8050

US PART NUMBER:

6801-NWO-FG

MATERIAL:

STEEL



Item	TUBE O.D.	B1 SAE 37 Deg	B2 SAE ORB	B1 DRILL	B2 DRILL	M LGTH	M7 LGTH	C HEX	Y FLATS
37-8050-02-02	1/8	5/16-24	5/16-24	0.062	0.062	0.77	0.94	0.438	0.438
37-8050-02-04	1/8	5/16-24	7/16-20	0.062	0.172	0.780	1.030	0.563	0.438
37-8050-03-03	3/16	3/8-24	3/8-24	0.125	0.125	0.830	0.940	0.500	0.438
37-8050-03-04	3/16	3/8-24	7/16-20	0.125	0.172	0.810	1.030	0.563	0.438
37-8050-04-02	1/4	7/16-20	5/16-24	0.172	0.062	0.89	0.92	0.438	0.438
37-8050-04-03	1/4	7/16-20	3/8-24	0.172	0.125	0.890	1.020	0.500	0.438
37-8050-04-04	1/4	7/16-20	7/16-20	0.172	0.172	0.89	1.03	0.563	0.438
37-8050-04-05	1/4	7/16-20	1/2-20	0.172	0.234	0.95	1.13	0.625	0.562
37-8050-04-06	1/4	7/16-20	9/16-18	0.172	0.297	1.05	1.25	0.688	0.562
37-8050-04-08	1/4	7/16-20	3/4-16	0.172	0.391	1.12	1.45	0.875	0.750
37-8050-05-04	5/16	1/2-20	7/16-20	0.234	0.172	0.950	1.130	0.563	0.562
37-8050-05-05	5/16	1/2-20	1/2-20	0.234	0.234	0.95	1.13	0.625	0.562
37-8050-05-06	5/16	1/2-20	9/16-18	0.234	0.297	1.050	1.250	0.688	0.562
37-8050-05-08	5/16	1/2-20	3/4-16	0.234	0.391	1.120	1.450	0.875	0.750
37-8050-05-10	5/16	1/2-20	7/8-14	0.234	0.484	1.21	1.70	1.000	0.875
37-8050-06-02	3/8	9/16-18	5/16-24	0.297	0.062	1.06	1.08	0.438	0.562
37-8050-06-04	3/8	9/16-18	7/16-20	0.297	0.172	1.06	1.19	0.563	0.562
37-8050-06-05	3/8	9/16-18	1/2-20	0.297	0.234	1.06	1.19	0.625	0.562
37-8050-06-06	3/8	9/16-18	9/16-18	0.297	0.297	1.06	1.25	0.688	0.562
37-8050-06-08	3/8	9/16-18	3/4-16	0.297	0.391	1.14	1.45	0.875	0.750
37-8050-06-10	3/8	9/16-18	7/8-14	0.297	0.484	1.22	1.70	1.000	0.875
37-8050-06-12	3/8	9/16-18	1-1/16-12	0.297	0.609	1.31	1.94	1.250	1.062
37-8050-08-04	1/2	3/4-16	7/16-20	0.391	0.172	1.25	1.26	0.563	0.750
37-8050-08-05	1/2	3/4-16	1/2-20	0.391	0.234	1.25	1.26	0.625	0.750
37-8050-08-06	1/2	3/4-16	9/16-18	0.391	0.297	1.25	1.32	0.688	0.750
37-8050-08-08	1/2	3/4-16	3/4-16	0.391	0.391	1.25	1.45	0.875	0.750
37-8050-08-10	1/2	3/4-16	7/8-14	0.391	0.484	1.33	1.70	1.000	0.875
37-8050-08-12	1/2	3/4-16	1-1/16-12	0.391	0.609	1.42	1.94	1.250	1.062
37-8050-08-16	1/2	3/4-16	1-5/16-12	0.391	0.844	1.52	2.05	1.500	1.312
37-8050-10-06	5/8	7/8-14	9/16-18	0.484	0.297	1.45	1.41	0.688	0.875
37-8050-10-08	5/8	7/8-14	3/4-16	0.484	0.391	1.45	1.54	0.875	0.875
37-8050-10-10	5/8	7/8-14	7/8-14	0.484	0.484	1.45	1.70	1.000	0.875
37-8050-10-12	5/8	7/8-14	1-1/16-12	0.484	0.609	1.54	1.94	1.250	1.062
37-8050-10-14	5/8	7/8-14	1-3/16-12	0.484	0.719	1.65	2.00	1.375	1.312
37-8050-10-16	5/8	7/8-14	1-5/16-12	0.484	0.844	1.640	2.050	1.500	1.312
37-8050-10-20	5/8	7/8-14	1-5/8-12	0.484	1.078	1.84	2.25	1.875	1.625
37-8050-12-06	3/4	1-1/16-12	9/16-18	0.609	0.297	1.660	1.490	0.688	1.062
37-8050-12-08	3/4	1-1/16-12	3/4-16	0.609	0.391	1.660	1.620	0.875	1.062
37-8050-12-10	3/4	1-1/16-12	7/8-14	0.609	0.484	1.66	1.78	1.000	1.062
37-8050-12-12	3/4	1-1/16-12	1-1/16-12	0.609	0.609	1.66	1.94	1.250	1.062
37-8050-12-14	3/4	1-1/16-12	1-3/16-12	0.609	0.719	1.77	2.00	1.375	1.312
37-8050-12-16	3/4	1-1/16-12	1-5/16-12	0.609	0.844	1.76	2.05	1.500	1.312
37-8050-12-20	3/4	1-1/16-12	1-5/8-12	0.609	1.078	1.97	2.25	1.875	1.625
37-8050-14-12	7/8	1-3/16-12	1-1/16-12	0.719	0.609	1.80	2.00	1.250	1.312
37-8050-14-14	7/8	1-3/16-12	1-3/16-12	0.719	0.719	1.80	2.00	1.375	1.312
37-8050-14-16	7/8	1-3/16-12	1-5/16-12	0.719	0.844	1.79	2.05	1.500	1.312
37-8050-16-08	1	1-5/16-12	3/4-16	0.844	0.391	1.81	1.73	0.875	1.312
37-8050-16-10	1	1-5/16-12	7/8-14	0.844	0.484	1.810	1.890	1.000	1.312
37-8050-16-12	1	1-5/16-12	1-1/16-12	0.844	0.609	1.81	2.05	1.250	1.312
37-8050-16-14	1	1-5/16-12	1-3/16-12	0.844	0.719	1.810	2.050	1.375	1.312
37-8050-16-16	1	1-5/16-12	1-5/16-12	0.844	0.844	1.81	2.05	1.500	1.312
37-8050-16-20	1	1-5/16-12	1-5/8-12	0.844	1.078	2.010	2.250	1.875	1.625
37-8050-16-24	1	1-5/16-12	1-7/8-12	0.844	1.312	2.16	2.39	2.125	1.875
37-8050-20-12	1-1/4	1-5/8-12	1-1/16-12	1.078	0.609	2.06	2.25	1.250	1.625
37-8050-20-14	1-1/4	1-5/8-12	1-3/16-12	1.078	0.719	2.06	2.25	1.375	1.625
37-8050-20-16	1-1/4	1-5/8-12	1-5/16-12	1.078	0.844	2.06	2.25	1.500	1.625
37-8050-20-20	1-1/4	1-5/8-12	1-5/8-12	1.078	1.078	2.060	2.250	1.875	1.625
37-8050-20-24	1-1/4	1-5/8-12	1-7/8-12	1.078	1.312	2.20	2.39	2.125	1.875
37-8050-24-16	1-1/2	1-7/8-12	1-5/16-12	1.312	0.844	2.33	2.39	1.500	1.875
37-8050-24-20	1-1/2	1-7/8-12	1-5/8-12	1.312	1.078	2.330	2.390	1.875	1.875
37-8050-24-24	1-1/2	1-7/8-12	1-7/8-12	1.312	1.312	2.33	2.39	2.125	1.875
37-8050-24-32	2	1-7/8-12	2-1/2-12	1.312	1.781	2.810	2.890	2.750	2.500
37-8050-32-24	2	2-1/2-12	1-7/8-12	1.781	1.312	3.060	2.890	2.125	2.500
37-8050-32-32	2	2-1/2-12	2-1/2-12	1.781	1.781	3.06	2.89	2.750	2.500