




37-2040 - (2408)

Male JIC Plug



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet:

37-2040 - (2408)

DESCRIPTION:



MALE JIC PLUG

UK PART NUMBER:

37-2040

US PART NUMBER:

2408



Item	TUBE O.D.	B1 SAE 37 Deg	L LGTH	W WIDTH	C HEX	Material
37-2040-02	1/8	5/16-24	0.700	0.252	0.438	STEEL
37-2040-03	3/16	3/8-24	0.730	0.251	0.438	STEEL
37-2040-04	1/4	7/16-20	0.800	0.250	0.500	STEEL
37-2040-05	5/16	1/2-20	0.800	0.250	0.562	STEEL
37-2040-06	3/8	9/16-18	0.840	0.284	0.625	STEEL
37-2040-08	1/2	3/4-16	0.940	0.283	0.812	STEEL
37-2040-10	5/8	7/8-14	1.100	0.342	0.937	STEEL
37-2040-12	3/4	1 1/16-12	1.280	0.416	1.125	STEEL
37-2040-14	7/8	1-3/16-12	1.310	0.420	1.250	STEEL
37-2040-16	1	1 5/16-12	1.330	0.419	1.375	STEEL
37-2040-20	1-1/4	1-5/8-12	1.450	0.490	1.688	STEEL
37-2040-24	1 1/2	1 7/8-12	1.650	0.567	2.000	STEEL
37-2040-32	2	2 1/2-12	2.050	0.717	2.625	STEEL
37-2040-40	2-1/2	3-12	2.051	0.718	3.250	STEEL



37-9070 - (6804-NW0-FG)

JIC Male x JIC Male x UNF Male Forced Positional On Run with O-Ring



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.


Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71420



37-9070 - (6804-NWO-FG)

DESCRIPTION:

JIC MALE X JIC MALE X UNF MALE FORCED
POSITIONAL ON RUN WITH O-RING

UK PART NUMBER:

37-9070

US PART NUMBER:

6804-NWO-FG

Item	TUBE O.D.	B1 SAE 37 Deg	B2 SAE ORB	B3 SAE 37 Deg	B1 DRILL	B2 DRILL	B3 DRILL	M1 LGTH	M7 LGTH	M2 LGTH	C HEX
37-9070-04-04-04	1/4	7/16-20	7/16-20	7/16-20	0.172	0.172	0.172	0.89	1.03	0.89	0.563
37-9070-04-06-04	1/4	7/16-20	9/16-18	7/16-20	0.172	0.297	0.172	1.050	1.250	1.050	0.688
37-9070-04-06-06	1/4	7/16-20	9/16-18	9/16-18	0.172	0.297	0.297	1.050	1.250	1.060	0.688
37-9070-05-05-05	5/16	1/2-20	1/2-20	1/2-20	0.234	0.234	0.234	0.95	1.13	0.95	0.625
37-9070-06-04-06	3/8	9/16-18	7/16-20	9/16-18	0.297	0.172	0.297	1.06	1.19	1.06	0.563
37-9070-06-06-06	3/8	9/16-18	9/16-18	9/16-18	0.297	0.297	0.297	1.06	1.25	1.06	0.688
37-9070-06-08-06	3/8	9/16-18	3/4-16	9/16-18	0.297	0.391	0.297	1.14	1.45	1.14	0.875
37-9070-06-08-08	3/8	9/16-18	3/4-16	3/4-16	0.297	0.391	0.391	1.140	1.450	1.250	0.875
37-9070-08-06-06	1/2	3/4-16	9/16-18	9/16-18	0.391	0.297	0.297	1.250	1.320	1.140	0.688
37-9070-08-06-08	1/2	3/4-16	9/16-18	3/4-16	0.391	0.297	0.391	1.25	1.32	1.25	0.688
37-9070-08-08-04	1/2	3/4-16	3/4-16	7/16-20	0.391	0.391	0.172	1.25	1.45	1.12	0.875
37-9070-08-08-08	1/2	3/4-16	3/4-16	3/4-16	0.391	0.391	0.391	1.25	1.45	1.25	0.875
37-9070-08-10-08	1/2	3/4-16	7/8-14	3/4-16	0.391	0.484	0.391	1.33	1.70	1.33	1.000
37-9070-08-12-04	1/2	3/4-16	1-1/16-12	7/16-20	0.391	0.609	0.172	1.42	1.94	1.30	1.250
37-9070-08-12-08	1/2	3/4-16	1-1/16-12	3/4-16	0.391	0.609	0.391	1.420	1.940	1.420	1.250
37-9070-10-08-10	5/8	7/8-14	3/4-16	7/8-14	0.484	0.391	0.484	1.450	1.540	1.450	0.875
37-9070-10-10-10	5/8	7/8-14	7/8-14	7/8-14	0.484	0.484	0.484	1.45	1.70	1.45	1.000
37-9070-10-12-10	5/8	7/8-14	1-1/16-12	7/8-14	0.484	0.609	0.484	1.54	1.94	1.54	1.250
37-9070-12-08-12	3/4	1-1/16-12	3/4-16	1-1/16-12	0.609	0.391	0.609	1.66	1.62	1.66	0.875
37-9070-12-10-12	3/4	1-1/16-12	7/8-14	1-1/16-12	0.609	0.484	0.609	1.660	1.780	1.660	1.000
37-9070-12-12-06	3/4	1-1/16-12	1-1/16-12	9/16-18	0.609	0.609	0.297	1.66	1.94	1.66	1.250
37-9070-12-12-08	3/4	1-1/16-12	1-1/16-12	3/4-16	0.609	0.609	0.391	1.660	1.940	1.420	1.250
37-9070-12-12-10	3/4	1-1/16-12	1-1/16-12	7/8-14	0.609	0.609	0.484	1.660	1.940	1.540	1.250
37-9070-12-12-12	3/4	1-1/16-12	1-1/16-12	1-1/16-12	0.609	0.609	0.609	1.66	1.94	1.66	1.250
37-9070-12-12-16	3/4	1-1/16-12	1-1/16-12	1-5/16-12	0.609	0.609	0.844	1.76	2.05	1.76	1.250
37-9070-12-16-12	3/4	1-1/16-12	1-5/16-12	1-1/16-12	0.609	0.844	0.609	1.760	2.050	1.760	1.500
37-9070-14-14-14	7/8	1-3/16-12	1-3/16-12	1-3/16-12	0.719	0.719	0.719	1.80	2.00	1.80	1.375
37-9070-16-12-16	1	1-5/16-12	1-1/16-12	1-5/16-12	0.844	0.609	0.844	1.810	2.050	1.810	1.250
37-9070-16-16-12	1	1-5/16-12	1-5/16-12	1-1/16-12	0.844	0.844	0.609	1.81	2.05	1.76	1.500
37-9070-16-16-16	1	1-5/16-12	1-5/16-12	1-5/16-12	0.844	0.844	0.844	1.810	2.050	1.810	1.500
37-9070-20-20-20	1 1/4	1 5/8-12	1 5/8-12	1 5/8-12	1.078	1.078	1.078	2.060	2.250	2.060	1.875
37-9070-24-24-24	1-1/2	1-7/8-12	1-7/8-12	1-7/8-12	1.312	1.312	1.312	2.330	2.390	2.330	2.125
37-9070-32-32-32	2	2-1/2-12	2-1/2-12	2-1/2-12	1.781	1.781	1.781	3.060	2.890	3.060	2.750