



37-1001 - (0306)

Bulkhead Lock Nut



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet:

37-1001 - (0306)

DESCRIPTION:


BULKHEAD LOCK NUT

UK PART NUMBER:

37-1001

US PART NUMBER:

0306



Item	TUBE O.D.	B1 THREAD	W WIDTH	C HEX	Material
37-1001-02	1/8	5/16-24	0.22	0.562	STEEL
37-1001-03	3/16	3/8-24	0.22	0.625	STEEL
37-1001-04	1/4	7/16-20	0.28	0.687	STEEL
37-1001-05	5/16	1/2-20	0.280	0.750	STEEL
37-1001-06	3/8	9/16-18	0.27	0.812	STEEL
37-1001-08	1/2	3/4-16	0.31	1.000	STEEL
37-1001-10	5/8	7/8-14	0.36	1.125	STEEL
37-1001-12	3/4	1 1/16-12	0.41	1.375	STEEL
37-1001-14	7/8	1 3/16-12	0.41	1.500	STEEL
37-1001-16	1	1 5/16-12	0.41	1.625	STEEL
37-1001-20	1-1/4	1 5/8-12	0.41	1.875	STEEL
37-1001-24	1-1/2	1 7/8-12	0.41	2.125	STEEL
37-1001-32	2	2-1/2-12	0.410	2.750	STEEL



37-9170 - (6607-FG)

JIC Male x JIC Swivel Female x JIC Swivel Female Branch Tee
37 Deg Cone



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:


[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71422

37-9170 - (6607-FG)



DESCRIPTION:

JIC MALE X JIC SWIVEL FEMALE X JIC SWIVEL FEMALE BRANCH TEE 37 DEG CONE

UK PART NUMBER:

37-9170

US PART NUMBER:

6607-FG

Item	TUBE O.D.	A1 MALE JIC 37 Deg	A2 FEMALE JIC 37 Deg SWIVEL	A3 FEMALE JIC 37 Deg SWIVEL	A1 DRILL	A2 DRILL	A3 DRILL	M4 LGTH	M2 LGTH	M LGTH	C HEX
37-9170-04-04-04	1/4	7/16-20	7/16-20	7/16-20	0.172	0.172	0.172	0.890	1.000	1.000	0.562
37-9170-05-05-05	5/16	1/2-20	1/2-20	1/2-20	0.234	0.234	0.234	0.950	0.685	0.685	0.625
37-9170-06-06-06	3/8	9/16-18	9/16-18	9/16-18	0.297	0.297	0.297	1.060	1.250	1.250	0.687
37-9170-08-08-08	1/2	3/4-16	3/4-16	3/4-16	0.391	0.391	0.391	1.250	1.380	1.380	0.875
37-9170-10-10-10	5/8	7/8-14	7/8-14	7/8-14	0.484	0.484	0.484	1.450	1.620	1.620	1.000
37-9170-12-12-12	3/4	1-1/16-12	1-1/16-12	1-1/16-12	0.609	0.609	0.609	1.660	1.750	1.750	1.250
37-9170-16-16-16	1	1-5/16-12	1-5/16-12	1-5/16-12	0.844	0.844	0.844	1.810	2.000	2.000	1.500
37-9170-20-20-20	1-1/4	1-5/8-12	1-5/8-12	1-5/8-12	1.078	1.078	1.078	2.060	2.310	2.310	2.000
37-9170-24-24-24	1-1/2	1-7/8-12	1-7/8-12	1-7/8-12	1.312	1.312	1.312	2.330	2.590	2.590	2.250
37-9170-32-32-32	2	2-1/2-12	2-1/2-12	2-1/2-12	1.781	1.781	1.781	3.060	3.380	3.380	2.875