


# DOUBLE ROLL CLOSER



## DRC-300™

[www.fischbein.com](http://www.fischbein.com)

FISCHBEIN

Company

# DRC-300™

## DOUBLE ROLL CLOSER

### Fast, Reliable Easy to Use Cost Effective


The DRC-300 Double Roll Closer is designed to seal multi-wall paper bags weighing up to 50 pounds at production rates up to 80 linear feet per minute. The system's compact design, unique operating characteristics and systems integration package means it is ready to use on full or semi automated bagging lines.

After the DRC-300 automatically trims the bag top, it folds the trimmed top once, and accurately applies hot melt adhesive, and then seals the bag top securely with a second fold. The results are clean, attractive, reliable bag closures... ideal for pet foods, charcoal, flour mixes and other similar small to medium sized bagged products.


A user-friendly control panel has been strategically built into the DRC-300 for improved ease of use and safety. A complete system readout offers digital temperature and air pressure displays. Bonus features include dual emergency stop buttons, a variable speed drive system and electrically adjustable height. In addition, the system features fully accessible, easy to adjust stainless steel folders and our patented breakaway design, allowing for quick, safe removal of bag jams and easier machine maintenance.

Designed for reliable, versatile, cost-effective operation, the DRC-300 is a valuable addition to any production line. It's the ultimate tool for use on your full or semi-automated lines.

Adjustable controls on the Dynatec hot melt glue systems regulate tank, hose and glue nozzle temperatures as well as the amount of glue dispensed.




Breakaway design is incorporated for easy bag removal.




FISCHBEIN  
DRC 300






*Easy-to-use control panel has variable operating speed, on/off adjustable timers to regulate adhesive cycle, manual by-pass features, plus key operation switch and on/off control.*



*Removable first and second set of folders allow for quick cleaning and adjustment.*



*Trim saw ensures positive, precise sizing of bag top before entering the folder section.*

# DRC-300™

DOUBLE ROLL CLOSER

## TECHNICAL SPECIFICATIONS

### DIMENSIONS

<b>Length:</b>	90 inches
<b>Depth:</b>	30 inches
<b>Seal Range Height:</b>	29 inch minimum to 61 inch maximum sealing line
<b>Weight:</b>	1,720 pounds

### STANDARD ELECTRICAL

<b>Power Supply:</b>	230 Volts, 3 Phase, 60 cycle
<b>Maximum Current</b>	45 Amps

### BAG SIZE RANGE (EMPTY)

<b>Width:</b>	5 inches - 21 inches
<b>Length:</b>	56 inches maximum
<b>Gussets:</b>	Any size including non-gusset bags
<b>Minimum Free Top:</b>	4 3/4 inches
<b>Filled Bag Weight:</b>	1 lb. - 50 lbs.
<b>Fold Width:</b>	3/4" - 1 1/8"

### PNEUMATIC SUPPLY

<b>Air Source:</b>	80 - 100 psi, 8 CFM
--------------------	---------------------

### HOT MELT DELIVERY SYSTEM

<b>Dynatec® brand is standard</b>	10 lbs./hr. capacity
<b>Nordson® brand optional</b>	8 lbs./hr. capacity

### MAXIMUM CLOSING SPEED

<b>Variable up to 80 feet per minute</b>
--

### AVAILABLE OPTIONS

<b>L to R operation, Interface Package, 7-Day Timer, Special Paint</b>
--

## FISCHBEIN® COMPANY

Paepsem Business Park • Boulevard Paepsem • 8 • 1070 Brussels, Belgium • Phone: 32-2-555-11-70 • Fax: 32-2-520-33-90

Fischbein is a registered trademark of Fischbein Company.

Dynatec is a registered trademark of Dynatec Company.

Nordson is a registered trademark of Nordson Company.