

Master switch key Simon iO with battery matt black Simon 100

REF. 10002135-238



BASIC INFORMATION

FINISH

Matt black

COMPATIBILITY

Simon 100 Mechanisms

ETIM CLASS

EC000029

MATERIAL

Plastic

PACKAGING CONTENTS

Mechanism and instructions

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CONNECTIVITY PROTOCOL

Z-wave

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

ETSI-300-220-2 v2.4.1; EN 60669-2-5:2015; EN 50581:2012 // Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50581:2012 + EN 60669-2-5:2016 + ETSI-300-220-2 v2.4.1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213032

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.036

PRODUCT NET WEIGHT

0.036

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053213032

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

26

PACKAGING WIDTH

36

PACKAGING LENGTH

72

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

67392

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.036

PACKAGING WEIGHT UNIT

KGM