

## Simon SM34 Wall Charging Point with 5m Cable T2 Three-Phase 22 kW + MID Meter

REF. 0650222-000



### BASIC INFORMATION

#### FINISH

Graphite

#### APPLICATION

Residential

#### ETIM CLASS

EC002883

#### MATERIAL

ABS Plastic

#### OPERATING ENVIRONMENT

Residential

## TECHNICAL INFORMATION

### CONNECTOR TYPE

Type 2 Straight cable

### IK CLASSIFICATION

10

### TYPE OF LINE

Three-phase

### ELECTRICITY METER

Yes

### CURRENT (A)

32 A

### MODE 3 STATUS INDICATOR

Yes

### FREQUENCY

50 Hz

### IP RATING

IP54

### NUMBER OF OUTLETS

1

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED\*1 | EN IEC 61851-1:2019 | EN IEC 61851-21-2:2021 | EN 62196-2:2017 | EN 62311:2008 | EN IEC 63000:2018 | ETSI EN 300 328 v2.2.2\*1

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053302903

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

6.2

PRODUCT NET WEIGHT

6.2

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053302903

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

149

PACKAGING WIDTH

408

PACKAGING LENGTH

580

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

35259360

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

6.2

PACKAGING NET WEIGHT

6.2

PACKAGING WEIGHT UNIT

KGM