


Adaptor plate for Simon 27 mechanical mechanisms for 2 elements white Simon 500 Cima

REF. 50000088-030



BASIC INFORMATION

DESCRIPTION

Adaptor plate for Simon 27 Play mechanisms, for two elements and in a beautiful white finish of colour, it is part of the Simon 500 Cima series. In the case of installing electronic mechanisms of the Simon 27 Play series is essential resorting to the reference 50011088-030. This is the version of the plate Simon of two elements and 2 modules, has dimensions of 100 x 50 millimetres and a depth of 9,62 millimetres. It is manufactured from thermoplastic components, without any type of halogens. These materials they bet for the security during operation, as it avoids the flame spread in case of fire management and restrict the toxicity. The plate can withstand temperatures extremely high. In the case of which is installed in surface-mounted can withstand up to + 60 degrees centigrade. For its installation, recessed, the plate can support up to + 90 degrees centigrade temperature. The maintenance of this product is very simple, as only you need to clean it with a soft and dry cloth.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon 27 Play mechanical mechanisms

PACKAGING CONTENTS

Adaptor plate for Simon 27 mechanical mechanisms for 2 elements

ETIM CLASS

EC002649

REMARKS

If installing Simon 27 Play electronic mechanisms, you will need to use article no. 50011088-030

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

NUMBER OF MODULES

2

AVAILABLE IN

Adaptor for Simon 27 Play mechanical mechanisms for 1 and 2 elements, with a specific version for Simon 27 Play electronic mechanisms for 1 element

KIT AVAILABILITY

No

RAL

9003

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

2 elements

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C in surface-mount wall installation and +90 °C in flush-mount wall installation

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

By direct snap-fit in the selected enclosure (no tools needed for fastening))

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION TYPE

Suitable for surface or flush-mount installation

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053095584

PACKAGING VOLUME
1472064

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
88

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.015

PACKAGING WIDTH
123

PACKAGING NET WEIGHT
0.15

PRODUCT NET WEIGHT
0.015

PACKAGING LENGTH
136

PACKAGING WEIGHT UNIT
KGM

