

## Downlight 705.23 Directional WW Wide Flood 1-10V White

REF. 70523130-483



### BASIC INFORMATION

#### DESCRIPTION

If we talk about indoor lighting, the series Simon 705, is a real reference is the creation of products and accessories offered by the most effective and efficient solutions for electrical installations in all types of public and private buildings. In this range stands out the Downlight 705.23 in colour WW with Wide Flood optics, an element with control gear 1-10V. With a price that is unrivalled in the market today, this Downlight has dimensions of 88x86 mm and a weight of 0.4 kg, it also has a lumens watt 1000 lm / 15 ' 5 W, as well as with a power of details 100-240 V and a frequency of 50 / 60 Hz, which makes this product of the most complete of the series Simon 705. Its low price has made it one of the most demanded by private individuals and professionals in the sector of electrical and the construction.

#### APPLICATION

Ambient lighting

#### PACKAGING CONTENTS

1 unit

#### ETIM CLASS

EC001744

## TECHNICAL INFORMATION

### FREQUENCY

50 - 60 Hz

### DRIVER INCLUDED

Yes

### LUMENS/W

1000 lm/15,5W

### IP RATING

IP20

### ELECTRICAL CLASS

Type 2

### OPTICS

Wide Flood

### OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

### INTEGRATED POWER SUPPLY

No

### PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

### POWER SUPPLY (V~)

100/240 V~

### L70 (°C)

30,000 h at 25 °C

### POWER (W)

15.5 W

### COLOR TEMPERATURE (K)

3100 K

### COLOR TYPE

WW

### POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

### CONTROL

1-10 V

### LIGHTING EFFICIENCY (LM/W)

65 lm/W

### SERVICE LIFE

30.000 h


### CRI

80

### LUMENS (LM)

1000 lm

### CHROMATICS CRI ICONS



## INSTALLATION AND MAINTENANCE

### MINIMUM INSTALLATION HEIGHT

136

### INSTALLATION TYPE

Flush mount

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### WARRANTY

3 years 30,000 h

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT	UNITARY PACKAGING WEIGHT UNIT	PACKAGING MEASUREMENT UNIT
0	KGM	MMT
UNITARY PACKAGING WIDTH	PACKAGING EAN	PACKAGING VOLUME
0	8421053122532	3.034
UNITARY PACKAGING LENGTH	UNITS CONTAINED PACKAGING	PACKAGING VOLUME UNIT
0	1	DMQ
UNITARY PACKAGING VOLUME	PACKAGING HEIGHT	PACKAGING GROSS WEIGHT
0	135	0.502
UNITARY PACKAGING GROSS WEIGHT	PACKAGING WIDTH	PACKAGING NET WEIGHT
0.502	145	0.502
PRODUCT NET WEIGHT	PACKAGING LENGTH	PACKAGING WEIGHT UNIT
0.502	155	KGM