

Back kit for 2 Schuko socket outlet integrated with 2.1A USB chargers with smartcharge Simon 100

REF. 10010211-039



BASIC INFORMATION

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

2 elements

FORMAT

Schuko,USB

INDICATOR FUNCTION

No

CURRENT (A)

16 A

IP RATING

IP20

TYPE OF MECHANISM

Insertion

NOMINAL VOLTAGE (V~)

250 V~

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

POWER SUPPLY (V~)

250 V~

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

USB CURRENT (A)

2,1 A

USB VOLTAGE (V~)

5 Vdc

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201305

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053201305

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

0

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

0

PACKAGING NET WEIGHT

0.158

UNITARY PACKAGING GROSS
WEIGHT

0.158

PACKAGING LENGTH

0

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.158