

Ofiblock Compact mounted and wired with 3 sockets and rear diecut in the last position

REF. KFC104030LP1/14



BASIC INFORMATION

DESCRIPTION

KIT Ofiblock Compact offering maximum functionality in a compact size. With its minimal depth and wide range of accessories, it is suitable for installation on raised floors, walls, furniture, metallic surfaces with magnets, or on DIN rails. Designed to meet the specific needs of each space, it comes with pre-mounted and pre-wired K45 modules, providing a complete and efficient solution. It includes a side entry with a 3-pole male quick connector (Wieland type) and a rear knockout in the last position for optimal routing of the voice, data, or multimedia cable feeding the K45 module you choose to install. This module is electromagnetically protected and shielded thanks to the included protective tray. Self-extinguishing halogen-free thermoplastic covers protect the space in the event of a fire.

FINISH

Black

COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

ETIM CLASS

EC002759

REMARKS

Profile with higher compactness to enable convergence of power, voice, data and multimedia solutions with minimal depth

TECHNICAL INFORMATION

FORMAT

Schuko

IP RATING

IP4X

MONOBLOCK

No

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

7021

CURRENT (A)

16 A

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

INSTALLATION DIRECTION

Horizontal, Vertical

SECURING POSSIBILITIES

Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053290422

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053290422

PACKAGING VOLUME

907500

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

60

PACKAGING GROSS WEIGHT

0.47

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

55

PACKAGING NET WEIGHT

0.43

UNITARY PACKAGING GROSS
WEIGHT

0.43

PACKAGING LENGTH

275

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.43