

Frame for 3 elements aluminium interior aluminium Simon 82 Nature

REF. 82937-33



BASIC INFORMATION

FINISH

Aluminium

COMPATIBILITY

Simon 75, Simon 77 and Simon
82 mechanisms

PACKAGING CONTENTS

Frame with 3 elements

ETIM CLASS

EC000007

REMARKS

It is recommended to use the aluminium finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

AVAILABLE IN

1, 2, 3 and 4 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INNER FRAME

Aluminium

VERSION

3 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053059791

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053059791

PACKAGING VOLUME

0.566

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

37

PACKAGING GROSS WEIGHT

0.26

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

127

PACKAGING NET WEIGHT

0.26

UNITARY PACKAGING GROSS
WEIGHT

0.26

PACKAGING LENGTH

274

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.26