

Linear Light 860.42 1600 Black housing

REF. 86042038-109



BASIC INFORMATION

FINISH

Black

APPLICATION

Residential

ETIM CLASS

EC002557

MATERIAL

Aluminium

PACKAGING CONTENTS

1 unit

TECHNICAL INFORMATION

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

Ta Max 35°C

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Surface / Suspended

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

No

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053299197

UNITARY PACKAGING HEIGHT

65

UNITARY PACKAGING WIDTH

77

UNITARY PACKAGING LENGTH

1600

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

8008000

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

1.75

PRODUCT NET WEIGHT

1.4

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053299197

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

65

PACKAGING WIDTH

77

PACKAGING LENGTH

1600

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

8008000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

1.75

PACKAGING NET WEIGHT

1.4

PACKAGING WEIGHT UNIT

KGM