


Shaver socket outlet 3 modules graphite Simon 82

REF. 8200482-038



BASIC INFORMATION

FINISH

Graphite

COMPATIBILITY

Simon 82 mechanisms

ETIM CLASS

EC000125

MATERIAL

Plastic

PACKAGING CONTENTS

Mechanism

REMARKS

It is recommended to choose a frame of the same colour as the selected mechanism.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

POWER SUPPLY (V~)

115/230 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CURRENT (A)

16 A

TYPE OF MECHANISM

Insertion

NOMINAL VOLTAGE (V~)

115/230 V~

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053198988

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.47

PRODUCT NET WEIGHT

0.47

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053198988

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

75

PACKAGING WIDTH

88

PACKAGING LENGTH

158

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1042800

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.47

PACKAGING NET WEIGHT

0.47

PACKAGING WEIGHT UNIT

KGM