

Voice and data flat plate with dust cover for 1 element for 1 ITT Cannon® RJ45 connector white Simon K45

REF. KA65/9



BASIC INFORMATION

DESCRIPTION

Voice and data flat plate with dust cover, this plate is an element for an RJ45 connector ITT Cannon. It is part of the series Simon K45 and its finish is white in colour. It has an element of protection against dust. Specifically this is the fourth module of the individual version, the plate is available for both one as for two RJ45 connectors and includes a dust shutter. The series Simon K45 commitment plates of small size (45x45 mm and 8.5 mm depth) very versatile in its installation, as it can be installed both recessed and on a surface-mounted. This plate of voice and data, in particular, has been manufactured with materials thermoplastically isolated, fully free of halogens, so that it is possible to propagate the flame in case of fire incidental. However, the plate can withstand temperatures of up to + 60 degrees centigrade. To combine this plate with other vertical enclosures, it is necessary to use the 90 ° positioner (ref. K66). The series Simon K45 is easy maintenance and cleaning, simply use a dry cloth to clean the plate.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

Four

AVAILABLE IN

Plate for 1 and 2 RJ45 connectors

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

ITT Cannon® RJ45 connectors.

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

ITT Cannon® RJ45 connectors

SNAP-FIT TYPE

ITT Cannon® RJ45 connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

INSTALLATION TYPE

Suitable for surface and flush mounting

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.008

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

544320

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436045002

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.16

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING HEIGHT

72

PACKAGING NET WEIGHT

0.16

UNITARY PACKAGING GROSS WEIGHT

0.008

PACKAGING WIDTH

72

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

105