

Trim plate for tube inlet or cable gland 22 mm diameter for 1 element black Simon K45

REF. K19/14



BASIC INFORMATION

DESCRIPTION

The series Simon K45 presents the Trim plate for tube inlet or press estopa 22 mm diameter for one element in black colour Simon K45. With dimensions of 45 x 45 x 8.5 mm, this accessory, it has been manufactured with thermoplastic components, with halogen-free thermoplastic that guarantees no flame propagation in case of fire and low toxicity in the event of smoke generation. As far as its number of elements, you can be purchased in versions of plates that provide direct access for cabling, using a combination of separate cabling and 20x30 mm trunking Thanks to all these features, in addition to a quality price ratio, there are many individuals and professionals in the industry, which has opted for installing this accessory in the installations of their homes personal, company headquarters or commercial premises.

FINISH

Black

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Conduit or cable gland entry plate

ETIM CLASS

EC000011

REMARKS

Cable gland is not included (to be purchased separately). If a larger access diameter is required, the pre-punched sections can be removed to increase the diameter to 29 mm.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

AVAILABLE IN

Versions of plates that provide direct access to the wiring, combination of isolated wiring and 20x30 trunking

IP RATING

IP20

KIT AVAILABILITY

No

NUMBER OF MODULES

Half

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

7021

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.009

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

911400

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436036666

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

45570

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.18

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

70

PACKAGING NET WEIGHT

0.18

UNITARY PACKAGING GROSS
WEIGHT

0.009

PACKAGING WIDTH

93

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

140