

Push-button switch with light symbol 10A 250V~, built-in light and fast terminal connection system ivory Simon 31

REF. 31661-31



BASIC INFORMATION

DESCRIPTION

The push-button switch with light recorder, Simon 31 series, it incorporates luminous signalling. Its individual version consists of a single element, with two modules. With an ivory finish, which gives a stylish at the same time as adaptable to any environment. Its reference is 31661-31. It supports a current of up to 10.00 A and a voltage of 250V~ With a quick terminal connection system, which makes its installation, and a rocker operation. Can be combined with the reference 31802-31 in case of replacing the indicator light. The rockers, covers and plates include the light engraving. The cross-cable section is between 1.5 and 2.5mm and the stripping of wire required is 11mm. It measures 64x65mm. It is manufactured in several metal components with halogen-free insulation and a thermoplastic trim.

FINISH

Ivory

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000029

MATERIAL

Thermoplastic

PACKAGING CONTENTS

Mechanism with rocker

REMARKS

Can be combined with article 31802-31 if replacing the light indicator.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CONSUMPTION INDICATOR (mA)

1 mA

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

INDICATOR FUNCTION

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053007419

PACKAGING VOLUME
3026595

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0.8

UNITARY PACKAGING GROSS
WEIGHT
0.08

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.8

PRODUCT NET WEIGHT
0.08

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM